



APPENDIX F

Comparison of Arthropod and Non-Arthropod Invertebrate SSDs


Comparing arthropod and non-arthropod invertebrate cadmium LC50 SSDs
in moderately hard water over moderate (1-3 days) exposure at T>15C




Comparing arthropod and non-arthropod invertebrate cadmium LC50 SSDs in soft water over long (3-30 days) exposure at T>15C




**Comparing arthropod and non-arthropod invertebrate cadmium LC50 SSDs
in soft water over moderate (1-3 days) exposure at T>15C**




**Comparing arthropod and non-arthropod invertebrate cadmium LC50 SSDs
in soft water over short (≤ 1 day) exposure at $T > 15^\circ\text{C}$**




**Comparing arthropod and non-arthropod invertebrate chromium LC50 SSDs
in soft water over long (3-30 days) exposure at T>15C**




**Comparing arthropod and non-arthropod invertebrate chromium LC50 SSDs
in soft water over moderate (1-3 days) exposure at T>15C**




**Comparing arthropod and non-arthropod invertebrate chromium LC50 SSDs
in soft water over short (≤ 1 day) exposure at $T > 15^\circ\text{C}$**




Comparing arthropod and non-arthropod invertebrate copper LC50 SSDs
in moderately hard water over moderate (1-3 days) exposure at T>15C




Comparing arthropod and non-arthropod invertebrate copper LC50 SSDs in soft water over long (3-30 days) exposure at T>15C




Comparing arthropod and non-arthropod invertebrate copper LC50 SSDs in soft water over moderate (1-3 days) exposure at T>15C




Comparing arthropod and non-arthropod invertebrate copper LC50 SSDs in soft water over short (≤ 1 day) exposure at $T > 15^{\circ}\text{C}$




Comparing arthropod and non-arthropod invertebrate zinc LC50 SSDs in moderately hard water over moderate (1-3 days) exposure at T>15C




Comparing arthropod and non-arthropod invertebrate zinc LC50 SSDs
in soft water over long (3-30 days) exposure at T>15C



Comparing arthropod and non-arthropod invertebrate zinc LC50 SSDs in soft water over moderate (1-3 days) exposure at T≤15C



Comparing arthropod and non-arthropod invertebrate zinc LC50 SSDs in soft water over moderate (1-3 days) exposure at T>15C



Comparing arthropod and non-arthropod invertebrate zinc LC50 SSDs
in soft water over short (≤ 1 day) exposure at $T > 15^\circ\text{C}$

