



CHAPTER 15. REFERENCES

15.1 References by Chapter

15.1.1 Executive Summary

ADF&G (Alaska Department of Fish and Game). 2012. *Alaska Freshwater Fish Inventory Database*.

Available: <http://www.adfg.alaska.gov/index.cfm?adfg=ffinventory.main>.

Johnson, J., and P. Blanche. 2012. *Catalog of Waters Important for Spawning, Rearing, or Migration of Anadromous Fishes—Southwestern Region, Effective June 1, 2012*. Special Publication No. 12-08.

Anchorage, AK: Alaska Department of Fish and Game.

Ruggerone, G. T., R. M. Peterman, and B. Dorner. 2010. Magnitude and trends in abundance of hatchery and wild pink salmon, chum salmon, and sockeye salmon in the North Pacific Ocean. *Marine and Coastal Fisheries: Dynamics, Management, and Ecosystem Science* 2:306–328.

USFWS (U.S. Fish and Wildlife Service). 2012. *National Wetlands Inventory*. Available:

<http://www.fws.gov/wetlands/Wetlands-Mapper.html>. Accessed: December 11, 2012.

USGS (U.S. Geological Survey). 2012. *National Hydrography Dataset*. High Resolution, Alaska. Available:

<ftp://nhdftp.usgs.gov/DataSets/Staged/States/FileGDB/HighResolution>. Accessed: October 16, 2012.

Personal Communications

Baker, T. Area Fishery Research Biologist, Bristol Bay Salmon Program. Alaska Department of Fish and Game, Anchorage, AK. July 8, 2011—email to Rebecca Shaftel.

15.1.2 Chapter 1—Introduction

Chambers, D., R. Moran, and L. Trasky. 2012. *Bristol Bay's Wild Salmon Ecosystems and the Pebble Mine: Key Considerations for a Large-Scale Mine Proposal*. January. Wild Salmon Center and Trout Unlimited.

Ghaffari, H., R. S. Morrison, M. A., deRuijeter, A. Živković, T. Hantelmann, D. Ramsey, and S. Cowie. 2011. *Preliminary Assessment of the Pebble Project, Southwest Alaska*. February 15. Document 1056140100-REP-R0001-00. Prepared for Northern Dynasty Minerals Ltd., by WARDROP (a Tetra Tech Company), Vancouver, BC.

PLP (Pebble Limited Partnership). 2013. About Pebble. Available: <http://corporate.pebblepartnership.com/about>. Accessed: April 1, 2013.

USEPA (U.S. Environmental Protection Agency). 2002a. *Clinch and Powell Valley Watershed Ecological Risk Assessment*. EPA/600/R-01/050. Washington, DC: Office of Research and Development, National Center for Environmental Assessment. Available <http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=15219>.

USEPA (U.S. Environmental Protection Agency). 2002b. *Ecological Risk Assessment for the Middle Snake River, Idaho*. EPA/600/R-01/017. Washington, DC: Office of Research and Development, National Center for Environmental Assessment. Available: <http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=29097&partner=ORD-NCEA>.

USEPA (U.S. Environmental Protection Agency). 2002c. *Waquoit Bay Watershed Ecological Risk Assessment: The Effect of Land-Derived Nitrogen Loads on Estuarine Eutrophication*. EPA/600/R-02/079. Washington, DC: Office of Research and Development, National Center for Environmental Assessment. Available: <http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=15221>.

USEPA (U.S. Environmental Protection Agency). 2008. *Predicting Future Introductions of Nonindigenous Species to the Great Lakes (Final Report)*. EPA/600/R-08/066F. Washington, DC: Office of Research and Development, National Center for Environmental Assessment. Available: <http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=190305>.

USEPA (U.S. Environmental Protection Agency). 2011. *The Effects of Mountaintop Mines and Valley Fills on Aquatic Ecosystems of the Central Appalachian Coalfields*. EPA/600/R-09/138F. Washington, DC: Office of Research and Development, National Center for Environmental Assessment. Available: <http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=225743>.

15.1.3 Chapter 2—Overview of Assessment

Chambers, D. M., and B. Higman. 2011. *Long-Term Risks of Tailings Dam Failure*. Bozeman, MT: Center for Science in Public Participation. Available: <http://www.csp2.org/files/reports/Long%20Term%20Risks%20of%20Tailings%20Dam%20Failure%20-%20Chambers%20%26%20Higman%20Oct11-2.pdf>.

- Earthworks. 2012. *U.S. Copper Porphyry Mines Report: The Track Record of Water Quality Impacts Resulting from Pipeline Spills, Tailings Failures and Water Collection and Treatment Failure*. Washington, DC.
- Forman, R. T. T., and L. E. Alexander. 1998. Roads and their major ecological effects. *Annual Review of Ecology and Systematics* 29:207–231.
- Ghaffari, H., R. S. Morrison, M. A., deRuijeter, A. Živković, T. Hantelmann, D. Ramsey, and S. Cowie. 2011. *Preliminary Assessment of the Pebble Project, Southwest Alaska*. February 15. Document 1056140100-REP-R0001-00. Prepared for Northern Dynasty Minerals Ltd., by WARDROP (a Tetra Tech Company), Vancouver, BC.
- PLP (Pebble Limited Partnership). 2011. *Environmental Baseline Document 2004 through 2008*. Anchorage, AK. Available: <http://www.arlis.org/docs/vol2/Pebble/2004-2008EBDIndex.pdf>.
- USEPA (U.S. Environmental Protection Agency). 1998. *Guidelines for Ecological Risk Assessment*. EPA/630/R-95/002F. April. Washington, DC: Office of Research and Development.
- USFWS (U.S. Fish and Wildlife Service). 2012. *National Wetlands Inventory*. Available: <http://www.fws.gov/wetlands/Wetlands-Mapper.html>. Accessed: December 11, 2012.
- USGS (U.S. Geological Survey). 2012. *National Hydrography Dataset*. High Resolution, Alaska. Available: <ftp://nhdftp.usgs.gov/DataSets/Staged/States/FileGDB/HighResolution>. Accessed: October 16, 2012.
- Woody, C. A., and B. Higman. 2011. *Groundwater as Essential Salmon Habitat in Nushagak and Kvichak River Headwaters: Issues Relative to Mining*. Unpublished report. Available: http://www.fish4thefuture.com/pdfs/Groundwater_and_SalmonFINAL27Aug11.pdf.

15.1.4 Chapter 3—Region

- ACIA (Arctic Climate Impact Assessment). 2004. *Impacts of a Warming Arctic: Arctic Climate Impact Assessment*. Cambridge, UK: Cambridge University Press.
- ADF&G (Alaska Department of Fish and Game). 2012. *Alaska Freshwater Fish Inventory Database*. Available: <http://www.adfg.alaska.gov/index.cfm?adfg=ffinventory.main>.
- Araki, H., B. Cooper, and M. S. Blouin. 2009. Carry-over effect of captive breeding reduces reproductive fitness of wild-born descendants in the wild. *Biology Letters* 5(5):621–624.
- Armstrong, J. B., D. E. Schindler, K. L. Omori, C. P. Ruff, and T. P. Quinn. 2010. Thermal heterogeneity mediates the effects of pulsed subsidies across a landscape. *Ecology* 91:1445–1454.
- Barnett, T. P., J. C. Adam, and D. P. Lettenmaier. 2005. Potential impacts of a warming climate on water availability in snow-dominated regions. *Nature* 438:303–309.

- Battin, J., M. W. Wiley, M. H. Ruckelshaus, R. N. Palmer, E. Korb, K. K. Bartz, and H. Imaki. 2007. Projected impacts of climate change on salmon habitat restoration. *Proceedings of the National Academy of Sciences of the United States of America* 104(16):6720–6725.
- Beer, W. N., and J. J. Anderson. 2001. Effect of spawning day and temperature on salmon emergence: interpretations of a growth model for Methow River chinook. *Canadian Journal of Fisheries and Aquatic Sciences* 58:943–949.
- Berggren, T. J., and M. J. Filardo. 1993. An analysis of variables influencing the migration of juvenile salmonids in the Columbia River basin. *North American Journal of Fisheries Management* 13:48–63.
- Bjornn, T. C., and D. W. Reiser. 1991. Habitat requirements of salmonids in streams. Pages 83–138 in W. R. Meehan (ed.), *Influences of Forest and Rangeland Management on Salmonid Fishes and their Habitats*. Bethesda, MD: American Fisheries Society.
- Bryant, M. 2009. Global climate change and potential effects on Pacific salmonids in freshwater ecosystems of southeast Alaska. *Climatic Change* 95:169–193.
- Burgner, R. L. 1991. Life history of sockeye salmon (*Oncorhynchus nerka*). Pages 1–118 in C. Groot and L. Margolis, (eds.), *Pacific Salmon Life Histories*. Seattle, WA: University of Washington Press.
- Burnett, K. M., G. H. Reeves, D. J. Miller, S. Clarke, K. Vance-Borland, and K. Christiansen. 2007. Distribution of salmon-habitat potential relative to landscape characteristics and implications for conservation. *Ecological Applications* 17(1):66–80.
- Christensen, J. H., B. Hewitson, A. Busuioc, A. Chen, X. Gao, I. Held, R. Jones, R. K. Kolli, W.-T. Kwon, R. Laprise, V. Magaa Rueda, L. Mearns, C. G. Menndez, J. Risnen, A. Rinke, A. Sarr, and P. Whetton. 2007. Regional Climate Projections. In Solomon, S., D. Qin, M. Manning, Z. Chen, M. Marquis, K.B. Averyt, M. Tignor and H.L. Miller (eds.), *Climate Change 2007: The Physical Science Basis. Contribution of Working Group I to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change*. Cambridge, UKC and New York, NY: Cambridge University Press.
- CRU (Climatic Research Unit). 2012. *Data*. University of East Anglia, UK. Available: <http://www.cru.uea.ac.uk/data>.
- Demory, R. L., R. L. Orrell, and D. R. Heinle. 1964. *Spawning Ground Catalog of the Kvichak River System, Bristol Bay, Alaska*. Issue 488 of Special Scientific Report—Fisheries. Washington, DC: U.S. Department of Interior, Bureau of Commercial Fisheries.
- Detterman, R. L. 1986. Glaciation of the Alaska Peninsula. Pages 151–170 in Hamilton, T. D., K. M. Reed, and R. M. Thorson (eds.), *Glaciation in Alaska*. Alaska Geological Society.
- Detterman, R. L., and B. L. Reed. 1973. *Surficial Deposits of the Iliamna Quadrangle, Alaska*. Geological Survey Bulletin 1368-A. U.S. Geological Survey. Available: <http://www.dggs.alaska.gov/webpubs/usgs/b/text/b1368a.pdf>. Accessed: December 17, 2012.

- Eaton, J. G., and R. M. Scheller. 1996. Effects of climate warming on fish thermal habitat in streams of the United States. *Limnology and Oceanography* 41:1109–1115.
- Eiler, J. H., B. D. Nelson, and R. F. Bradshaw. 1992. Riverine spawning by sockeye salmon in the Taku River, Alaska and British Columbia. *Transactions of the American Fisheries Society* 121(6):701–708.
- Feddema, J. J. 2005. A revised Thornthwaite-type global climate classification. *Physical Geography* 26:442–466.
- Gallant, A. L., E. F. Binnian, J. M. Omernik, and M. B. Shasby. 1995. *Ecoregions of Alaska*. U.S. Geological Survey Professional Paper 1567. Washington, DC.
- Gesch, D. 2007. Chapter 4—The National Elevation Dataset. Pages 99–118 in Maune, D. (ed.), *Digital Elevation Model Technologies and Applications: The DEM Users Manual*. 2nd edition. Bethesda, MD: American Society for Photogrammetry and Remote Sensing.
- Gesch, D., M. Oimoen, S. Greenlee, C. Nelson, M. Steuck, and D. Tyler. 2002. The National Elevation Dataset. *Photogrammetric Engineering and Remote Sensing* 68(1):5–11.
- Ghaffari, H., R. S. Morrison, M. A., deRuijeter, A. Živković, T. Hantelmann, D. Ramsey, and S. Cowie. 2011. *Preliminary Assessment of the Pebble Project, Southwest Alaska*. February 15. Document 1056140100-REP-R0001-00. Prepared for Northern Dynasty Minerals Ltd., by WARDROP (a Tetra Tech Company), Vancouver, BC.
- Haeussler, P. J., and R. W. Saltus. 2004. *26 km Offset on the Lake Clark Fault Since Late Eocene Time*. Studies by the U.S. Geological Survey in Alaska, 2004. U.S. Geological Survey Professional Paper 1709-A.
- Haeussler, P. J., and C. F. Waythomas. 2011. *Review of the Origin of the Braid Scarp Near the Pebble Prospect, Southwestern Alaska*. U.S. Geological Survey Open File Report 2011-1028.
- Hamon, W. R. 1961. Estimating potential evapotranspiration. *Journal of the Hydraulics Division, Proceedings of the American Society of Civil Engineers* 87:107–120.
- Hauer, F. R., J. S. Baron, D. H. Campbell, K. D. Fausch, S. W. Hostetler, G. H. Leavesley, P. R. Leavitt, D. M. McKnight, and J. A. Stanford. 1997. Assessment of climate change and freshwater ecosystems of the Rocky Mountains, USA and Canada. *Hydrological Processes* 11:903–924.
- Healey, M. 2011. The cumulative impacts of climate change on Fraser River sockeye salmon (*Oncorhynchus nerka*) and implications for management. *Canadian Journal of Fisheries and Aquatic Sciences* 68:953–953.
- Heming, T. A., J. E. McInerney, and D. F. Alderdice. 1982. Effect of temperature on initial feeding in alevins of Chinook salmon (*Oncorhynchus tshawytscha*). *Canadian Journal of Fisheries and Aquatic Sciences* 39:1554–1562.

- Hilborn, R., T. Quinn, D. Schindler, and D. Rogers. 2003. Biocomplexity and fisheries sustainability. *Proceedings of the National Academy of Sciences of the United States of America* 100:6564–6568.
- Hinzman, L. D., N. D. Bettez, W. R. Bolton, F. S. Chapin, M. B. Dyurgerov, C. L. Fastie, B. Griffith, R. D. Hollister, A. Hope, H. P. Huntington, A. M. Jensen, G. J. Jia, T. Jorgenson, D. L. Kane, D. R. Klein, G. Kofinas, A. H. Lynch, A. H. Lloyd, A. D. McGuire, F. E. Nelson, W. C. Oechel, T. E. Osterkamp, C. H. Racine, V. E. Romanovsky, R. S. Stone, D. A. Stow, M. Sturm, C. E. Tweedie, G. L. Vourlitis, M. D. Walker, D. A. Walker, P. J. Webber, J. M. Welker, K. S. Winker, and K. Yoshikawa. 2005. Evidence and implications of recent climate change in Northern Alaska and other Arctic regions. *Climatic Change* 72:251–298.
- Hughes, N. F., and L. M. Dill. 1990. Position choice by drift-feeding salmonids: model and test for Arctic grayling (*Thymallus arcticus*) in subarctic mountain streams, Interior Alaska. *Canadian Journal of Fisheries and Aquatic Sciences* 47:2039–2048.
- Irvine, J. R., M. Fukuwaka, T. Kaga, J. H. Park, K. B. Seong, S. Kang, V. Karpenko, N. Klovach, H. Bartlett, and E. Volk. 2009. *Pacific Salmon Status and Abundance Trends*. Document 1199, Rev. 1. North Pacific Anadromous Fish Commission.
- Johnson, J., and P. Blanche. 2012. *Catalog of Waters Important for Spawning, Rearing, or Migration of Anadromous Fishes—Southwestern Region, Effective June 1, 2012*. Special Publication No. 12-08. Anchorage, AK: Alaska Department of Fish and Game.
- Kisslinger, C. 1976. A review of theories of mechanisms of induced seismicity. *Engineering Geology* 10:85–98.
- Koehler, R. D., and R. D. Reger. 2011. *Reconnaissance Evaluation of the Lake Clark Fault, Tyonek Area, Alaska*. Preliminary Interpretative Report 2011-1. Alaska Division of Geological & Geophysical Surveys.
- Kovach, R. P., A. J. Gharrett, and D. A. Tallmon. 2012. Genetic change for earlier migration timing in a pink salmon population. *Proceedings of the Royal Society B-Biological Sciences* 279:3870–3878.
- Kyle R. E., and T. P. Brabets. 2001. *Water Temperature of Streams in the Cook Inlet Basin, Alaska, and Implications of Climate Change*. Water Resources Investigations Report 2001-4109. U.S. Geological Survey.
- Lawson, P. W., E. A. Logerwell, N. J. Mantua, R. C. Francis, and V. N. Agostini. 2004. Environmental factors influencing freshwater survival and smolt production in Pacific Northwest coho salmon (*Oncorhynchus kisutch*). *Canadian Journal of Fisheries and Aquatic Sciences* 61:360–373.
- Lea, P. D., and C. F. Waythomas. 1990. Late-Pleistocene eolian sand sheets in Alaska. *Quaternary Research* 34:269–281.

- Lea, P.D., S. A. Elias, and S. K. Short. 1991. Stratigraphy and paleoenvironments of Pleistocene nonglacial deposits in the southern Nushagak lowland, southwestern Alaska, USA. *Arctic and Alpine Research* 23:375–391.
- Lisi, P. J., D. E. Schindler, K. T. Bentley, and G. R. Pess. 2013. Association between geomorphic attributes of watersheds, water temperature, and salmon spawn timing in Alaskan streams. *Geomorphology* 185:78–86.
- Lisle, T. 1989. Sediment transport and resulting deposition in spawning gravels, North Coastal California. *Water Resources Research* 25:1303–1319.
- Liston, G. E., and C. A. Hiemstra. 2011. The changing cryosphere: pan-Arctic snow trends (1979–2009). *Journal of Climate* 24(21):5691–5712.
- Luck, M., N. Maumenee, D. Whited, J. Lucotch, S. Chilcote, M. Lorang, D. Goodman, K. McDonald, J. Kimball, and J. Stanford. 2010. Remote sensing analysis of physical complexity of North Pacific Rim rivers to assist wild salmon conservation. *Earth Surface Processes and Landforms* 35:1330–1343.
- Mantua, N., I. Tohver, and A. Hamlet. 2010. Climate change impacts on streamflow extremes and summertime stream temperature and their possible consequences for freshwater salmon habitat in Washington State. *Climatic Change* 102:187–223.
- Markon, C. J., S. F. Trainor, and F. S. Chapin III (eds.) 2012. *The United States National Climate Assessment—Alaska Technical Regional Report*. Circular 1379. Reston, VA: U.S. Geological Survey.
- Martins, E. G., S. G. Hinch, S. J. Cooke, and D. A. Patterson. 2012. Climate effects on growth, phenology, and survival of sockeye salmon (*Oncorhynchus nerka*): a synthesis of the current state of knowledge and future research directions. *Reviews in Fish Biology and Fisheries* 22:887–914.
- Mellina, E., R. D. Moore, S. G. Hinch, J. S. Macdonald, and G. Pearson. 2002. Stream temperature responses to clearcut logging in British Columbia: the moderating influences of groundwater and headwater lakes. *Canadian Journal of Fisheries and Aquatic Sciences* 59:1886–1900.
- Mohseni O., and H. G. Stefan. 1999. Stream temperature/air temperature relationship: a physical interpretation. *Journal of Hydrology* 218(3–4):128–141.
- Montgomery, D. R., and J. M. Buffington. 1997. Channel-reach morphology in mountain drainage basins. *Bulletin of the Geological Society of America* 109(5):596–611.
- Montgomery, D. R., E. M. Beamer, G. R. Pess, and T. P. Quinn. 1999. Channel type and salmonid spawning distribution and abundance. *Canadian Journal of Fisheries and Aquatic Sciences* 56(3):377–387.
- Montgomery, D. R., J. M. Buffington, N. P. Peterson, D. Schuett-Hames, and T. P. Quinn. 1996. Stream-bed scour, egg burial depths, and the influence of salmonid spawning on bed surface mobility and embryo survival. *Canadian Journal of Fisheries and Aquatic Sciences* 53(5):1061–1070.

- Mote, P. W., E. Parson, A. F. Hamlet, W. S. Keeton, D. Lettenmaier, N. Mantua, E. L. Miles, D. Peterson, D. L. Peterson, R. Slaughter, and A. K. Snover. 2003. Preparing for climatic change: the water, salmon, and forests of the Pacific Northwest. *Climatic Change* 61:45–88.
- Nehlsen, W., J. Williams, and J. Lichatowich. 1991. Pacific salmon at the crossroads—stocks at risk from California, Oregon, Idaho, and Washington. *Fisheries* 16:4–21.
- Parks, B., and R. J. Madison. 1985. *Estimation of selected flow and water-quality characteristics of Alaskan streams*. U.S. Geological Survey.
- Peacock, S. 2012. Projected twenty-first century change in temperature, precipitation, and snow cover over North America in CCSM4. *Journal of Climate* 25(13):4405–4429.
- Pess, G. R., T. P. Quinn, D. E. Schindler, and M. C. Liermann. 2013. Freshwater habitat associations between pink (*Oncorhynchus gorbuscha*), chum (*O. keta*) and Chinook salmon (*O. tshawytscha*) in a watershed dominated by sockeye salmon (*O. nerka*) abundance. *Ecology of Freshwater Fish*. doi: 10.1111/eff.12088.
- PLP (Pebble Limited Partnership). 2011. *Pebble Project Environmental Baseline Document 2004 through 2008*. Anchorage, AK. Available: <http://www.arlis.org/docs/vol2/Pebble/2004-2008EBDIndex.pdf>.
- Power, G., R. S. Brown, and J. G. Imhof. 1999. Groundwater and fish—Insights from northern North America. *Hydrological Processes* 13:401–422.
- PRISM Climate Group. 2012. Oregon State University. Available: www.prism.oregonstate.edu.
- Quinn, T. P. 2005. *The Behavior and Ecology of Pacific Salmon and Trout*. Seattle, WA: University of Washington Press.
- Quinn, T. P., H. B. J. Rich, D. Gosse, and N. Schtickzelle, and J. Grant. 2012. Population dynamics and asynchrony at fine spatial scales: a case history of sockeye salmon (*Oncorhynchus nerka*) population structure in Alaska, USA. *Canadian Journal of Fish and Aquatic Science* 69:297–306.
- Rains, M. C. 2011. Water sources and hydrodynamics of closed-basin depressions, Cook Inlet Region, Alaska. *Wetlands* 31:377–387.
- Rand, P. S., B. A. Berejikian, A. Bidlack, D. Bottom, J. Gardner, M. Kaeriyama, R. Lincoln, M. Nagata, T. N. Pearsons, M. Schmidt, W. W. Smoker, L. A. Weitkamp, and L. A. Zhivotovsky. 2012. Ecological interactions between wild and hatchery salmonids and key recommendations for research and management actions in selected regions of the North Pacific. *Environmental Biology of Fishes* 94:343–358.
- RAP (Riverscape Analysis Project). 2011. Available: <http://rap.ntsg.umt.edu>. Accessed: December 2011.
- Rich, H. B., Jr., T. P. Quinn, M. D. Scheuerell, and D. E. Schindler. 2009. Climate and intraspecific competition control the growth and life history of juvenile sockeye salmon (*Oncorhynchus nerka*) in Iliamna Lake, Alaska. *Canadian Journal of Fisheries and Aquatic Sciences* 66(2):238–246.

- Rogers, L. A., and D. E. Schindler. 2011. Scale and the detection of climatic influences on the productivity of salmon populations. *Global Change Biology* 17:2546–2558.
- Ruff, C. P., D. E. Schindler, J. B. Armstrong, K. T. Bentley, G. T. Brooks, G. W. Holtgrieve, M. T. McGlauffin, C. E. Torgersen, and J. E. Seeb. 2011. Temperature-associated population diversity in salmon confers benefits to mobile consumers. *Ecology* 92:2073–2084.
- Salathé, E. P. 2006. Influences of a shift in North Pacific storm tracks on western North America precipitation under global warming. *Geophysical Research Letters* 33(19):L19820.
- Schindler, D. E., R. Hilborn, B. Chasco, C. P. Boatright, T. P. Quinn, L. A. Rogers, and M. S. Webster. 2010. Population diversity and the portfolio effect in an exploited species. *Nature* 465:609–612.
- Selkregg, L. L. 1974. *Southwest Alaska, Alaska Regional Profiles*. Anchorage, AK: University of Alaska, Arctic Environmental Information and Data Center.
- Serreze, M. C., J. E. Walsh, F. S. Chapin III, T. Osterkamp, M. Dyrugerov, V. Romanovsky, W. C. Oechel, J. Morison, T. Zhang, and G. Barry. 2000. Observational evidence of recent change in the northern high-latitude environment. *Climatic Change* 46(1-2):159–207.
- Shallin Busch, D., M. Sheer, K. Burnett, P. McElhany, and T. Cooney. 2011. Landscape-level model to predict spawning habitat for lower Columbia River fall Chinook salmon (*Oncorhynchus tshawytscha*). *River Research and Applications* 29(3):297–312.
- SNAP (Scenarios Network for Alaska and Arctic Planning). 2012. *Historical and Projected Decadal Averages of Annual Total and Annual Mean Temperature, Precipitation, and Evapotranspiration*. Available: <http://www.snap.uaf.edu/data.php>. Accessed: February 7, 2013.
- Stafford, J. M., G. Wendler, and J. Curtis. 2000. Temperature and precipitation of Alaska: 50 year trend analysis. *Theoretical and Applied Climatology* 67(1-2):33–44.
- Stanford, J. A., M. S. Lorang, and F. R. Hauer. 2005. The shifting habitat mosaic of river ecosystems. *International Association of Theoretical and Applied Limnology—Proceedings* 29:123–136.
- Steen, R. P., and T. P. Quinn. 1999. Egg burial depth by sockeye salmon (*Oncorhynchus nerka*): implications for survival of embryos and natural selection on female body size. *Canadian Journal of Zoology* 77(5):836–841.
- Stewart, I. T., D. R. Cayan, and M. D. Dettinger. 2004. Changes in snowmelt runoff timing in western North America under a 'business as usual' climate change scenario. *Climatic Change* 62:217–232.
- Stilwell, K. B., and D. S. Kaufman. 1996. Late Wisconsin glacial history of the northern Alaska Peninsula. *Arctic and Alpine Research* 28:475–487.
- Tang, J., M. D. Bryant, and E. L. Brannon. 1987. Effect of temperature extremes on the mortality and development rates of coho salmon embryos and alevins. *Progressive Fish-Culturist* 49:167–174.

- Taylor, E. B. 1990. Environmental correlates of life-history variation in juvenile Chinook salmon, *Oncorhynchus tshawytscha* (Walbaum). *Journal of Fish Biology* 37:1–17.
- USGS (U.S. Geological Survey). 2010. *Significant United States Earthquakes, 1568–2009*. June. Available: <http://nationalatlas.gov/atlasftp.html?openChapters=chpgeol#chpgeol>. File (quksigx020.tar.gz). Accessed: April 13, 2012.
- USGS (U.S. Geological Survey). 2012. *National Hydrography Dataset*. High Resolution, Alaska. Available: <ftp://nhdftp.usgs.gov/DataSets/Staged/States/FileGDB/HighResolution>. Accessed: October 16, 2012.
- USGS (U.S. Geological Survey). 2013. National Elevation Dataset (2 arc second), ArcGrid. August 26. [n59w155.zip, n59w156.zip, n59w157.zip, n59w158.zip, n60w154.zip, n60w155.zip, n60w156.zip, n60w157.zip, n60w158.zip, n60w159.zip, n60w160.zip, n61w153.zip, n61w154.zip, n61w155.zip, n61w156.zip, n61w157.zip, n61w158.zip, n61w159.zip, n61w160.zip] Available: <http://viewer.nationalmap.gov/viewer/>.
- Wahrhaftig, C. 1965. *Physiographic Divisions of Alaska*. Geological Survey Professional Paper 482. U.S. Geological Survey.
- Walsh, J. E., W. L. Chapman, V. Romanovsky, J. H. Christensen, and M. Stendel. 2008. Global climate model performance over Alaska and Greenland. *Journal of Climate* 21:6156–6174.
- Webb B. W., and F. Nobilis. 1997. Long-term perspective on the nature of the air-water temperature relationship: a case study. *Hydrological Processes* 11(2):137–147.
- Wendler, G., L. Chen, and B. Moore. 2012. The first decade of the new century: a cooling trend for most of Alaska. *The Open Atmospheric Science Journal* 6.
- Winter, T. C. 2001. The concept of hydrologic landscapes. *Journal of the American Water Resources Association* 37:335–349.
- Wissmar R. C., R. K. Timm, and M. D. Bryant. 2010. Radar-derived digital elevation models and field-surveyed variables to predict distributions of juvenile coho salmon and Dolly Varden in remote streams of Alaska. *Transactions of the American Fisheries Society* 139:288–302.
- Zamzow, K. 2011. *Investigations of Surface Water Quality in the Nushagak, Kvichak, and Chulitna Watersheds, Southwest Alaska 2009–2010*. Sutton, AK: Center for Science in Public Participation.

Personal Communications

- Wiedmer, M. Malma Consulting. September 2011—conversation with Joe Ebersole regarding distribution of salmon across the Nushagak and Kvichak River watersheds and factors controlling that distribution.

15.1.5 Chapter 4—Type of Development

- Alto, K., S. Broderius, and L. L. Smith, Jr. 1977. *Toxicity of Xanthates to Freshwater Fish and Invertebrates*. Prepared for State of Minnesota Environmental Quality Council Regional Copper Nickel Study.
- Anderson, E. D., R. G. Eppinger, and K. D. Kelley. 2009. Using regional geochemistry, geology, aeromagnetics, Landsat, and digital elevation models (DEM) to define favourable areas for porphyry-style mineralization in southwestern Alaska. Pages 345–348 in D. R. Lentz, K. G. Thorne, K. L. Beal (eds.), *24th International Applied Geochemistry Symposium, Fredericton, New Brunswick, Canada*. Association of Applied Geochemists.
- Blight, G. E. 2010. *Geotechnical Engineering for Mine Waste Storage Facilities*. Boca Raton, FL: CRC Press.
- Borden, R. K. 2003. Environmental geochemistry of the Bingham Canyon porphyry copper deposit, Utah. *Environmental Geology* 43(7):752–758.
- Brodie, M. J., L. M. Broughton, and A. M. Robertson. 1991. *A Conceptual Rock Classification System for Waste Management and a Laboratory Method for ARD Prediction from Rock Piles*. Preprint for the 2nd International Conference on the Abatement of Acid Drainage, Montreal, Quebec, September 16–18, 1991.
- Commonwealth of Australia. 2007. *Tailings Management – Leading Practice Sustainable Development Program for the Mining Industry*. Australian Government, Department of Industry, Tourism and Resources.
- Davies, M. P. 2002. Tailings impoundment failures: are geotechnical engineers listening? *Geotechnical News*. September: 31–36.
- Davies, M. P. 2011. Filtered dry stacked tailings – the fundamentals. Pages 189–197 in D. van Zyl (ed.), *Tailings and Mine Waste 2011: Proceedings of the 15th International Conference on Tailings and Mine Waste, Vancouver, Canada, November 6–9, 2011*.
- Fuerstenau, M. C. 2003. *Principles of Mineral Processing*. Littleton, CO: Society for Mining, Metallurgy & Exploration, Incorporated.
- Fuerstenau, M. C., G. Jameson, and R. H. Yoon (eds.). 2007. *Froth Flotation: A Century of Innovation*. Littleton, CO: Society of Mining, Metallurgy, and Exploration.
- Ghaffari, H., R. S. Morrison, M. A., deRuijeter, A. Živković, T. Hantelmann, D. Ramsey, and S. Cowie. 2011. *Preliminary Assessment of the Pebble Project, Southwest Alaska*. February 15. Document 1056140100-REP-R0001-00. Prepared for Northern Dynasty Minerals Ltd., by WARDROP (a Tetra Tech Company), Vancouver, BC.
- ICOLD (International Commission on Large Dams). 2001. *Tailings Dams, Risk of Dangerous Occurrences, Lessons Learnt from Practical Experiences*. United Nations Environmental Programme, Bulletin 121.

- John, D. A., R. A. Ayuso, M. D. Barton, R. J. Blakely, R. J. Bodnar, J. H. Dilles, F. Gray, F. T. Graybeal, J. C. Mars, D. K. McPhee, R. R. Seal, R. D. Taylor, and P. G. Vikre. 2010. *Porphyry Copper Deposit Model*. Scientific Investigations Report 2010-5070-B. Reston, VA: U.S. Geological Survey.
- Kesler, S. E., S. L. Chryssoulis, and G. Simon. 2002. Gold in porphyry copper deposits: its abundance and fate. *Ore Geology Reviews* 21(1-2):103-124.
- Khoshdast, H., and A. Sam. 2011. Flotation frothers: review of their classifications, properties and preparation. *The Open Mineral Processing Journal* 2011(4):25-44.
- Koerner, R. M., Y. G. Hsuan, and G. R. Koerner. 2011. *GRI White Paper #6 on Geomembrane Lifetime Prediction: Unexposed and Exposed Conditions, Updated 2011*. Available: <http://www.geosynthetic-institute.org/papers/paper6.pdf>. Accessed: April 20, 2012.
- Levit, S., and D. M. Chambers. 2012. *Comparison of the Pebble Mine with Other Alaska Large Hard Rock Mines*. Sutton, AK: Center for Science in Public Participation.
- Lipman, P. W., and D. A. Sawyer. 1985. Mesozoic ash-flow caldera fragments in southeastern Arizona and their relation to porphyry copper deposits. *Geology* 13:652-656.
- Logsdon, M. J., K. Hagelstein, and T. I. Mudder. 1999. *The Management of Cyanide in Gold Extraction*. Ottawa, ON: International Council on Metals and the Environment.
- Lusty, P. A. J., and S. D. Hannis. 2009. *Commodity Profile: Copper*. Internal Report OR/09/041. Keyworth, Nottingham: British Geological Survey.
- Marsden, J. O., and C. I. House. 2006. *The Chemistry of Gold Extraction*. 2nd edition. Littleton, CO: Society of Mining, Metallurgy, and Exploration.
- Martin, T. E., M. P. Davies, S. Rice, T. Higgs, and P. C. Lighthall. 2002. *Stewardship of Tailings Facilities*. Commissioned by the MMSD project of the International Institute for the Environment and Development (IIEA) and the World Business Council for Sustainable Development (WBCSD), London, England.
- McLeod, H., and L. Murray. 2003. *Tailings Dam Versus a Water Dam, What Is the Design Difference?* ICOLD Symposium on Major Challenges in Tailings Dams, June 15, 2003.
- National Inventory of Dams. 2005. *2005 United States National Inventory of Dams Database*. Available: <http://geo.usace.army.mil/pgis/f?p=397:1:0::NO>. Accessed: October 6, 2005.
- Novagold. 2012. *Donlin Creek Gold Project Technical Report*. January 20.
- O’Kane, M., and C. Wels. 2003. Mine Waste Cover System Design – Linking Predicted Performance to Groundwater and Surface Water Impacts. Pages 341-349 in *Proceedings of the 6th Annual International Conference on Acid Rock Drainage, Cairns, Queensland, Australia, July 12-18, 2003*.

- Porter, K. E., and D. I. Bleiwas. 2003. *Physical Aspects of Waste Storage from a Hypothetical Open Pit Porphyry Copper Operation*. Open File Report 03-143, Version 1.0. U.S. Geological Survey.
- Price, W. A. 2009. *Prediction Manual for Drainage Chemistry from Sulphidic Geologic Materials*. 579. Report prepared by CANMET – Mining and Mineral Sciences Laboratories for the Mine Environment Neutral Drainage (MEND) Program, Natural Resources Canada.
- Price, W. A., and J. C. Errington. 1998. *Guidelines for Metal Leaching and Acid Rock Drainage at Mine Sites in British Columbia*. British Columbia Ministry of Energy and Mines.
- Rico, M. G., G. Benito, and A. Diez-Herrero. 2008. Floods from tailings dam failures. *Journal of Hazardous Materials* 154(1-3):79–87.
- Rowe, R. K. 2005. Long-term performance of contaminant barrier systems. *Geotechnique* 55(9):631–678. Available: <http://www.jcigs.org/8ICG/SL/Geotechnique%20Rankine%20V55%20N9%20631-678%20Rowe%202005.pdf>. Accessed: October 12, 2012.
- Scott Wilson Mining. 2005. *Guelb Moghrein Copper Gold Project, Environmental and Social Impact Assessment, Akjoujt, Mauritania*.
- Singer, D. A., V. I. Berger, and B. C. Moring. 2008. *Porphyry Copper Deposits of the World: Database and Grade and Tonnage Models, 2008*. Open File Report 2008-1155. U.S. Geological Survey.
- Singer, D. A., W. D. Menzie, D. M. Sutphin, D. L. Mosier, and J. D. Bliss. 2001. *Mineral Deposit Density – An Update*. U.S. Geological Survey Professional Paper 1640-A. Reston, VA: U.S. Geological Survey.
- Slaughter, C. B., G. W. Freethy, and L. E. Spangler. 1995. Hydrology of the North Fork of the Right Fork of Millar Creek, Carbon Country, Utah, before, during, and after underground coal mining. Water Resources Investigation Report 95-4025. Denver, CO: U.S. Geological Survey. Available: <http://pubs.usgs.gov/wri/1995/4025/report.pdf>.
- SME (Society for Mining, Metallurgy, and Exploration). 2011. *SME Mining Engineering Handbook*. 3rd edition. Darling, P. (ed.). Denver, CO.
- Stange, W. 1999. The process design of gold leaching and carbon-in-pulp circuits. *The Journal of the South African Institute of Mining and Metallurgy* January/February (1999):13–25.
- State of Idaho. 1992. *Mill Tailings Impoundments*. Pages 16–23 in *Best Management Practices for Mining in Idaho*. Idaho Department of Lands. Available: http://www.idl.idaho.gov/Bureau/Minerals/bmp_manual1992/p16-ch4.pdf. Accessed: September 18, 2011.
- USACE (U.S. Army Corps of Engineers). 2011. Permit # POA-1992-574-M19, Fish Creek. Issued March 4, 2011.

- USDA (U.S. Department of Agriculture). 1995. *Anatomy of a Mine from Prospect to Production*. General Technical Report INT-GTR-35 revised. Ogden, UT: Forest Service, Intermountain Research Station. Available: http://www.fs.fed.us/geology/anatomy_mine.pdf.
- USEPA (U.S. Environmental Protection Agency). 1994a. *Technical Resource Document: Extraction and Beneficiation of Ores and Minerals, Volume 4, Copper*. EPA 530-R-94-031
- USEPA (U.S. Environmental Protection Agency). 1994b. *Technical Report: Design and Evaluation of Tailings Dams*. EPA 530-R-94-038. Washington, DC: Office of Solid Waste.
- Vick, S. G. 1983. *Planning, Design, and Analysis of Tailings Dams*. New York, NY: John Wiley & Sons.
- Vigneault, B., M. Desforges, and J. Geer. 2009. *Mining Reagents and By-Products (e.g. Thiosalts) as Potential Toxicants in Mine Effluents*. Metal Mining Investigation of Cause Workshop, Session 2: Potential Causes of Effects. Available: <https://www.ec.gc.ca/eseem/default.asp?lang=En&n=495426D1-1&offset=6&toc=show>.
- Whittaker, B. N., and D. J. Reddish. 1989. *Subsidence—Occurrence, Prediction and Control*. Amsterdam, Netherlands: Elsevier.

15.1.6 Chapter 5—Endpoints

- ADF&G (Alaska Department of Fish and Game). 2011. Moose Species Profile. Juneau, AK.
- ADF&G (Alaska Department of Fish and Game). 2012. *Alaska Freshwater Fish Inventory Database*. Available: <http://www.adfg.alaska.gov/index.cfm?adfg=ffinVENTORY.main>.
- Alaska Department of Health and Social Services. 2005. The Prevalence of Diabetes Among Adult Alaskans, 2002–2004. *Epidemiology Bulletins* 1–8.
- Alaska Federation of Natives. 2010. *The Right to Subsist—Federal Protection of Subsistence in Alaska*. Available: <http://www.nativefederation.org/wp-content/uploads/2012/10/2010-april8-the-right-to-subsistence.pdf>.
- Armstrong, R. H., and J. E. Morrow. 1980. The Dolly Varden charr, *Salvelinus malma*. Pages 99–140 in E. K. Balon (ed.), *Charrs: Salmonid Fishes of the Genus Salvelinus*. Springer.
- Augerot, X. 2005. *Atlas of Pacific Salmon: The First Map-Based Status Assessment of Salmon in the North Pacific*. Portland, OR.
- Baker, T. T., L. F. Fair, R. A. Clark, and J. J. Hasbrouck. 2009. *Review of Salmon Escapement Goals in Bristol Bay, Alaska, 2009*. Alaska Department of Fish and Game, Division of Sport Fish, Research and Technical Services.
- Ballew, C., A. Ross, R. S. Wells, V. Hiratsuka, K. J. Hamrick, E. D. Nobmann, and S. Bartell. 2004. *Final Report on the Alaska Traditional Diet Survey*. Anchorage, AK.

- Bartz, K. K., and R. J. Naiman. 2005. Effects of salmon-borne nutrients on riparian soils and vegetation in Southwest Alaska. *Ecosystems* 8:529–545.
- Bersamin, A., S. Zidenberg-Cherr, J. Stern, and B. Luick. 2007. Nutrient intakes are associated with adherence to a traditional diet among Yup'ik Eskimos living in remote Alaska native communities: the CANHR Study. *International Journal of Circumpolar Health* 66:62–70.
- Blair, G. R., D. E. Rogers, and T. P. Quinn. 1993. Variation in life history characteristics and morphology of sockeye salmon in the Kvichak River system, Bristol Bay, Alaska. *Transactions of the American Fisheries Society* 122:550–559.
- Brna, P. J., and L. A. Verbrugge (eds.). 2013. *Wildlife Resources of the Nushagak and Kvichak River Watersheds, Alaska*. Final Report. Anchorage, AK: Anchorage Fish and Wildlife Field Office, U.S. Fish and Wildlife Service.
- Burger, C. V., and L. A. Gwartney. 1986. *A Radio Tagging Study of Naknek Drainage Rainbow Trout*. Anchorage, AK: U.S. National Park Service, Alaska Regional Office.
- Butler, L. G. 2004. Unit 9 moose management report. Pages 113–120 in C. Brown, (ed.), *Moose Management Report of Survey and Inventory Activities: 1 July 2001–30 June 2003*. Juneau, AK: Alaska Department of Fish and Game.
- Butler, L. G. 2009. Unit 9 and 10 Wolf Management Report. Pages 66–70 in P. Harper (ed.), *Wolf Management Report of Survey and Inventory Activities 1 July 2005–30 June 2008*. Juneau, AK: Alaska Department of Fish and Game.
- Cederholm C. J., M. D. Kunze, T. Murota, and A. Sibatani. 1999. Pacific salmon carcasses: essential contributors of nutrients and energy for aquatic and terrestrial ecosystems. *Fisheries* 24:6–15.
- Chan, H., K. Fediuk, S. Hamilton, L. Rostas, H. Caughey, G. Egeland, and E. Loring. 2006. Food security in Nunavut, Canada: barriers and recommendations. *International Journal of Circumpolar Health* 65:416–431.
- Christie, K. S., and T. E. Reimchen. 2008. Presence of salmon increases passerine density on Pacific Northwest streams. *Auk* 125:51–59.
- Colombi, B. J., and J. F. Brooks. 2012. *Keystone Nations: Indigenous Peoples and Salmon Across the North Pacific*. Santa Fe, NM: School for Advanced Research.
- Crane, P., M. Lisac, B. Spearman, E. Kretschmer, C. Lewis, S. Miller, and J. Wenburg. 2003. *Development and Application of Microsatellites to Population Structure and Mixed-Stock Analyses of Dolly Varden from the Togiak River Drainage, Final Report* (Study No. 00-011). Anchorage, AK: U.S. Fish and Wildlife Service, Conservation Genetics Laboratory.

- Cunningham, C. J., R. Hilborn, J. Seeb, and T. Branch. 2012. *Reconstruction of Bristol Bay Sockeye Salmon Returns Using Age and Genetic Composition of Catch*. AFS-UW-1202. Seattle, WA: University of Washington, School of Aquatic and Fishery Sciences.
- Darimont, C. T., T. E. Reimchen, and P. C. Paquet. 2003. Foraging behavior by gray wolves on salmon streams in coastal British Columbia. *Canadian Journal of Zoology* 81:349–353.
- DeCicco, A. L. 1992. Long-distance movements of anadromous Dolly Varden between Alaska and the USSR. *Arctic* 45(2):120–123.
- DeCicco, A. L. 1997. Movements of postsmolt anadromous Dolly Varden in northwestern Alaska. *American Fisheries Symposium* 19:175–183.
- Denton, K. P., H. B. Rich, Jr., and T. P. Quinn. 2009. Diet, movement, and growth of Dolly Varden in response to sockeye salmon subsidies. *Transactions of the American Fisheries Society* 138(6):1207–1219.
- Dewailly, E., C. Blanchet, S. Lemieux, L. Sauve, S. Gingras, P. Ayotte, and B. J. Holub. 2001. n-3 Fatty acids and cardiovascular disease risk factors among the Inuit of Nunavik. *The American Journal of Clinical Nutrition* 74:464–473.
- Dewailly, E., C. Blanchet, S. Gingras, S. Lemieux, and B. J. Halub. 2002. Cardiovascular disease risk factors and n-3 fatty acid status in the adult population of James Bay Cree. *The American Journal of Clinical Nutrition* 76:85–92.
- Din, J. N., D. E. Newby, and A. D. Flapan. 2004. Omega 3 fatty acids and cardiovascular disease—fishing for a natural treatment. *British Medical Journal* 328:30–35.
- Dittman, A. H., and T. P. Quinn. 1996. Homing in Pacific salmon: mechanisms and ecological basis. *Journal of Experimental Biology* 199:83–91.
- Duhaime, G., and N. Bernard (eds.). 2008. *Arctic Food Security*. Canadian Circumpolar Institute (CCI) Press, University of Alberta and Centre inter-universitaire d'études et de recherche autochtones (CIERA), Université Laval.
- Dye, J. E., and C. J. Schwanke. 2009. *Report to the Alaska Board of Fisheries for the Recreational Fisheries of Bristol Bay, 2007, 2008, and 2009*. Alaska Department of Fish and Game, Division of Sport Fish, Research and Technical Services.
- Dye, J. E., C. J. Schwanke, and T. A. Jaecks. 2006. *Report to the Alaska Board of Fisheries for the Recreational Fisheries of Bristol Bay, 2004, 2005, and 2006*. Special Publication No. 06-29. Alaska Department of Fish and Game, Divisions of Sport Fish and Commercial Fisheries.
- Ebbesson, S. O. E., and M. T. Tejero. 2007. Fatty acid consumption and metabolic syndrome components: the GOCADAN study. *Journal of the Cardiometabolic Syndrome* 2(4):244–249.

- Eliason, E., T. Clark, M. Hague, L. Hanson, Z. Gallagher, K. Jeffries, M. Gale, D. Patterson, S. Hinch, and A. Farrell. 2011. Differences in thermal tolerance among sockeye salmon populations. *Science* 332:109–112.
- Fair, L. F. 2003. Critical elements of Kvichak River sockeye salmon management. *Alaska Fishery Research Bulletin* 10:95–103.
- Fair, L. F., C. E. Barzil, X. Zychang, R. A. Clark, and J. W. Erickson. 2012. *Review of Salmon Escapement Goals in Bristol Bay, Alaska, 2012*. Fishery Manuscript Series No. 12-0. Anchorage, AK: Alaska Department of Fish and Game.
- Fall, J. A., D. L. Holen, B. Davis, T. Krieg, and D. Koster. 2006. *Subsistence Harvests and Uses of Wild Resources in Iliamna, Newhalen, Nondalton, Pedro Bay, and Port Alsworth, Alaska 2004*. Technical Paper No. 302. Juneau, AK: Alaska Department of Fish and Game, Division of Subsistence.
- Fall, J. A., T. M. Krieg, and D. Holen. 2009. *Overview of the Subsistence Fishery of the Bristol Bay Management Area*. Special Publication No. BOF 2009-07. Anchorage, AK: Alaska Department of Fish and Game, Division of Subsistence.
- Fancy, S. G. 1983. Movements and activity budgets of caribou near oil drilling sites in the Sagavanirktok River Floodplain, Alaska. *Arctic* 36:193–197.
- Gende, S. M., and M. F. Willson. 2001. Passerine densities in riparian forests of Southeast Alaska: potential effects of anadromous spawning salmon. *Condor* 103:624–629.
- Gende, S. M., R. T. Edwards, M. F. Willson, and M. S. Wipfli. 2002. Pacific salmon in aquatic and terrestrial ecosystems. *BioScience* 52(10):917–928.
- Gerrard J. M., P. Gerrard, W. J. Maher, and D. W. A Whitfield. 1975. Factors influencing nest site selection of Bald Eagles in northern Saskatchewan and Manitoba. *Blue Jay* 33:169–176.
- Goldsmith, D., A. Hill, T. Hull, M. Markowski, and R. Unsworth. 1998. *Economic Assessment of Bristol Bay Area National Wildlife Refuges: Alaska Peninsula, Becherof, Izembek, Togiak*. U.S. Department of the Interior, Fish and Wildlife Service.
- Gresh, T., J. Lichatowich, and P. Schoonmaker. 2000. An estimation of historic and current levels of salmon production in the northwest Pacific ecosystem: evidence of a nutrient deficit in the freshwater systems of the Pacific Northwest. *Fisheries* 25(1):15–21.
- Gustafson, R. G., R. S. Waples, J. M. Myers, L. A. Weitkamp, G. J. Bryant, O. W. Johnson, and J. J. Hard. 2007. Pacific salmon extinctions: quantifying lost and remaining diversity. *Conservation Biology* 21:1009–1020.
- Gwartney, L. A. 1985. *Naknek Drainage Rainbow Trout Study in the Katmai National Park and Preserve*. King Salmon, AK: Alaska Department of Fish and Game, Division of Sport Fish, and U.S. Department of Interior, National Park Service.

- Hansen, A. J. 1987. Regulation of bald eagle reproductive rates in southeast Alaska. *Ecology* 68:1387–1392.
- Hartman, W. L., and R. L. Burgner. 1972. Limnology and fish ecology of sockeye salmon nursery lakes of the world. *Journal of the Fisheries Research Board of Canada* 29:699–715.
- Heard, W. R. 1991. Life history of pink salmon (*Oncorhynchus gorbuscha*). Pages 119–230 in C. Groot and L. Margolis (eds.), *Pacific Salmon Life Histories*. Vancouver, BC: UBC Press
- Helfield, J. M., and R. J. Naiman. 2006. Keystone interactions: salmon and bear in riparian forests of Alaska. *Ecosystems* 9:167–180.
- Hilborn, R. 2006. Fisheries success and failure: the case of the Bristol Bay salmon fishery. *Bulletin of Marine Science* 78(3):487–498.
- Hilborn, R., T. Quinn, D. Schindler, and D. Rogers. 2003. Biocomplexity and fisheries sustainability. *Proceedings of the National Academy of Sciences of the United States of America* 100:6564–6568.
- Holen, D., and T. Lemons. 2010. *Subsistence Harvests and Uses of Wild Resources in Lime Village, Alaska, 2007*. Technical Paper No. 355. Anchorage, AK: Alaska Department of Fish and Game, Division of Subsistence.
- Holen, D., T. M. Krieg, and T. Lemons. 2011. *Subsistence Harvests and Uses of Wild Resources in King Salmon, Naknek, and South Naknek, Alaska, 2007*. Technical Paper No. 360. Anchorage, AK: Alaska Department of Fish and Game, Division of Subsistence.
- Holen, D., J. Stariwat, T. M. Krieg, and T. Lemons. 2012. *Subsistence Harvest and Uses of Wild Resources in Aleknagik, Clark's Point, and Manokotak, Alaska, 2008*. Technical Paper No. 368. Anchorage, AK: Alaska Department of Fish and Game, Division of Subsistence.
- Janetski, D. J., D. T. Chaloner, S. D. Tiegs, and G. A. Lamberti. 2009. Pacific salmon effects on stream ecosystems: a quantitative synthesis. *Oecologia* 159(3):583–595.
- Johnson, J., and P. Blanche. 2012. *Catalog of Waters Important for Spawning, Rearing, or Migration of Anadromous Fishes—Southwestern Region, Effective June 1, 2012*. Special Publication No. 12-08. Anchorage, AK: Alaska Department of Fish and Game.
- Johnson, S. W., J. F. Thedinga, and A. S. Feldhausen. 1994. Juvenile salmonid densities and habitat use in the main-stem Situk River, Alaska, and potential effects of glacial flooding. *Northwest Science* 68(4):319–325.
- Johnson, J. S., E. Nobmann, E. Asay, and A. Lanier. 2009. Dietary intake of Alaska Native people in two regions and implications for health: the Alaska Native Dietary and Subsistence Food Assessment Project. *International Journal of Circumpolar Health* 68:109–122.

- King, R. S., C. M. Walker, D. F. Whigham, S. Baird, and J. A. Back. 2012. Catchment topography and wetland geomorphology drive macroinvertebrate community structure and juvenile salmonid distributions in southcentral Alaska headwater streams. *Freshwater Science* 31(2):341–364.
- Kline T. C., J. J. Goering, O. A. Mathisen, P. H. Poe, P. L. Parker, and R. S. Scalan. 1993. Recycling of elements transported upstream by runs of Pacific salmon. 2. $\delta^{15}\text{N}$ and $\delta^{13}\text{C}$ evidence in the Kvichak River watershed, Bristol Bay, southwestern Alaska. *Canadian Journal of Fisheries and Aquatic Sciences* 50(11):2350–2365.
- Krieg, T., M. Chythlook, P. Coiley-Kenner, D. Holen, K. Kamletz, and H. Nicholson. 2005. *Freshwater Fish Harvest and Use in Communities of the Kvichak watershed, 2003*. Technical Data Report No. 297. Juneau AK: Alaska Department of Fish and Game, Division of Subsistence.
- Krieg, T. M., J. A. Fall, M. B. Chythlook, R. LaVine, and D. Koster. 2007. *Sharing, Bartering, and Cash Trade of Subsistence Resources in the Bristol Bay Area, Southwest Alaska*. Technical Paper No. 326. Juneau, AK: Alaska Department of Fish and Game, Division of Subsistence.
- Krieg, T. M., D. L. Holen, and D. Koster. 2009. *Subsistence Harvests and Uses of Wild Resources in Igiugig, Kokhanok, Koliganek, Levelock, and New Stuyahok, Alaska 2005*. Technical Paper No. 322. Dillingham, AK: Alaska Department of Fish and Game, Division of Subsistence.
- Krueger, C. C., M. J. Lisac, S. J. Miller, and W. H. Spearman. 1999. *Genetic Differentiation of Rainbow Trout (Oncorhynchus mykiss) in the Togiak National Wildlife Refuge, Alaska*. Alaska Fisheries Technical Report No. 55. Anchorage, AK: U.S. Fish and Wildlife Service, Fish Genetics Laboratory.
- Larkin, G. A., and P. A. Slaney. 1997. Implications of trends in marine-derived nutrient influx to South Coastal British Columbia salmonid production. *Fisheries* 22:16–24.
- Lindley, S. T., C. B. Grimes, M. S. Mohr, W. Peterson, J. Stein, J. T. Anderson, L. W. Botsford, D. L. Bottom, C. A. Busack, T. K. Collier, J. Ferguson, J. C. Garza, A. M. Grover, D. G. Hankin, R. G. Kope, P. W. Lawson, A. Low, R. B. MacFarlane, K. Moore, M. Palmer-Zwahlen, F. B. Schwing, J. Smith, C. Tracy, R. Webb, B. K. Wells, and T. H. Williams. 2009. *What Caused the Sacramento River Fall Chinook Stock Collapse?* NOAA-TM-NMFS-SWFSC-447. National Oceanic and Atmospheric Administration, National Marine Fisheries Service, Southwest Fisheries Science Center.
- Lisac, M. J. 2009. *Seasonal Distribution and Biological Characteristics of Dolly Varden in the Goodnews River, Togiak National Wildlife Refuge, Alaska, 2005–2006*. Alaska Fisheries Technical Report No. 103. Dillingham, AK: U.S. Fish and Wildlife Service, Togiak National Wildlife Refuge.
- Lisac, M. J., and R. D. Nelle. 2000. *Migratory Behavior and Seasonal Distribution of Dolly Varden Salvelinus malma in the Togiak River Watershed, Togiak National Wildlife Refuge*. Dillingham, AK: U.S. Fish and Wildlife Service.

- McGlaufflin, M. T., D. E. Schindler, L. W. Seeb, C. T. Smith, C. Habicht, and J. E. Seeb. 2011. Spawning habitat and geography influence population structure and juvenile migration timing of sockeye salmon in the Wood River lakes, Alaska. *Transactions of the American Fisheries Society* 140:763–782.
- Meka, J. M., E. E. Knudsen, D. C. Douglas, and R. B. Benter. 2003. Variable migratory patterns of different adult rainbow trout life history types in a southwest Alaska watershed. *Transactions of the American Fisheries Society* 132:717–732.
- Miller, S. D., and D. W. McCollum. 1994. *Nonresident Hunters: Their Characteristics and Attitudes toward Wildlife*. Anchorage, AK: Alaska Department of Fish and Game.
- Miller, S. D., G. C. White, R. A. Sellers, H. V. Reynolds, J. W. Schoen, K. Titus, and V. G. Barnes. 1997. Brown and black bear density estimation in Alaska using radiotelemetry and replicated mark resight techniques. *Wildlife Monographs* 133:1–55.
- Milner, A. M., and R. G. Bailey. 1989. Salmonid colonization of new streams in Glacier Bay National Park, Alaska, USA. *Aquaculture and Fisheries Management* 20:179–192.
- Minard, R. E., M. Alexandersdottir, and S. Sonnichsen. 1992. *Estimation of Abundance, Seasonal Distribution, and Size and Age Composition of Rainbow Trout in the Kvichak River, Alaska, 1986–1991*. Fishery Data Series No. 92-51. Anchorage, AK: Alaska Department of Fish and Game, Division of Sport Fish.
- Moore, J., and D. Schindler. 2004. Nutrient export from freshwater ecosystems by anadromous sockeye salmon (*Oncorhynchus nerka*). *Canadian Journal of Fisheries and Aquatic Sciences* 61:1582–1589.
- Morstad S., and C. E. Brazil. 2012. *Kvichak River Sockeye Salmon Stock Status and Action Plan, 2012: A Report to the Alaska Board of Fisheries*. Anchorage, AK: Alaska Department of Fish and Game, Division of Sport Fish, Research and Technical Services.
- Murphy, N. J., C. D. Schraer, E. Boyko, L. Bulkow, B. Doty, and A. Lanier. 1995. Dietary change and obesity associated with glucose intolerance in Alaska Natives. *Journal of the American Dietetic Association* 95:676–682.
- Nehlsen, W., J. Williams, and J. Lichatowich. 1991. Pacific salmon at the crossroads—stocks at risk from California, Oregon, Idaho, and Washington. *Fisheries* 16:4–21.
- Nickelson, T. E., J. D. Rodgers, S. L. Johnson, and M. F. Solazzi. 1992. Seasonal changes in habitat use by juvenile coho salmon (*Oncorhynchus kisutch*) in Oregon coastal streams. *Canadian Journal of Fisheries and Aquatic Sciences* 49:783–789.
- Nobmann, E. D., R. Ponce, C. Mattil, R. Devereux, B. Dyke, S. O. E. Ebbesson, S. Laston, J. MacCluer, D. Robbins, T. Romenesko, G. Ruotolo, C. R. Wenger, and B. V. Howard. 2005. Dietary intakes vary with age among Eskimo adults of northwest Alaska in the GOCADAN study, 2000–2003. *The Journal of Nutrition* 135:856–862.

- NRC (National Research Council). 1996. *Upstream: Salmon and Society in the Pacific Northwest*. Washington, DC.
- Olson T., and J. Putera. 2007. *Refining Techniques to Survey Harvested Brown Bear Populations in Katmai National Park and Preserve and Lake Clark National Park and Preserve*. January.
- Ostberg, C. O., S. D. Pavlov, and L. Hauser. 2009. Evolutionary relationships among sympatric life history forms of Dolly Varden inhabiting the landlocked Kronotsky Lake, Kamchatka, and a neighboring anadromous population. *Transactions of the American Fisheries Society* 138(1):1–14.
- Pinsky, M. L., D. B. Springmeyer, M. N. Goslin, and X. Augerot. 2009. Range-wide selection of catchments for Pacific salmon conservation. *Conservation Biology* 23:680–691.
- PLP (Pebble Limited Partnership). 2011. *Pebble Project Environmental Baseline Document 2004 through 2008*. Anchorage, AK. Available: <http://www.arlis.org/docs/vol2/Pebble/2004-2008EBDIndex.pdf>.
- Quinn, T. P. 2005. *The Behavior and Ecology of Pacific Salmon and Trout*. Seattle, WA: University of Washington Press.
- Quinn T. P., H. B. Rich, D. Gosse, and N. Schtickzelle, and J. Grant. 2012. Population dynamics and asynchrony at fine spatial scales: a case history of sockeye salmon (*Oncorhynchus nerka*) population structure in Alaska, USA. *Canadian Journal of Fisheries and Aquatic Sciences* 69(2):297–306.
- Rahr, G., J. Lichatowich, R. Hubley, and S. Whidden. 1998. Sanctuaries for native salmon: a conservation strategy for the 21st century. *Fisheries* 23:6–36.
- Reynolds, J. B. 2000. *Life History Analysis of Togiak River Char through Otolith Microchemistry*. Fairbanks, AK: Alaska Cooperative Fish and Wildlife Research Unit, University of Alaska Fairbanks.
- Ruggerone, G. T., R. M. Peterman, and B. Dorner. 2010. Magnitude and trends in abundance of hatchery and wild pink salmon, chum salmon, and sockeye salmon in the North Pacific Ocean. *Marine and Coastal Fisheries: Dynamics, Management, and Ecosystem Science* 2:306–328.
- Russell, R. 1977. *Rainbow Trout Life History Studies in Lower Talarik Creek - Kvichak Drainage*. Anchorage, AK: Alaska Department of Fish and Game.
- Russell, R. 1980. *A Fisheries Inventory of Waters in the Lake Clark National Monument Area*. King Salmon, AK: Alaska Department of Fish and Game, Division of Sport Fish.
- Salo, E. O. 1991. Life history of chum salmon (*Oncorhynchus keta*). Pages 231–310 in C. Groot and L. Margolis (eds.), *Pacific Salmon Life Histories*. Vancouver BC: UBC Press.
- Salomone, P., S. Morstad, T. Sands, M. Jones, T. Baker, G. Buck, F. West, and T. Kreig. 2011. *Bristol Bay Area Management Report*. Anchorage, AK.
- Scanlon, B. 2000. *The Ecology of Arctic Char and the Dolly Varden in the Becharof Lake Drainage, Alaska*. Fairbanks, AK: University of Alaska.

- Scheuerell, M., J. Moore, D. Schindler, and C. Harvey. 2007. Varying effects of anadromous sockeye salmon on the trophic ecology of two species of resident salmonids in southwest Alaska. *Freshwater Biology* 52:1944–1956.
- Schindler, D. E., P. R. Leavitt, C. S. Brock, S. P. Johnson, and P. D. Quay. 2005. Marine-derived nutrients, commercial fisheries, and production of salmon and lake algae in Alaska. *Ecology* 86:3225–3231.
- Schindler, D. E., R. Hilborn, B. Chasco, C. P. Boatright, T. P. Quinn, L. A. Rogers, and M. S. Webster. 2010. Population diversity and the portfolio effect in an exploited species. *Nature* 465:609–612.
- Sepulveda, A. J., D. S. Rutz, S. S. Ivey, K. J. Dunker, and J. A. Gross. 2013. Introduced northern pike predation on salmonids in southcentral Alaska. *Ecology of Freshwater Fish* 22(2):268–279.
- Smith, R. J., K. A. Hobson, H. N. Koopman, and D. M. Lavigne. 1996. Distinguishing between populations of freshwater and saltwater harbor seals (*Phoca vitulina*) using stable isotope ratios and fatty acid profiles. *Canadian Journal of Fisheries and Aquatic Sciences* 53:272–279.
- Solazzi, M., T. Nickelson, S. Johnson, and J. Rodgers. 2000. Effects of increasing winter rearing habitat on abundance of salmonids in two coastal Oregon streams. *Canadian Journal of Fisheries and Aquatic Sciences* 57:906–914.
- U.S. Census Bureau. 2010. *Alaska QuickFacts from the United States Census Bureau*. Available: <http://quickfacts.census.gov/qfd/states/02000.html>.
- USEPA (U.S. Environmental Protection Agency). 1998. *Guidelines for Ecological Risk Assessment*. EPA/630/R-95/002F. April. Washington, DC: Office of Research and Development.
- Valkenburg, P., R. A. Sellers, R. C. Squibb, J. D. Woolington, A. R. Aderman, and B. W. Dale. 2003. Population dynamics of caribou herds in southwestern Alaska. *Rangifer Special Issue* 14:131–142.
- Walsh, P., J. Reynolds, G. Collins, B. Russell, M. Winfree, and J. Denton. 2010. Application of a double-observer aerial line-transect method to estimate brown bear population density in southwestern Alaska. *Journal of Fish and Wildlife Management* 1:47–58.
- Wentworth, C. 2007. *Subsistence Migratory Bird Harvest Survey: Bristol Bay 2001–2005*. Unpublished. Anchorage, AK: U.S. Fish and Wildlife Service.
- Willson, M. F., and K. C. Halupka. 1995. Anadromous fish as keystone species in vertebrate communities. *Conservation Biology* 9:489–497.
- Willson, M. F., S. M. Gende, and B. H. Marston. 1998. Fishes and the forest: expanding perspectives on fish-wildlife interactions. *Bioscience* 48:455–462.
- Wipfli, M. S., and C. V. Baxter. 2010. Linking ecosystems, food webs, and fish production: subsidies in salmonid watersheds. *Fisheries* 35(8):373–387.

- Wolfe, R. J., and R. J. Walker. 1987. Subsistence economies in Alaska: productivity, geography, and development impacts. *Arctic Anthropology* 24(2):56–81.
- Wong D., and C. Wentworth. 1999. *Subsistence Waterfowl Harvest Survey, Bristol Bay 1995–1998*. Unpublished. Anchorage, AK: U.S. Fish and Wildlife Service.
- Woody, C. A., and S. L. O'Neal. 2010. *Fish Surveys in Headwater Streams of the Nushagak and Kvichak River Drainages, Bristol Bay, Alaska, 2008–2010*. Anchorage, AK: Fisheries Research and Consulting.
- Woolington, J. D. 2004. Unit 17 moose management report. Pages 246–266 in C. Brown (ed.), *Moose Management Report of Survey and Inventory Activities: 1 July 2001–30 June 2003*. Juneau, AK: Alaska Department of Fish and Game.
- Woolington, J. D. 2009. Mulchatna caribou management report, Units 9B, 17, 18 south, 19A & 19B. Pages 11–31 in P. Harper (ed.), *Caribou Management Report Of Survey And Inventory Activities, 1 July 2006–1 July 2008*. Juneau, AK: Alaska Department of Fish and Game.

Personal Communications

- Baker, T. Area Fishery Research Biologist, Bristol Bay Salmon Program, Alaska Department of Fish and Game, Anchorage, AK. July 8, 2011—email to Rebecca Shaftel.

15.1.7 Chapter 6—Mine Scenarios

- ADEC (Alaska Department of Environmental Conservation). 2012. *Situation Report: Fairbanks Gold Mining, Inc. Cyanide Water Spill*. Anchorage, AK: Alaska Department of Environment and Conservation, Division of Spill Prevention and Response, Prevention and Emergency Response Program.
- ADF&G (Alaska Department of Fish and Game). 2013. *Invasive Species. Overview*. <http://www.adfg.alaska.gov/index.cfm?adfg=invasive.main>. Accessed: March 4, 2013.
- BC (Province of British Columbia, Canada). 2001. *Ambient Water Quality Guidelines for Manganese*. Ministry of Environment.
- BC (Province of British Columbia, Canada). 2008. *Ambient Water Quality Guidelines for Iron*. Ministry of Environment.
- Biesinger, K. E., and G. M. Christensen. 1972. Effects of various metals on survival, growth, reproduction, and metabolism of *Daphnia magna*. *Journal of the Fisheries Board of Canada* 39:1691–1700.
- Blight, G. E. 2010. *Geotechnical Engineering for Mine Waste Storage Facilities*. Boca Raton, FL: CRC Press.
- Blight, G. E., and A. B. Fourie. 2003. A Review of Catastrophic Flow Failures of Deposit of Mine Waste and Municipal Refuse. In L. Picarelli (ed.), *Proceedings of the International Workshop on Occurrence and Mechanisms of Flow-like Landslides in Natural Slopes and Earthfills, Sorrento, Italy, May 14–16, 2003*.

- Blowes, D. W., C. J. Ptacek, and J. Jurjovec. 2003. Mill tailings: hydrogeology and geochemistry. Pages 95–116 in J. L. Jambar, D. W. Blowes, A. I. M. Ritchie (eds.), *Environmental Aspects of Mine Wastes: Mineralogical Association of Canada Short Course Series*. Volume 31.
- Boutet, C., and C. Chaisemartin. 1973. Specific toxic properties of metallic salts. *Comptes Rendus Des Séances De La Société De Biologie Et De Ses Filiales* 167(12):1933–1938.
- CCME (Canadian Council of Ministers of the Environment). 1999. *Canadian Water Quality Guidelines for the Protection of Aquatic Life: Molybdenum*. Winnipeg, MB.
- CCME (Canadian Council of Ministers of the Environment). 2009. *Canadian Water Quality Guidelines for the Protection of Aquatic Life: Boron*. Winnipeg, MB.
- CEA (Chugach Electric Association). 2011. *Facilities*. Available: <http://www.chugachelectric.com/inside-chugach/the-company/facilities>. Accessed: January 3, 2013.
- Chapman, P.M., H. Bailey, and E. Canaria. 2000. Toxicity of total dissolved solids associated with two mine effluents to chironomid larvae and early life stages of rainbow trout. *Environmental Toxicology and Chemistry* 19:210–214.
- Eddmaps. 2013. Species Information. *Alaska Exotic Plant Information Clearinghouse*. Available: <http://www.eddmaps.org/alaska/species/>. Accessed: March 4, 2013.
- Environment Canada and Health Canada. 2010. *Screening Assessment for the Challenge: Antimony trioxide (antimony oxide)*. Ottawa, ON. Available: <http://www.ec.gc.ca/ese-ees/default.asp?lang=En&n=9889ABB5-1>.
- Environment Canada and Health Canada. 2011. *Screening Assessment for the Challenge: Cobalt, Cobalt Chloride, Sulfuric Acid, Cobalt (2+) Salt (1:1), and Sulfuric Acid, Cobalt Salt*. Ottawa, ON. Available: <http://www.ec.gc.ca/ese-ees/default.asp?lang=En&n=8E18277B-1>.
- Etcheverry, D. 2012. *Aquatic Invasive Plants: A New Focus for Alaskan Invasive Species Management*. Presentation at the 13th Annual Invasive Species Conference, University of Alaska Fairbanks. http://www.uaf.edu/files/ces/cnipm/annualinvasivespeciesconference/13thAnnualMeetingProceedings/AISC-Elodea-D.Etcheverry_2012.pdf. Accessed: March 4, 2013.
- Gammons, C. H., L. N. Harris, J. M. Castro, P. A. Cott, and B. W. Hanna. 2009. Creating lakes from open pit mines: processes and considerations, with emphasis on northern environments. *Canadian Technical Report of Fisheries and Aquatic Sciences* 2826.
- Ghaffari, H., R. S. Morrison, M. A., deRuijeter, A. Živković, T. Hantelmann, D. Ramsey, and S. Cowie. 2011. *Preliminary Assessment of the Pebble Project, Southwest Alaska*. February 15. Document 1056140100-REP-R0001-00. Prepared for Northern Dynasty Minerals Ltd., by WARDROP (a Tetra Tech Company). Vancouver, BC.

- Goldman, C. 1960. Primary productivity and limiting factors in three lakes of the Alaska Peninsula. *Ecological Monographs* 30:207–230.
- Hidalgo, P., and I. G. R. Gutz. 2001. Determination of low concentrations of the flotation reagent ethyl xanthate by sampled DC polarography and flow injection with the amperometric detection. *Talanta* 54:403–409.
- HSWCD (Homer Soil and Water Conservation District). 2007. *Managing Invasive Plants in Wetlands of the Kenai Peninsula: Developing a Management Program of Reed Canarygrass Infestations, FY2007 Progress Report Summary*. Homer, AK.
- Laurence, D. 2011. Establishing a sustainable mining operation: an overview. *Journal of Cleaner Production* 19(2-3):278–284.
- Marsik, T. 2009. *Basic Study of Renewable Energy Alternatives for Electricity Generation in Dillingham/Aleknagik Region*. Prepared for Nushagak Electric and Telephone Cooperative, Inc., by Bristol Bay Environmental Science Lab, University of Alaska Fairbanks, Bristol Bay Campus.
- Merz, J. E., J. R. Smith, M. L. Workman, J. D. Setka, and B. Mulchaey. 2008. Aquatic macrophyte encroachment in Chinook salmon spawning beds: lessons learned from gravel enhancement monitoring in the Lower Mokelumne River, California. *North American Journal of Fisheries Management* 28:1568–1577.
- ML&P (Municipal Light and Power). 2012. *About ML&P*. Available: http://www.mlandp.com/redesign/about_mlp.htm. Accessed: January 3, 2013.
- Moore, J., and D. Schindler. 2004. Nutrient export from freshwater ecosystems by anadromous sockeye salmon (*Oncorhynchus nerka*). *Canadian Journal of Fisheries and Aquatic Sciences* 61:1582–1589.
- NDM (Northern Dynasty Minerals). 2006. *Pebble Project – Water Right Applications Submitted to the Alaska Department of Natural Resources*. Available: <http://dnr.alaska.gov/mlw/mining/largemine/pebble/water-right-apps/index.cfm>. Accessed: October 12, 2012.
- PLP (Pebble Limited Partnership). 2011. *Pebble Project Environmental Baseline Document 2004 through 2008*. Anchorage, AK. Available: <http://www.arlis.org/docs/vol2/Pebble/2004-2008EBDIndex.pdf>.
- Reeve, A. S., and M. B. Gracz. 2008. Simulating the hydrogeologic setting of peatlands in the Kenai Peninsula Lowlands, Alaska. *Wetlands* 28:92–106.
- Singer, D. A., V. I. Berger, and B. C. Moring. 2008. *Porphyry Copper Deposits of the World: Database and Grade and Tonnage Models, 2008*. Open File Report 2008-1155. U.S. Geological Survey.
- Swedish Chemicals Inspectorate. 2008. *European Union Risk Assessment Report: Diantimony Trioxide Risk Assessment*. Luxembourg: Office for Official Publications of the European Communities.
- USEPA (U.S. Environmental Protection Agency). 1976. *Quality Criteria for Water*. Washington, DC.

- USEPA (U.S. Environmental Protection Agency). 1980. *Ambient Water Quality Criteria for Antimony*. EPA/440/5-80-020. Washington, DC: Office of Water.
- USEPA (U.S. Environmental Protection Agency). 1997. *EPA Can Do More to Minimize Hardrock Mine Liabilities*. EiDMF6-08-0016-7100223. June 11. Washington, DC: Office of the Inspector General.
- USEPA (U.S. Environmental Protection Agency). 1998. *Guidelines for Ecological Risk Assessment*. EPA/630/R-95/002F. April. Washington, DC: Office of Research and Development.
- USEPA (U.S. Environmental Protection Agency). 2011. *A Field-Based Aquatic Life Benchmark for Conductivity in Central Appalachian Streams (Final Report)*. EPA/600/R-10/023F. Washington, DC.
- USEPA (U.S. Environmental Protection Agency). 2013. ECOTOX User Guide: ECOTOXicology Database System. Version 4.0. Available: <http://www.epa.gov/ecotox>. Accessed: October 2013.
- USFWS (U.S. Fish and Wildlife Service). 2012. *National Wetlands Inventory*. Available: <http://www.fws.gov/wetlands/Wetlands-Mapper.html>. Accessed: December 11, 2012.
- USGS (U.S. Geological Survey). 2012a. *National Hydrography Dataset*. High Resolution, Alaska. Available: <ftp://nhdftp.usgs.gov/DataSets/Staged/States/FileGDB/HighResolution>. Accessed: October 16, 2012.
- USGS (U.S. Geological Survey). 2012b. Water Resources of Alaska. USGS Alaska Science Center Water Resources Office. Last updated: December 12, 2012. Available: <http://alaska.usgs.gov/science/water/index.php>. Accessed: April 17, 2013.
- Wells, P. S. 2011. Long term in situ behaviour of oil sands fine tailings in Suncor's Pond 1A. *Proceedings from the Tailings and Mine Waste 2011 Conference, Vancouver, British Columbia, November 6–9, 2011*.

15.1.8 Chapter 7—Mine Footprint

- ADF&G (Alaska Department of Fish and Game). 2012. *Alaska Freshwater Fish Inventory Database*. Available: <http://www.adfg.alaska.gov/index.cfm?adfg=ffinventory.main>.
- ADF&G (Alaska Department of Fish and Game). 2013. *Anadromous Waters Catalog, Overview*. Available: <http://www.adfg.alaska.gov/sf/SARR/AWC/>. Accessed: April 9, 2013.
- Alexander, R., E. Boyer, R. Smith, G. Schwarz, and R. Moore. 2007. The role of headwater streams in downstream water quality. *Journal of the American Water Resources Association* 43:41–59.
- Anderson, K. E., A. J. Paul, E. McCauley, L. J. Jackson, J. R. Post, and R. M. Nisbet. 2006. Instream flow needs in streams and rivers: the importance of understanding ecological dynamics. *Frontiers in Ecology and the Environment* 4:309–318.
- Armstrong, J. B., and D. E. Schindler. 2013. Going with the flow: spatial distributions of juvenile coho salmon track an annually shifting mosaic of water temperature. *Ecosystems* 16(8):1429–1441.

- Armstrong, J. B., D. E. Schindler, K. L. Omori, C. P. Ruff, and T. P. Quinn. 2010. Thermal heterogeneity mediates the effects of pulsed subsidies across a landscape. *Ecology* 91:1445–1454.
- Arthington, A. H., S. E. Bunn, N. L. Poff, and R. J. Naiman. 2006. The challenge of providing environmental flow rules to sustain river ecosystems. *Ecological Applications* 16:1311–1318.
- Bartholow, J. M. 2010. Constructing an interdisciplinary flow regime recommendation. *Journal of the American Water Resources Association* 46:892–906.
- Beechie, T. J., E. Beamer, and L. Wasserman. 1994. Estimating coho salmon rearing habitat and smolt production losses in a large river basin, and implications for habitat restoration. *North American Journal of Fisheries Management* 14:797–811.
- Blair, G. R., D. E. Rogers, and T. P. Quinn. 1993. Variation in life history characteristics and morphology of sockeye salmon in the Kvichak River system, Bristol Bay, Alaska. *Transactions of the American Fisheries Society* 122(4):550–559.
- Bovee, K. D. 1982. *A Guide to Stream Habitat Analysis Using the Instream Flow Incremental Methodology*. Instream Flow Group Information Paper No. 12, FWS/OBS-2/26. Fort Collins, CO: U.S. Fish and Wildlife Service.
- Bovee, K. D., B. L. Lamb, J. M. Bartholow, C. D. Stalnaker, J. Taylor, and J. Henrikson. 1998. *Stream Habitat Analysis Using the Instream Flow Incremental Methodology*. Information and Technical Report USGS/BRD-1998-0004. U.S. Geological Survey, Biological Resources Division.
- Bradford, M. J., G. C. Taylor, J. A. Allan, and P. S. Higgins. 1995. An experimental study of the stranding of juvenile coho salmon and rainbow trout during rapid flow decreases under winter conditions. *North American Journal of Fisheries Management* 15:47–479.
- Brannon, E. 1987. Mechanisms stabilizing salmonid fry emergence timing. *Canadian Special Publication of Fisheries and Aquatic Sciences* 96:120–124.
- Brown, T. G., and G. F. Hartman. 1988. Contribution of seasonally flooded lands and minor tributaries to the production of coho salmon in Carnation Creek, British Columbia. *Transactions of the American Fisheries Society* 117:546–551.
- Brown, R. S., W. A. Hubert, and S. F. Daly. 2011. A primer on winter, ice, and fish: what fisheries biologists should know about winter ice processes and stream-dwelling fish. *Fisheries* 36:8–26.
- Bryant, M. D., N. D. Zymonas, and B. E. Wright. 2004. Salmonids on the fringe: abundance, species composition, and habitat use of salmonids in high-gradient headwater streams, southeast Alaska. *Transactions of the American Fisheries Society* 133:1529–1538.

- Bue, B. G., S. M. Fried, S. Sharr, D. G. Sharp, J. A. Wilcock, and H. J. Geiger. 1988. Estimating salmon escapement using area-under-the-curve, aerial observer efficiency, and stream-life estimates: the Prince William Sound pink salmon example. *North Pacific Anadromous Fish Commission Bulletin* 1:240–250.
- Callegary, J., C. Kikuchi, J. Koch, M. Lilly, and S. Leake. 2013. Review: groundwater in Alaska (USA). *Hydrogeology Journal* 21(1):25–39.
- Chadwick, M. A., and A. D. Huryn. 2007. Role of habitat in determining macroinvertebrate production in an intermittent-stream system. *Freshwater Biology* 52:240–251.
- Collen, P., and R. J. Gibson. 2001. The general ecology of beavers (*Castor* spp.), as related to their influence on stream ecosystems and riparian habitats, and the subsequent effects on fish—A review. *Reviews in Fish Biology and Fisheries* 10:439–461.
- Compton, J. E., M. R. Church, S. T. Larned, and W. E. Hogsett. 2003. Nitrogen export from forested watersheds in the Oregon Coast Range: the role of N-2-fixing red alder. *Ecosystems* 6:773–785.
- Cunjak, R. A. 1996. Winter habitat of selected stream fishes and potential impacts from land-use activity. *Canadian Journal of Fisheries and Aquatic Sciences* 53 (Supplement 1):267–282.
- Curry, R. A., J. Gehrels, D. L. G. Noakes, and R. Swainson. 1994. Effects of river flow fluctuations on groundwater discharge through brook trout, *Salvelinus fontinalis*, spawning and incubation habitats. *Hydrobiologia* 277:121–134.
- Dekar, M. P., R. S. King, J. A. Back, D. F. Whigham, and C. M. Walker. 2012. Allochthonous inputs from grass-dominated wetlands support juvenile salmonids in headwater streams: evidence from stable isotopes of carbon, hydrogen, and nitrogen. *Freshwater Science* 31:121–132.
- Doucett, R. R., G. Power, D. R. Barton, R. J. Drimmie, and R. A. Cunjak. 1996. Stable isotope analysis of nutrient pathways leading to Atlantic salmon. *Canadian Journal of Fisheries and Aquatic Sciences* 53:2058–2066.
- Dye, J. E., and C. J. Schwanke. 2009. *Report to the Alaska Board of Fisheries for the Recreational Fisheries of Bristol Bay, 2007, 2008, and 2009*. Alaska Department of Fish and Game, Division of Sport Fish, Research and Technical Services.
- Elliott, G. V., and J. E. Finn. 1983. *Fish Utilization of Several Kenai River Tributaries: 1982 Field Report*. Anchorage, AK: U.S. Fish and Wildlife Service, Special Studies.
- Estes, C. C. 1998. *Annual Summary of Instream Flow Reservations and Protection in Alaska*. Alaska Department of Fish and Game, Division of Sport Fish, Research and Technical Services.
- Ferreira, V., V. Gulis, and M. A. S. Graca. 2006. Whole-stream nitrate addition affects litter decomposition and associated fungi but not invertebrates. *Oecologia* 149:718–729.

- Freeman, M. C., C. M. Pringle, and C. R. Jackson. 2007. Hydrologic connectivity and the contribution of stream headwaters to ecological integrity at regional scales. *Journal of the American Water Resources Association* 43(1):5–14.
- Gesch, D. 2007. Chapter 4–The National Elevation Dataset. Pages 99–118 in Maune, D. (ed.), *Digital Elevation Model Technologies and Applications: The DEM Users Manual*. 2nd edition. Bethesda, MD: American Society for Photogrammetry and Remote Sensing.
- Gesch, D., M. Oimoen, S. Greenlee, C. Nelson, M. Steuck, and D. Tyler. 2002. The National Elevation Dataset. *Photogrammetric Engineering and Remote Sensing* 68(1):5–11.
- Ghaffari, H., R. S. Morrison, M. A., deRuijeter, A. Živković, T. Hantelmann, D. Ramsey, and S. Cowie. 2011. *Preliminary Assessment of the Pebble Project, Southwest Alaska*. February 15. Document 1056140100-REP-R0001-00. Prepared for Northern Dynasty Minerals Ltd., by WARDROP (a Tetra Tech Company). Vancouver, BC.
- Gomez-Uchida, D., J. E. Seeb, M. J. Smith, C. Habicht, T. P. Quinn, and L. W. Seeb. 2011. Single nucleotide polymorphisms unravel hierarchical divergence and signatures of selection among Alaskan sockeye salmon (*Oncorhynchus nerka*) populations. *BMC Evolutionary Biology* 11(1):48.
- Hall, J. V., W. E. Frayer, and B. O. Wilen. 1994. *Status of Alaska Wetlands*. U.S. Fish and Wildlife Service, Alaska Region, Anchorage, AK. Available: <http://www.fws.gov/wetlands/Documents/Status-of-Alaska-Wetlands.pdf>.
- Hancock, P. J. 2002. Human impacts on the stream-groundwater exchange zone. *Environmental Management* 29:763–781.
- Hendry, A. P., J. E. Hensleigh, and R. R. Reisenbichler. 1998. Incubation temperature, developmental biology, and the divergence of sockeye salmon (*Oncorhynchus nerka*) within Lake Washington. *Canadian Journal of Fisheries and Aquatic Sciences* 55:1387–1394.
- Henning, J. A., R. E. Gresswell, and I. A. Fleming. 2006. Juvenile salmonid use of freshwater emergent wetlands in the floodplain and its implications for conservation management. *North American Journal of Fisheries Management* 26:367–376.
- Hilborn, R., B. G. Bue, and S. Sharr. 1999. Estimating spawning escapements from periodic counts: a comparison of methods. *Canadian Journal of Fisheries and Aquatic Sciences* 56(5):888–896.
- Hilborn, R., T. Quinn, D. Schindler, and D. Rogers. 2003. Biocomplexity and fisheries sustainability. *Proceedings of the National Academy of Sciences of the United States of America* 100:6564–6568.
- Hillman, T. W., J. W. Mullan, and J. S. Griffith. 1992. Accuracy of underwater counts of juvenile Chinook salmon, coho salmon, and steelhead. *North American Journal of Fisheries Management* 12:598–603.
- Hodgson, S., and T. P. Quinn. 2002. The timing of adult sockeye salmon migration into fresh water: adaptations by populations to prevailing thermal regimes. *Canadian Journal of Zoology* 80:542–555.

- Holt, K. R., and S. P. Cox. 2008. Evaluation of visual survey methods for monitoring Pacific salmon (*Oncorhynchus* spp.) escapement in relation to conservation guidelines. *Canadian Journal of Fisheries and Aquatic Sciences* 65(2):212–226.
- Huusko, A., L. Greenberg, M. Stickler, T. Linnansaari, M. Nykänen, T. Vehanen, S. Koljonen, P. Louhi, and K. Alfredsen. 2007. Life in the ice lane: the winter ecology of stream salmonids. *River Research and Applications* 23:469–491.
- Irons J. G., III, S. R. Ray, L. K. Miller, and M. W. Oswood. 1989. Spatial and seasonal patterns of streambed water temperatures in an Alaskan subarctic stream. *Proceedings of the Symposium on Headwaters Hydrology* June:381–390. American Water Resources Association. As cited in Reynolds, J. B. 1997. Ecology of overwintering fishes in Alaskan freshwaters. Pages 281–302 in A. M. Milner and M. W. Oswood (eds.), *Freshwaters of Alaska: Ecological Syntheses*. New York, NY: Springer.
- Johnson, J., and P. Blanche. 2012. *Catalog of Waters Important for Spawning, Rearing, or Migration of Anadromous Fishes – Southwestern Region, Effective June 1, 2012*. Special Publication No. 12-08. Anchorage, AK: Alaska Department of Fish and Game.
- Jones, E. L., III, S. Heinl, and K. Pahlke. 2007. Aerial counts. Pages 399–410 in D. H. Johnson, B. M. Shrier, J. S. O’Neal, J. A. Knutzen, X. Augerot, T. A. O’Neil, and T. N. Pearsons, (eds.), *Salmonid Field Protocols Handbook: Techniques for Assessing Status and Trends in Salmon and Trout Populations*. Bethesda, MD: American Fisheries Society.
- King, R. S., C. M. Walker, D. F. Whigham, S. Baird, and J. A. Back. 2012. Catchment topography and wetland geomorphology drive macroinvertebrate community structure and juvenile salmonid distributions in southcentral Alaska headwater streams. *Freshwater Science* 31(2):341–364.
- Lang, D. W., G. H. Reeves, J. D. Hall, and M. S. Wipfli. 2006. The influence of fall-spawning coho salmon (*Oncorhynchus kisutch*) on growth and production of juvenile coho salmon rearing in beaver ponds on the Copper River Delta, Alaska. *Canadian Journal of Fisheries and Aquatic Sciences* 63:917–930.
- Lytle, D. A., and N. L. R. Poff. 2004. Adaptation to natural flow regimes. *Trends in Ecology & Evolution* 19:94–100.
- Matthews, W. J., and E. Marsh-Matthews. 2003. Effects of drought on fish across axes of space, time and ecological complexity. *Freshwater Biology* 48:1232–1253.
- Meyer, J. L., D. L. Strayer, J. B. Wallace, S. L. Eggert, G. S. Helfman, and N. E. Leonard. 2007. The contribution of headwater streams to biodiversity in river networks. *Journal of the American Water Resources Association* 43(1):86–103.
- Morstad, S. 2003. *Kvichak River Sockeye Salmon Spawning Ground Surveys, 1955–2002*. Regional Information Number 2A02-32. Anchorage, AK: Alaska Department of Fish and Game.

- Nickelson, T. E., J. D. Rodgers, S. L. Johnson, and M. F. Solazzi. 1992. Seasonal changes in habitat use by juvenile coho salmon (*Oncorhynchus kisutch*) in Oregon coastal streams. *Canadian Journal of Fisheries and Aquatic Sciences* 49:783–789.
- Olsen, J. B., S. J. Miller, W. J. Spearman, and J. K. Wenburg. 2003. Patterns of intra-and inter-population genetic diversity in Alaskan coho salmon: implications for conservation. *Conservation Genetics* 4(5):557–569.
- Parken, C. K., R. E. Bailey, and J. R. Irvine. 2003. Incorporating uncertainty into area-under-the-curve and peak count salmon escapement estimation. *North American Journal of Fisheries Management* 23(1):78–90.
- Pess, G. R., D. R. Montgomery, E. A. Steel, R. E. Bilby, B. E. Feist, and H. M. Greenberg. 2002. Landscape characteristics, land use, and coho salmon (*Oncorhynchus kisutch*) abundance, Snohomish River, Wash., U.S.A. *Canadian Journal of Fisheries and Aquatic Sciences* 59:613–623.
- Pess, G. R., S. A. Morley, J. L. Hall, and R. K. Timm. 2005. Monitoring Floodplain Restoration. Pages 127–166 in P. Roni, (ed.), *Monitoring Stream and Watershed Restoration*. Bethesda, MD: American Fisheries Society.
- Piccolo, J. J., and M. S. Wipfli. 2002. Does red alder (*Alnus rubra*) in upland riparian forests elevate macroinvertebrate and detritus export from headwater streams to downstream habitats in southeastern Alaska? *Canadian Journal of Fisheries and Aquatic Sciences* 59:503–513.
- PLP (Pebble Limited Partnership). 2011. *Pebble Project Environmental Baseline Document 2004 through 2008*. Anchorage, AK. Available: <http://www.arlis.org/docs/vol2/Pebble/2004-2008EBDIndex.pdf>.
- Poff, N. L., J. D. Allan, M. B. Bain, J. R. Karr, K. L. Prestegard, B. D. Richter, R. E. Sparks, and J. C. Stromberg. 1997. The natural flow regime: a paradigm for river conservation and restoration. *Bioscience* 47:769–784.
- Poff, N., J. Olden, D. Pepin, and B. Bledsoe. 2006. Placing global stream flow variability in geographic and geomorphic contexts. *Regulated Rivers: Research & Management* 22:149–166.
- Poff, N., B. Richter, A. Arthington, S. Bunn, R. Naiman, C. Apse, E. Kendy, A. Warner, R. Jacobson, and K. Rogers. 2009. The ecological limits of hydrologic alteration (ELOHA): a new framework for developing regional environmental flow standards. *Freshwater Biology* 55:147–170.
- Poff, N. L., and J. K. H. Zimmerman. 2010. Ecological responses to altered flow regimes: a literature review to inform the science and management of environmental flows. *Freshwater Biology* 55:194–205.
- Pollock, M. M., M. Heim, and D. Werner. 2003. Hydrologic and geomorphic effects of beaver dams and their influence on fishes. *The Ecology and Management of Wood in World Rivers* 37:213–233.

- Pollock, M. M., G. R. Pess, and T. J. Beechie. 2004. The importance of beaver ponds to coho salmon production in the Stillaguamish River basin, Washington, USA. *North American Journal of Fisheries Management* 24:749–760.
- Postel, S., and B. Richter. 2003. *Rivers for Life: Managing Water for People and Nature*. Washington, DC: Island Press.
- Power, G., R. S. Brown, and J. G. Imhof. 1999. Groundwater and fish—Insights from northern North America. *Hydrological Processes* 13:401–422.
- Quinn, T. P. 2005. *The Behavior and Ecology of Pacific Salmon and Trout*. Seattle, WA: University of Washington Press.
- Quinn, T. P., A. P. Hendry, and G. B. Buck. 2001. Balancing natural and sexual selection in sockeye salmon: interactions between body size, reproductive opportunity and vulnerability to predation by bears. *Evolutionary Ecology Research* 3(8):917–937.
- Quinn, T. P., A. P. Hendry, and L. A. Wetzel. 1995. The influence of life history trade-offs and the size of incubation gravels on egg size variation in sockeye salmon (*Oncorhynchus nerka*). *Oikos* (1995):425–438.
- Quinn, T. P., H. B. Rich Jr, D. Gosse, N. Schtickzelle, and J. Grant. 2012. Population dynamics and asynchrony at fine spatial scales: a case history of sockeye salmon (*Oncorhynchus nerka*) population structure in Alaska, USA. *Canadian Journal of Fisheries and Aquatic Sciences* 69(2):297–306.
- Rains, M. C. 2011. Water sources and hydrodynamics of closed-basin depressions, Cook Inlet Region, Alaska. *Wetlands* 31:377–387.
- Rand, P. S., C. Kellopn, X. Augerot, M. Goslin, J. R. Irvine, and G. T. Ruggerone. 2007. Comparison of sockeye salmon (*Oncorhynchus nerka*) monitoring in the Fraser River Basin, British Columbia, Canada and Bristol Bay, Alaska, USA. *North Pacific Anadromous Fish Commission Bulletin* 4:271–284.
- Reynolds, J. B. 1997. Ecology of overwintering fishes in Alaskan freshwaters. Pages 281–302 in A. M. Milner and M. W. Oswood (eds.), *Freshwaters of Alaska: Ecological Syntheses*. New York, NY: Springer.
- Richardson, J. S., R. J. Naiman, F. J. Swanson, and D. E. Hibbs. 2005. Riparian communities associated with Pacific Northwest headwater streams: assemblages, processes, and uniqueness. *Journal of the American Water Resources Association* 41(4):935–947.
- Richter, B. D. 2010. Re-thinking environmental flows: from allocations and reserves to sustainability boundaries. *River Research and Applications* 26:1052–1063.
- Richter, B., M. Davis, C. Apse, and C. Konrad. 2012. A presumptive standard for environmental flow protection. *River Research and Applications* 28:1312–1321.

- Rogers, L. A., and D. E. Schindler. 2008. Asynchrony in population dynamics of sockeye salmon in southwest Alaska. *Oikos* 117:1578–1586.
- Ruff, C. P., D. E. Schindler, J. B. Armstrong, K. T. Bentley, G. T. Brooks, G. W. Holtgrieve, M. T. McGlauffin, C. E. Torgersen, and J. E. Seeb. 2011. Temperature-associated population diversity in salmon confers benefits to mobile consumers. *Ecology* 92:2073–2084.
- Schindler, D. E., R. Hilborn, B. Chasco, C. P. Boatright, T. P. Quinn, L. A. Rogers, and M. S. Webster. 2010. Population diversity and the portfolio effect in an exploited species. *Nature* 465:609–612.
- Shaftel, R., R. King, and J. Back. 2011. Breakdown rates, nutrient concentrations, and macroinvertebrate colonization of bluejoint grass litter in headwater streams of the Kenai Peninsula, Alaska. *Journal of the North American Benthological Society* 30:386–398.
- Shaftel, R., R. King, and J. Back. 2012. Alder cover drives nitrogen availability in Kenai lowland headwater streams, Alaska. *Biogeochemistry* 107:135–148.
- Slaughter, C. W. 1990. Aufeis formation and prevention. Pages 433–458 in W. L. Ryan and R. D. Crissman (eds.), *Cold Regions Hydrology and Hydraulics*. New York, NY: American Society of Civil Engineers.
- Solazzi, M., T. Nickelson, S. Johnson, and J. Rodgers. 2000. Effects of increasing winter rearing habitat on abundance of salmonids in two coastal Oregon streams. *Canadian Journal of Fisheries and Aquatic Sciences* 57:906–914.
- Sommer, T. R., M. L. Nobriga, W. C. Harrell, W. Batham, and W. J. Kimmerer. 2001. Floodplain rearing of juvenile chinook salmon: evidence of enhanced growth and survival. *Canadian Journal of Fisheries and Aquatic Sciences* 58:325–333.
- Szarzi, N. J., S. J. Fleischman, R. A. Clark, and C. M. Kerkvliet. 2007. *Stock status and recommended escapement goal for Anchor River Chinook salmon*. Fisheries Manuscript No. 07-05. Alaska Department of Fish and Game, Divisions of Sport Fish and Commercial Fisheries.
- Tank, J. L., E. J. Rosi-Marshall, N. A. Griffiths, S. A. Entekin, and M. L. Stephen. 2010. A review of allochthonous organic matter dynamics and metabolism in streams. *Journal of the North American Benthological Society* 29:118–146.
- USACE (U.S. Army Corps of Engineers). 2009. Alaska District Regulatory Guidance Letter, RGL ID No. 09-01.
- USACE (U.S. Army Corps of Engineers). 2011. *Memorandum for Regulatory Division, Alaska District, 3 March 2011*.
- USFWS (U.S. Fish and Wildlife Service). 2012. *National Wetlands Inventory*. Available: <http://www.fws.gov/wetlands/Wetlands-Mapper.html>. Accessed: December 11, 2012.

- USGS (U.S. Geological Survey). 2012a. *National Hydrography Dataset*. High Resolution, Alaska. Available: <ftp://nhdftp.usgs.gov/DataSets/Staged/States/FileGDB/HighResolution>. Accessed: October 16, 2012.
- USGS (U.S. Geological Survey). 2012b. Water Resources of Alaska. USGS Alaska Science Center Water Resources Office. Last updated: December 12, 2012. Available: <http://alaska.usgs.gov/science/water/index.php>. Accessed: April 17, 2013.
- USGS (U.S. Geological Survey). 2013. National Elevation Dataset (2 arc second), ArcGrid. August 26. [n59w155.zip, n59w156.zip, n59w157.zip, n59w158.zip, n60w154.zip, n60w155.zip, n60w156.zip, n60w157.zip, n60w158.zip, n60w159.zip, n60w160.zip, n61w153.zip, n61w154.zip, n61w155.zip, n61w156.zip, n61w157.zip, n61w158.zip, n61w159.zip, n61w160.zip] Available: <http://viewer.nationalmap.gov/viewer/>.
- Vannote, R. L., G. W. Minshall, K. W. Cummins, J. R. Sedell, and C. E. Cushing. 1980. The river continuum concept. *Canadian Journal of Fisheries and Aquatic Sciences* 37:130–137.
- Walker, C. M., R. S. King, D. F. Whigham, and S. J. Baird. 2012. Landscape and wetland influences on headwater stream chemistry in the Kenai Lowlands, Alaska. *Wetlands* 32(2):301–310.
- Webster, J. R., and E. F. Benfield. 1986. Vascular plant breakdown in fresh-water ecosystems. *Annual Review of Ecology and Systematics* 17:567–594.
- West, R. L., M. W. Smith, W. E. Barber, J. B. Reynolds, and H. Hop. 1992. Autumn migration and overwintering of Arctic grayling in coastal streams of the Arctic National Wildlife Refuge, Alaska. *Transactions of the American Fisheries Society* 121:709–715.
- Wipfli, M. S., and C. V. Baxter. 2010. Linking ecosystems, food webs, and fish production: subsidies in salmonid watersheds. *Fisheries* 35(8):373–387.
- Wipfli, M. S., and D. P. Gregovich. 2002. Export of invertebrates and detritus from fishless headwater streams in southeastern Alaska: implications for downstream salmonid production. *Freshwater Biology* 47:957–969.
- Wipfli, M. S., and J. Musslewhite. 2004. Density of red alder (*Alnus rubra*) in headwaters influences invertebrate and detritus subsidies to downstream fish habitats in Alaska. *Hydrobiologia* 520:153–163.
- Wipfli, M. S., J. S. Richardson, and R. J. Naiman. 2007. Ecological linkages between headwaters and downstream ecosystems: transport of organic matter, invertebrates, and wood down headwater channels. *Journal of the American Water Resources Association* 43:72–85.
- Woody, C. A., and B. Higman. 2011. *Groundwater as Essential Salmon Habitat in Nushagak and Kvichak River Headwaters: Issues Relative to Mining*. Unpublished report. Available: http://www.fish4thefuture.com/pdfs/Groundwater_and_SalmonFINAL27Aug11.pdf.

Personal Communications

Morstad, S. Fishery Biologist III, ADF&G. September 2011—email of unpublished data to Rebecca Shaftel.

15.1.9 Chapter 8—Water Collection, Treatment, and Discharge

ADEC (Alaska Department of Environmental Conservation). 2011. *Water Quality Standards: Alaska Department of Environmental Conservation*. Report 18-AAC-70.

ADEC (Alaska Department of Environmental Conservation). 2012. *Water Quality Standards Amended as of April 8, 2012*. Juneau, AK: Alaska Department of Environmental Conservation.

ADNR (Alaska Department of Natural Resources). 2012. *Nixon Fork Mine*. Available: <http://dnr.alaska.gov/mlw/mining/largemine/nixonfork/>. Accessed: April 11, 2012.

Angilletta, M. J., E. Ashley Steel, K. K. Bartz, J. G. Kingsolver, M. D. Scheuerell, B. R. Beckman, and L. G. Crozier. 2008. Big dams and salmon evolution: changes in thermal regimes and their potential evolutionary consequences. *Evolutionary Applications* 1:286–299.

ANZECC (Australia and New Zealand Environment and Conservation Council). 2000. Australian and New Zealand guidelines for fresh and marine water quality. Volume 2. *Aquatic Ecosystems: Rationale and Background Information*. Canberra, Australia: Australia and New Zealand Environment and Conservation Council and Agriculture and Resource Management Council of Australia and New Zealand.

Armstrong, J. B., D. E. Schindler, K. L. Omori, C. P. Ruff, and T. P. Quinn. 2010. Thermal heterogeneity mediates the effects of pulsed subsidies across a landscape. *Ecology* 91:1445–1454.

Barry, K. L., J. A. Grout, C. D. Levings, B. H. Nidle, and G. E. Piercey. 2000. Impacts of acid mine drainage on juvenile salmonids in an estuary near Britannia Beach in Howe Sound, British Columbia. *Canadian Journal of Fisheries and Aquatic Sciences* 57:2032–2043.

Beacham, T. D., and C. B. Murray. 1990. Temperature, egg size, and development of embryos and alevins of five species of Pacific salmon: a comparative analysis. *Transactions of the American Fisheries Society* 119:927–945.

Borgmann, U., C. Janssen, R. Blust, K. Brix, R. Dwyer, R. Erickson, L. Hare, S. Luoma, P. Paquin, C. Roberts, and W.-X. Wang. 2005. Incorporation of dietborne metals exposure into regulatory frameworks. Pages 153–190 in J. Meyer, W. Adams, K. Brix, S. Luoma, D. Mount, W. Stubblefield, and C. Wood, editors. *Toxicity of Dietborne Metals to Aquatic Organisms*. Pensacola, FL: SETAC Press.

Brannon, E. 1987. Mechanisms stabilizing salmonid fry emergence timing. *Canadian Special Publication of Fisheries and Aquatic Sciences* 96:120–124.

Brix, K. V., D. K. DeForest, and W. J. Adams. 2011. The sensitivity of aquatic insects to divalent metals: a comparative analysis of laboratory and field data. *Science of the Total Environment* 409:4187–4197.

- Bryant, M. 2009. Global climate change and potential effects on Pacific salmonids in freshwater ecosystems of southeast Alaska. *Climatic Change* 95:169–193.
- Buchwalter, D. B., D. J. Cain, W. H. Clements, and S. N. Luoma. 2008. Using biodynamic models to reconcile differences between laboratory toxicity tests and field biomonitoring with aquatic insects (vol. 41, pg 4821, 2007). *Environmental Science & Technology* 42:3117–3117.
- Chapman, G. 1975. Toxicity of copper, cadmium and zinc to Pacific Northwest salmonids. Corvallis, OR: U.S. Environmental Protection Agency, Western Fish Toxicology Station, National Water Quality Laboratory.
- Chapman, G. A. 1978. Toxicities of cadmium, copper, and zinc to 4 juvenile stages of Chinook salmon and steelhead. *Transactions of the American Fisheries Society* 107:841–847.
- Chapman, P. M., H. Bailey, and E. Canaria. 2000. Toxicity of total dissolved solids associated with two mine effluents to chironomid larvae and early life stages of rainbow trout. *Environmental Toxicology and Chemistry* 19:210–214.
- Clements, W. H., D. M. Carlisle, J. M. Lazorchak, and P. C. Johnson. 2000. Heavy metals structure benthic communities in Colorado mountain streams. *Ecological Applications* 10:626–638.
- Cohen, B. I. 2010. *Fraser River Sockeye Salmon: Past Declines. Future Sustainability?* Interim Report. Vancouver, BC: Commission of Inquiry into the Decline of Sockeye Salmon in the Fraser River.
- Cohen, B. I. 2012. *The Uncertain Future of Fraser River Sockeye. Volume 2: Causes of the Decline.* Final Report CP32-93/2012E-2. Ottawa, ON: Commission of Inquiry into the Decline of Sockeye Salmon in the Fraser River.
- Courtney, L. A., and W. H. Clements. 2002. Assessing the influence of water and substratum quality on benthic macroinvertebrate communities in a metal-polluted stream: an experimental approach. *Freshwater Biology* 47:1766–1778.
- DeForest, D., J. Meyer, R. Genseer, B. Shephard, W. Adams, R. Dwyer, J. Gorsuch, and E. VanGenderen. 2011a. Are ambient water quality criteria for copper protective of olfactory impairment in fish? *Integrated Environmental Assessment and Management* 7:145–146.
- DeForest, D., R. Gensemer, E. Van Genderen, and J. Gorsuch. 2011b. Protectiveness of water quality criteria for copper in western United States waters relative to predicted olfactory responses in juvenile Pacific salmon. *Integrated Environmental Assessment and Management* 7:336–347.
- DeForest, D. K., and E. J. Van Genderen. 2012. Application of U.S. EPA guidelines in a bioavailability-based assessment of ambient water quality criteria for zinc in freshwater. *Environmental Toxicology and Chemistry* 31:1264-1272.

- Earthworks. 2012. *U.S. Copper Porphyry Mines Report: The Track Record of Water Quality Impacts Resulting from Pipeline Spills, Tailings Failures and Water Collection and Treatment Failure*. Washington, DC.
- Eisler, R. 2000. *Handbook of Chemical Risk Assessment: Health Hazards to Humans, Plants, and Animals. Volume 1: Metals*. Boca Raton, FL: Lewis Publisher.
- Environment Canada and Health Canada. 2011. *Screening Assessment for the Challenge: Cobalt; Cobalt Chloride; Sulfuric Acid, Cobalt (2+) Salt (1:1); and Sulfuric Acid, Cobalt Salt*. Ottawa, ON. Available: <http://www.ec.gc.ca/ese-ees/default.asp?lang=En&n=8E18277B-1>.
- Erickson, R. J., D. R. Mount, T. L. Highland, J. R. Hockett, E. N. Leonard, V. R. Mattson, T. D. Dawson, and K. G. Lott. 2010. Effects of copper, cadmium, lead, and arsenic in a live diet on juvenile fish growth. *Canadian Journal of Fisheries and Aquatic Sciences* 67:1816–1826.
- European Copper Institute. 2008. *Voluntary Risk Assessment of Copper, Copper II Sulphate Pentahydrate, Copper(I)oxide, Copper(II)oxide, Dicopper Chloride Trihydroxide*. Brussels, Belgium: European Copper Institute for the European Commission.
- Farag, A. M., C. J. Boese, D. F. Woodward, and H. L. Bergman. 1994. Physiological changes and tissue metal accumulation in rainbow trout exposed to foodborne and waterborne metals. *Environmental Toxicology and Chemistry* 13:2021–2029.
- Farag, A. M., D. E. Woodward, W. Brumbaugh, J. N. Goldstein, E. MacConnell, C. Hogstrand, and F. T. Barrows. 1999. Dietary effects of metals-contaminated invertebrates from the Coeur d'Alene River, Idaho, on cutthroat trout. *Transactions of the American Fisheries Society* 128:578–592.
- Fuerstenau, M. C., B. M. Wakawa, R. K. Price, and R. D. Wellik. 1974. Toxicity of selected sulphhydryl collectors to rainbow trout. *Transactions of the Society of Mining Engineers* 256:337–341.
- Gensemer, R. W., and R. C. Playle. 1999. The bioavailability and toxicity of aluminum in aquatic environments. *Critical Reviews in Environmental Science & Technology* 29:315–450.
- Ghaffari, H., R. S. Morrison, M. A., deRuijeter, A. Živković, T. Hantelmann, D. Ramsey, and S. Cowie. 2011. *Preliminary Assessment of the Pebble Project, Southwest Alaska*. February 15. Document 1056140100-REP-R0001-00. Prepared for Northern Dynasty Minerals Ltd., by WARDROP (a Tetra Tech Company). Vancouver, BC.
- Griffith, M. B., J. M. Lazorchak, and A. T. Herlihy. 2004. Relationships among exceedences of metals criteria, the results of ambient bioassays, and community metrics in mining-impacted streams. *Environmental Toxicology and Chemistry* 23:1786–1795.
- Gustafson, O. 2012. *Active Metal Mines of the Fraser River Basin and Fish - Case Studies*. Technical Paper Series No. 1, White Paper No. 3. Pebble Limited Partnership.

- Hansen, J. A., J. Lipton, P. G. Welsh, D. Cacela, and B. MacConnell. 2004. Reduced growth of rainbow trout (*Oncorhynchus mykiss*) fed a live invertebrate diet pre-exposed to metal-contaminated sediments. *Environmental Toxicology and Chemistry* 23:1902–1911.
- Hansen, J. A., J. C. A. Marr, J. Lipton, D. Cacela, and H. L. Bergman. 1999. Differences in neurobehavioral response of Chinook salmon (*Oncorhynchus tshawytscha*) and rainbow trout (*Oncorhynchus mykiss*) exposed to copper and cobalt: behavioral avoidance. *Environmental Toxicology and Chemistry* 18:1972–1978.
- Hecht, S., D. Baldwin, C. Mebane, T. Hawkes, S. Gross, and N. Scholz. 2007. *An Overview of Sensory Effects on Juvenile Salmonids Exposed to Dissolved Copper: Applying a Benchmark Concentration Approach to Evaluate Sublethal Neurobehavioral Toxicity*. Seattle, WA: National Oceanic and Atmospheric Administration, Northwest Fisheries Science Center.
- Hedtke, S. F. 1984. Structure and function of copper-stressed aquatic microcosms. *Aquatic Toxicology* 5:227–244.
- Hodgson, S., and T. P. Quinn. 2002. The timing of adult sockeye salmon migration into fresh water: adaptations by populations to prevailing thermal regimes. *Canadian Journal of Zoology* 80:542–555.
- IPCS (International Programme on Chemical Safety). 2004. *Concise International Chemical Assessment Document 63. Manganese and its Compounds: Environmental Aspects*. Geneva, Switzerland: World Health Organization.
- ITRC (Interstate Technology & Regulatory Council). 2010. *Bingham Canyon Water Treatment Plant, Kennecott South Zone*. Mining Waste Treatment Technology Selection Web. Washington, DC: Interstate Technology & Regulatory Council, Mining Waste Team. Available: http://www.itrcweb.org/miningwaste-guidance/cs48_kennecott_south.htm.
- Jennings, S., D. Neuman, and P. Blicker. 2008. *Acid Mine Drainage and Effects on Fish Health and Ecology: A Review*. Bozeman, Montana: Reclamation Research Group, LLC.
- Jensen, A., and B. Johnsen. 1999. The functional relationship between peak spring floods and survival and growth of juvenile Atlantic salmon (*Salmo salar*) and brown trout (*Salmo trutta*). *Functional Ecology* 13:778–785.
- Joling, D. 2011. Mine Executive Says Pebble, Fishing Can Co-Exist. *Anchorage Daily News* (Anchorage, AK). March 4, 2011.
- Kiffney, P. M., and W. H. Clements. 1996. Size-dependent response of macroinvertebrates to metals in experimental streams. *Environmental Toxicology and Chemistry* 15:1352–1356.
- Le Jeune, A. H., M. Charpin, V. Deluchat, and J.-F. Briand. 2006. Effect of copper sulphate treatment on natural phytoplanktonic communities. *Aquatic Toxicology* 80:267–280.

- Leland, H. V., and J. L. Carter. 1984. Effects of copper on species composition of periphyton in a Sierra Nevada, California, stream. *Freshwater Biology* 14:281–296.
- Leland, H. V., and J. L. Carter. 1985. Effects of copper on production of periphyton, nitrogen-fixation and processing of leaf litter in a Sierra Nevada, California, stream. *Freshwater Biology* 15:155–173.
- Leland, H. V., S. V. Fend, T. L. Dudley, and J. L. Carter. 1989. Effects of copper on species composition of benthic insects in a Sierra Nevada, California, stream. *Freshwater Biology* 21:163–179.
- Lorz, H., and B. McPherson. 1977. *Effects of Copper and Zinc on Smoltification of Coho Salmon*. Corvallis, OR: U.S. Environmental Protection Agency, Environmental Research Laboratory.
- Luoma, S. N., and P. S. Rainbow. 2005. Why is metal bioaccumulation so variable? Biodynamics as a unifying concept. *Environmental Science & Technology* 39:1921–1931.
- MacDonald, D., J. Sinclair, M. Crawford, H. Principe, and M. Meneghetti. 2011. *Potential Effects of Contaminants on Fraser River Sockeye Salmon*. Cohen Commission Technical Report 2. Vancouver, BC: MacDonald Environmental Sciences, Ltd.
- Marchand, E. A. 2002. Minerals and mine drainage. *Water Environment Research* 74:746–772.
- McCullough, D. A., J. M. Bartholow, H. I. Jager, R. L. Beschta, E. F. Cheslak, M. L. Deas, J. L. Ebersole, J. S. Foott, S. L. Johnson, K. R. Marine, M. G. Mesa, J. H. Petersen, Y. Souchon, K. F. Tiffan, and W. A. Wurtsbaugh. 2009. Research in thermal biology: burning questions for coldwater stream fishes. *Reviews in Fisheries Science* 17:90–115.
- McIntyre, J. K., D. H. Baldwin, J. P. Meador, and N. L. Scholz. 2008a. Chemosensory deprivation in juvenile coho salmon exposed to dissolved copper under varying water chemistry conditions. *Environmental Science & Technology* 42:1352–1358.
- McIntyre, J. K., D. H. Baldwin, J. P. Meador, and N. L. Scholz. 2008b. Chemosensory deprivation in juvenile coho salmon exposed to dissolved copper under varying water chemistry conditions (42:1352-1358, 2008). *Environmental Science & Technology* 42:6774-6775 (Addition or correction).
- Mebane, C. A. 2010. *Cadmium Risks to Freshwater Life: Derivation and Validation of Low-Effect Criteria Values Using Laboratory and Field Studies*. Investigations Report 2006-5245, Version 1.2. Reston VA: U.S. Geological Survey.
- Mebane, C. A., and D. L. Arthaud. 2010. Extrapolating growth reductions in fish to changes in population extinction risks: copper and Chinook salmon. *Human and Ecological Risk Assessment* 16:1026–1065.
- Mebane, C. A., F. S. Dillon, and D. P. Hennessy. 2012. Acute toxicity of cadmium, lead, zinc, and their mixtures to stream-resident fish and invertebrates. *Environmental Toxicology and Chemistry* 31:1334–1348.

- Mebane, C. A., D. P. Hennessy, and F. S. Dillon. 2008. Developing acute-to-chronic toxicity ratios for lead, cadmium, and zinc using rainbow trout, a mayfly, and a midge. *Water, Air, and Soil Pollution* 188(1–4):41–66. Available: <http://dx.doi.org/10.1007/s11270-007-9524-8>.
- Mellina, E., R. D. Moore, S. G. Hinch, J. S. Macdonald, and G. Pearson. 2002. Stream temperature responses to clearcut logging in British Columbia: the moderating influences of groundwater and headwater lakes. *Canadian Journal of Fisheries and Aquatic Sciences* 59:1886–1900.
- Meyer, J. S., and W. J. Adams. 2010. Relationship between biotic ligand model-based water quality criteria and avoidance and olfactory responses to copper by fish. *Environmental Toxicology and Chemistry* 29:2096–2103.
- Meyer, J., W. Adams, K. Brix, D. Mount, W. Stubblefield, and C. Wood. 2005. *Toxicity of Dietborne Metals to Aquatic Organisms*. Pensacola, FL: SETAC Press.
- Mortazavi, S. 2008. *Application of Membrane Separation Technology to Mitigation of Mine Effluent and Acidic Mine Drainage*. Mine Environment Neutral Drainage Program (MEND) Report 3.15.1.
- Nelitz, M., M. Porterm, K. Wieckowski, D. Marmorek, K. Bryan, A. Hall, and D. Abraham. 2011. *Evaluating the Status of Fraser River Sockeye Salmon and Role Of Freshwater Ecology in Their Decline*. Cohen Commission Technical Report 3. Vancouver, BC: ESSA Technologies, Ltd.
- NICNAS (National Industrial Chemicals Notification and Assessment Scheme). 1995. *Sodium Ethyl Xanthate, Priority Existing Chemical No. 5*. Full public report. Canberra, Australia: Australian Government Publishing Service.
- NICNAS (National Industrial Chemicals Notification and Assessment Scheme). 2000. *Sodium Ethyl Xanthate, Priority Existing Chemical Secondary Notification Assessment*. Report No. 5S. Canberra, Australia: Australian Government Publishing Service.
- O’Neal, S., and C. A. Woody. 2011. *Canada’s Fraser River: Reasons for Sockeye Salmon Declines with a Comparison to Bristol Bay*. Anchorage, AK: Fisheries Research and Consulting.
- Ott, A. G., and P. Weber Scannell. 1994. *Fish Monitoring Study, Red Dog Mine in the Wulik River Drainage, Emphasis on Dolly Varden (Salvelinus malma)*. Summary Report 1990–1993. Anchorage, AK: Alaska Department of Fish and Game.
- PLP (Pebble Limited Partnership). 2011. *Pebble Project Environmental Baseline Document 2004 through 2008*. Anchorage, AK. Available: <http://www.arlis.org/docs/vol2/Pebble/2004-2008EBDIndex.pdf>.
- Poole, G. C., J. B. Dunham, D. M. Keenan, S. T. Saulter, D. A. McCoullough, C. Mebane, J. C. Lockwood, D. A. Essig, M. P. Hicks, D. J. Sturdevant, E. J. Materna, S. A. Spalding, J. Risely, and M. Deppman. 2004. The case for regime-based water quality standards. *BioScience* 54:155-161.
- Power, G., R. S. Brown, and J. G. Imhof. 1999. Groundwater and fish – Insights from northern North America. *Hydrological Processes* 13:401–422.

- Quinn, T. P. 2005. *The Behavior and Ecology of Pacific Salmon and Trout*. Seattle, WA: University of Washington Press.
- Quinn, T. P., and D. J. Adams. 1996. Environmental changes affecting the migratory timing of American shad and sockeye salmon. *Ecology* 77:1151–1162.
- Reimer, P. S. 1999. Environmental effects of manganese and proposed freshwater guidelines to protect aquatic life in British Columbia. M.S. thesis, University of British Columbia, Department of Chemical and Bio-Resource Engineering.
- Roussel, H., L. Ten-Hage, S. Joachim, R. Le Cohu, L. Gauthier, and J.-M. Bonzom. 2007. A long-term copper exposure on freshwater ecosystem using lotic mesocosms: primary producer community responses. *Aquatic Toxicology* 81:168–182.
- Rudolph, B. L., I. Andreller, and C. J. Kennedy. 2008. Reproductive success, early life stage development, and survival of westslope cutthroat trout (*Oncorhynchus clarki lewisi*) exposed to elevated selenium in an area of active coal mining. *Environmental Science & Technology* 42:3109–3114.
- Schindler, D. E., R. Hilborn, B. Chasco, C. P. Boatright, T. P. Quinn, L. A. Rogers, and M. S. Webster. 2010. Population diversity and the portfolio effect in an exploited species. *Nature* 465:609–612.
- Schmidt, T. S., W. H. Clements, K. A. Mitchell, S. E. Church, R. B. Wanty, D. L. Fey, P. L. Verplanck, and C. A. San Juan. 2010. Development of a new toxic-unit model for the bioassessment of metals in streams. *Environmental Toxicology and Chemistry* 29:2432–2442.
- Shao, E., J. Wei, A. Yo, and R. Levy. 2009. *Application of ultrafiltration and reverse osmosis for mine waste water reuse*. Water in Mining Conference, Perth, WA, September 9, 2009.
- USEPA (U.S. Environmental Protection Agency). 1985a. *Ambient Water Quality Criteria for Copper - 1984*. EPA 440/5-84-031. Washington, DC.
- USEPA (U.S. Environmental Protection Agency). 1985b. *Guidelines for Deriving Numerical National Water Quality Criteria for the Protection of Aquatic Organisms and Their Uses*. Washington, DC: Office of Research and Development, Environmental Research Laboratories.
- USEPA (U.S. Environmental Protection Agency). 1986. *Ambient Aquatic Life Water Quality Criteria for Lead*. Washington, DC: Office of Water, Regulations and Standards, Criteria and Standards Division.
- USEPA (U.S. Environmental Protection Agency). 1987. *Ambient Water Quality Criteria for Zinc - 1987*. EPA-440/6-87-003. Washington, DC: Office of Water, Regulations and Standards, Criteria and Standards Division.
- USEPA (U.S. Environmental Protection Agency). 1998. *Alaska's Red Dog Mine Required to Reduce Pollutant Discharges*. Available: <http://yosemite.epa.gov/opa/admpress.nsf/00000000000000000000000000000000/d0d8349388619c61852570cb0075e166!opendocument>.

- USEPA (U.S. Environmental Protection Agency). 2004. *Draft Aquatic Life Water Quality Criteria for Selenium – 2004*. EPA-822-D-04-001. Washington, DC: Office of Water.
- USEPA (U.S. Environmental Protection Agency). 2007. *Aquatic Life Ambient Freshwater Quality Criteria – Copper, 2007 Revision*. Washington, DC.
- USEPA (U.S. Environmental Protection Agency). 2008. *The U.S. Environmental Protection Agency (EPA) Plans to Re-Issue a Wastewater Discharge Permit to: Tech Cominco Alaska, Inc., Red Dog Mine Near Kotze, Alaska, and the State of Alaska Proposes to Certify the Permit*. Anchorage, AK.
- USEPA (U.S. Environmental Protection Agency). 2011. *A Field-Based Aquatic Life Benchmark for Conductivity in Central Appalachian Streams (Final Report)*. EPA/600/R-10/023F. Washington, DC.
- Webb, M., H. Ruber, and G. Leduc. 1976. The toxicity of various mining flotation reagents to rainbow trout (*Salmo gairdneri*). *Water Research* 10:303–306.
- Weber Scannell, P. K. 1991. *Influence of Temperature on Freshwater Fishes: A Literature Review with Emphasis on Species in Alaska*. Juneau, AK: Alaska Department of Fish and Game.
- Woodward, D. F., W. G. Brumbaugh, A. J. Delonay, E. E. Little, and C. E. Smith. 1994. Effects on rainbow trout fry of a metals-contaminated diet of benthic invertebrates from the Clark Fork River, Montana. *Transactions of the American Fisheries Society* 123:51–62.
- Woodward, D. F., A. M. Farag, H. L. Bergman, A. J. Delonay, E. E. Little, C. E. Smith, and F. T. Barrows. 1995. Metals-contaminated benthic invertebrates in the Clark Fork River, Montana—Effects on age-0 brown trout and rainbow trout. *Canadian Journal of Fisheries and Aquatic Sciences* 52:1994–2004.
- Woody, C. A., and B. Higman. 2011. *Groundwater as Essential Salmon Habitat in Nushagak and Kvichak River Headwaters: Issues Relative to Mining*. Unpublished report. Available: http://www.fish4thefuture.com/pdfs/Groundwater_and_SalmonFINAL27Aug11.pdf.
- Xu, Y., J. P. Lay, and F. Korte. 1988. Fate and effects of xanthates in laboratory freshwater systems. *Bulletin of Environmental Contamination and Toxicology* 41:683–689.
- Zamzow, K. 2011. *Investigations of Surface Water Quality in the Nushagak, Kvichak, and Chulitna Watersheds, Southwest Alaska 2009–2010*. Sutton, AK: Center for Science in Public Participation.

15.1.10 Chapter 9—Tailings Dam Failure

- ADEC (Alaska Department of Environmental Conservation). 2011. *Water Quality Standards: Alaska Department of Environmental Conservation*. Report 18–AAC–70.
- ADF&G (Alaska Department of Fish and Game). 2012. *Alaska Freshwater Fish Inventory Database*. Available: <http://www.adfg.alaska.gov/index.cfm?adfg=ffinventory.main>.

- ADNR (Alaska Department of Natural Resources). 2005. *Guidelines for Cooperation with the Alaska Dam Safety Program*. Dam Safety and Construction Unit, Water Resources Section, Division of Mining, Land, and Waters.
- AECOM. 2009. *Root Cause Analysis of TVA Kingston Dredge Pond Failure on December 22, 2008*.
- Ankley, G. T., D. M. DiToro, D. J. Hansen, and W. J. Berry. 1996. Technical basis and proposal for deriving sediment quality criteria for metals. *Environmental Toxicology and Chemistry* 15:2056–2066.
- ARCO (Atlantic Richfield Company). 1998. *Milltown Reservoir Sediments NPL Site, Clark Fork River Operable Unit, Final Draft Remedial Investigation Report*. Anaconda, MT.
- Azam, S., and Q. Li. 2010. Tailings dam failures: a review of the last one hundred years. *Geotechnical News* December: 50–53.
- Bisson, P., and R. Bilby. 1982. Avoidance of suspended sediment by juvenile coho salmon. *North American Journal of Fisheries Management* 2:371–374.
- Blight, G. E. 2010. *Geotechnical Engineering for Mine Waste Storage Facilities*. Boca Raton, FL: CRC Press.
- Bogan, D., D. Rinella, and R. Shaftel. 2012. *Baseline Macroinvertebrate and Diatom Surveys in Wadeable Streams of the Kvichak and Nushagak Watersheds, Bristol Bay, Alaska*. Anchorage, AK: Alaska Natural Heritage Program, University of Alaska. Prepared for The Nature Conservancy, Anchorage, AK.
- Borgmann, U., C. Janssen, R. Blust, K. Brix, R. Dwyer, R. Erickson, L. Hare, S. Luoma, P. Paquin, C. Roberts, and W.-X. Wang. 2005. Incorporation of dietborne metals exposure into regulatory frameworks. Pages 153–190 in J. Meyer, W. Adams, K. Brix, S. Luoma, D. Mount, W. Stubblefield, and C. Wood, editors. *Toxicity of Dietborne Metals to Aquatic Organisms*. Pensacola, FL: SETAC Press.
- Brabets, T. P. 1992. *Hydrologic Data for the Lower Copper River, Alaska, May to September 1991*. Open-File Report 92-89. Anchorage, AK: U.S. Geological Survey.
- Breitenbach, A. 2007. *Rockfill for Mines*. Infomine E-Book. Available: http://www.infomine.com/publications/docs/E-Book_Rockfill_for_Mines.pdf.
- Brown, R. S., W. A. Hubert, and S. F. Daly. 2011. A primer on winter, ice, and fish: what fisheries biologists should know about winter ice processes and stream-dwelling fish. *Fisheries* 36:8–26.
- Browne, R. 2011. *Tailings Dam Break Model in Nevada – A Practitioner’s Perspective*. PowerPoint presentation, August 24, 2011, Golder Associates. Available: <http://www.infomine.com/publications/docs/Browne2011.pdf>.
- Brumbaugh, W. G., C. G. Ingersoll, N. E. Kemble, T. W. May, and J. L. Zajicek. 1994. Chemical characterization of sediments and pore-water from the upper Clark Fork River and Milltown Reservoir, Montana. *Environmental Toxicology and Chemistry* 13:1971–1983.

- Bryce, S. A., G. A. Lomnický, and P. R. Kaufmann. 2010. Protecting sediment-sensitive aquatic species in mountain streams through the application of biologically based streambed sediment criteria. *Journal of the North American Benthological Society* 29:657–672.
- Buck, G. B., C. E. Brazil, F. West, L. F. Fair, X. Zhang, and S. L. Maxwell. 2012. *Stock Assessment of Chinook, Sockeye, and Chum Salmon in the Nushagak River*. Fishery Manuscript Series No. 12-05. Anchorage, AK: Alaska Department of Fish and Game.
- Bustard, D. R., and D. W. Narver. 1975. Aspects of the winter ecology of juvenile coho salmon (*Oncorhynchus kisutch*) and steelhead trout (*Salmo gairdneri*). *Journal of the Fisheries Research Board of Canada* 32:667–680.
- Canfield, T. J., N. E. Kemble, W. G. Brumbaugh, F. J. Dwyer, C. G. Ingersoll, and J. F. Fairchild. 1994. Use of benthic invertebrate community structure and the sediment quality triad to evaluate metal-contaminated sediment in the upper Clark Fork River, Montana. *Environmental Toxicology and Chemistry* 13:1999–2012.
- Chambers, D. M., and B. Higman. 2011. *Long-Term Risks of Tailings Dam Failure*. Bozeman MT: Center for Science in Public Participation. Available: <http://www.csp2.org/files/reports/Long%20Term%20Risks%20of%20Tailings%20Dam%20Failure%20-%20Chambers%20%26%20Higman%20Oct11-2.pdf>.
- Chapman, D. W., and K. P. McLeod. 1987. *Development of Criteria for Fine Sediment in Northern Rockies Ecoregion*. Battelle Columbus Laboratories. Prepared for EPA Region 10, EPA 910/9-87-162.
- Culp, J., F. Wrona, and R. Davies. 1986. Response of stream benthos and drift to fine sediment deposition versus transport. *Canadian Journal of Zoology* 64:1345–1351.
- Cunjak, R. A. 1996. Winter habitat of selected stream fishes and potential impacts from land-use activity. *Canadian Journal of Fisheries and Aquatic Sciences* 53 (Supplement 1):267–282.
- Dalpatram, A. 2011. *Estimation of Tailings Dam Break Discharges*. USSD Workshop on Dam Break Analysis Applied to Tailings Dam, Denver, CO, August 24–26, 2011,.
- Dann, T. H., C. Habicht, H. A. Hoyt, T. T. Baker, and F. W. West. 2011. *Genetic Stock Composition of the Commercial Harvest of Sockeye Salmon in Bristol Bay, Alaska, 2009*. Fishery Data Series 11-21. Alaska Department of Fish and Game, Division of Sport Fish, Research and Technical Services.
- Davies, M. P. 2002. Tailings impoundment failures: are geotechnical engineers listening? *Geotechnical News*. September: 31–36.
- Davies, M., and T. Martin. 2009. Mining market cycles and tailings dam incidents. Pages 3–14 in *Tailings and Mine Waste '09, Proceedings of the 13th International Conference on Tailings and Mine Waste*. Edmonton, AB: University of Alberta Geotechnical Center.

- Davies, M. P., T. E. Martin, and P. Lighthall. 2000. Mine tailings dams: when things go wrong. Pages 261–273 in *Tailings Dams 2000*. Las Vegas, NV: Association of State Dam Safety Officials, U.S. Committee on Large Dams.
- Dawson, R. F., and K. A. Morin. 1996. *Acid Mine Drainage in Permafrost Regions: Issues, Control Strategies and Research Requirements*. MEND Project 1.61.2. Report CG25047. Prepared for the Department of Indian and Northern Affairs Canada, Ottawa, ON. Available: <http://mend-nedem.org/wp-content/uploads/2013/01/1.61.2.pdf>.
- Dye, J. E., and C. J. Schwanke. 2009. *Report to the Alaska Board of Fisheries for the Recreational Fisheries of Bristol Bay, 2007, 2008, and 2009*. Alaska Department of Fish and Game, Division of Sport Fish, Research and Technical Services.
- El Mejjati, S., J. Bell, J. Botz, A. Faulkner, and S. Maxwell. 2010. Using hydroacoustic methods to enumerate migrating salmon in the Copper River, Miles Lake sonar project 2007. *Fishery Data Series* No. 10-98. Anchorage, AK: Alaska Department of Fish and Game, Division of Commercial Fisheries.
- Farag, A. M., D. F. Woodward, J. N. Goldstein, W. Brumbaugh, and J. S. Meyer. 1998. Concentrations of metals associated with mining waste in sediments, biofilm, benthic macroinvertebrates, and fish from the Coeur d'Alene River Basin, Idaho. *Archives of Environmental Contamination and Toxicology* 34:119–127.
- Farag, A. M., D. E. Woodward, W. Brumbaugh, J. N. Goldstein, E. MacConnell, C. Hogstrand, and F. T. Barrows. 1999. Dietary effects of metals-contaminated invertebrates from the Coeur d'Alene River, Idaho, on cutthroat trout. *Transactions of the American Fisheries Society* 128:578–592.
- FERC (Federal Energy Regulatory Commission). 1991. Embankment Dams. Chapter 4 in *Engineering Guidelines for the Evaluation of Hydropower Projects*. Available: <http://www.ferc.gov/industries/hydropower/safety/guidelines/eng-guide/chap4.pdf>.
- Fitzpatrick, A. 2012. Update: tailings dam collapse at former Gullbridge mine site. *The Telegraph* (St. John's, Newfoundland). December 17, 2012.
- Gee, D. M. 2008. *Comparison of Dam Breach Parameter Estimators*. Davis, CA: U.S. Army Corps of Engineers, Hydrology Engineering Center.
- Ghaffari, H., R. S. Morrison, M. A., deRuijeter, A. Živković, T. Hantelmann, D. Ramsey, and S. Cowie. 2011. *Preliminary Assessment of the Pebble Project, Southwest Alaska*. February 15. Document 1056140100-REP-R0001-00. Prepared for Northern Dynasty Minerals Ltd., by WARDROP (a Tetra Tech Company). Vancouver, BC.
- Goldstein, J. N., D. F. Woodward, and A. M. Farag. 1999. Movements of adult Chinook salmon during spawning migration in a metals-contaminated system, Coeur d'Alene River, Idaho. *Transactions of the American Fisheries Society* 128:121–129.

- Goodyear, K. L., and S. McNeill. 1999. Bioaccumulation of heavy metals by aquatic macro-invertebrates of different feeding guilds: a review. *Science of the Total Environment* 229:1–19.
- Griffith, M. B., J. M. Lazorchak, and A. T. Herlihy. 2004. Relationships among exceedences of metals criteria, the results of ambient bioassays, and community metrics in mining-impacted streams. *Environmental Toxicology and Chemistry* 23:1786–1795.
- Hancock, P. J. 2002. Human impacts on the stream–groundwater exchange zone. *Environmental Management* 29:763–781.
- Hoiland, W. K., F. W. Rabe, and R. C. Biggam. 1994. Recovery of macroinvertebrate communities from metal pollution in the South Fork and mainstem of the Coeur d’Alene River, Idaho. *Water Environment Research* 66:84–88.
- Huusko, A., L. Greenberg, M. Stickler, T. Linnansaari, M. Nykänen, T. Vehanen, S. Koljonen, P. Louhi, and K. Alfredsen. 2007. Life in the ice lane: the winter ecology of stream salmonids. *River Research and Applications* 23:469–491.
- ICOLD (International Commission on Large Dams). 2001. *Tailings Dams, Risk of Dangerous Occurrences, Lessons Learnt from Practical Experiences*. United Nations Environmental Programme, Bulletin 121.
- Ingersoll, C. G., W. G. Brumbaugh, F. J. Dwyer, and N. E. Kemble. 1994. Bioaccumulation of metals by *Hyaella azteca* exposed to contaminated sediments from the upper Clark Fork River, Montana. *Environmental Toxicology and Chemistry* 13:2013–2020.
- Ingersoll, C. G., P. S. Haverland, E. L. Brunson, T. J. Canfield, F. J. Dwyer, C. E. Henke, N. E. Kemble, D. R. Mount, and R. G. Fox. 1996. Calculation and evaluation of sediment effect concentrations for the amphipod *Hyaella azteca* and the midge *Chironomus riparius*. *Journal of Great Lakes Research* 22:602–623.
- Johnson, J., and P. Blanche. 2012. *Catalog of Waters Important for Spawning, Rearing, or Migration of Anadromous Fishes—Southwestern Region, Effective June 1, 2012*. Special Publication No. 12-08. Anchorage, AK: Alaska Department of Fish and Game.
- Jones, E. L., T. J. Quinn, and B. W. Van Alen. 1998. Observer accuracy and precision in aerial and foot survey counts of pink salmon in a southeast Alaska stream. *North American Journal of Fisheries Management* 18:832–846.
- Jones, J. I., J. F. Murphy, A. L. Collins, D. A. Sear, P. S. Naden, and P. D. Armitage. 2011. The impact of fine sediment on macro-invertebrates. *River Research and Applications* 28:1055–1071.
- Jones, M., T. Sands, S. Morstad, P. Salomone, G. Buck, F. West, T. Baker, and T. Krieg. 2012. *2011 Bristol Bay Area Annual Management Report*. Fishery Management Report No. 12-21. Anchorage, AK: Alaska Department of Fish and Game.

- Kemble, N. E., W. G. Brumbaugh, E. L. Brunson, F. J. Dwyer, C. G. Ingersoll, D. P. Monda, and D. F. Woodward. 1994. Toxicity of metal-contaminated sediments from the Upper Clark Fork River, Montana, to aquatic invertebrates and fish in laboratory exposures. *Environmental Toxicology and Chemistry* 13:1985–1997.
- Knighton, D. 1984. *Fluvial Forms and Processes: A New Perspective*. London: Edward Arnold.
- Kondolf, G. 2000. Assessing salmonid spawning gravel quality. *Transactions of the American Fisheries Society* 129:262–281.
- MacDonald, D. D., C. G. Ingersoll, and T. A. Berger. 2000. Development and evaluation of consensus-based sediment quality guidelines for freshwater ecosystems. *Archives of Environmental Contamination and Toxicology* 39:20–31.
- Marcus, W. A., G. A. Meyer, and D. R. Nimmo. 2001. Geomorphic control of persistent mine impacts in a Yellowstone Park stream and implications for the recovery of fluvial systems. *Geology* 29:355–358.
- Maret, T. R., and D. E. MacCoy. 2002. Fish assemblages and environmental variables associated with hard-rock mining in the Coeur d'Alene River Basin, Idaho. *Transactions of the American Fisheries Society* 131:865–884.
- Maret, T. R., D. J. Cain, D. E. MacCoy, and T. M. Short. 2003. Response of benthic invertebrate assemblages to metal exposure and bioaccumulation associated with hard-rock mining in northwestern streams, USA. *Journal of the North American Benthological Society* 22:598–620.
- Miller, J. R. 1997. The role of fluvial geomorphic processes in the dispersal of heavy metals from mine sites. *Journal of Geochemical Exploration* 58:101–118.
- Milner, A., and R. Piorkowski. 2004. Macroinvertebrate assemblages in streams of interior Alaska following alluvial gold mining. *River Research and Applications* 20:719–731.
- Moore, J., and H. Langner. 2012. Can a river heal itself? Natural attenuation of metal contamination in river sediment. *Environmental Science & Technology* 46:2616–2623.
- Morgenstern, N. R. 2011. Improving the safety of mine waste impoundments. Pages 3–10 in *Tailings and Mine Waste '10: Proceedings of the 14th International Conference on Tailings and Mine Waste, Vail, CO*. October 17–20, 2010. Boca Raton FL: CRC Press.
- Nagorski, S. A., J. N. Moore, and T. E. McKinnon. 2003. Geochemical response to variable streamflow conditions in contaminated and uncontaminated streams. *Water Resources Research* 39:1044–1058.
- National Inventory of Dams. 2005. *2005 United States National Inventory of Dams database*. Available: <http://geo.usace.army.mil/pgis/f?p=397:1:0::NO>. Accessed: October 6, 2005.
- NDM (Northern Dynasty Minerals). 2006. *Pebble Project Tailings Impoundment G – Initial Application Report*. Prepared by Knight Piésold Ltd.

- Newcombe, C., and J. Jensen. 1996. Channel suspended sediment and fisheries: a synthesis for quantitative assessment of risk and impact. *North American Journal of Fisheries Management* 16:693–727.
- Nielsen, J. 1992. Microhabitat-specific foraging behavior, diet, and growth of juvenile coho salmon. *Transactions of the American Fisheries Society* 121:617–634.
- Nimik, D., and J. Moore. 1991. Prediction of water soluble metal concentrations in fluviially deposited tailings sediments, Upper Clark Fork Valley, Montana, U.S.A. *Applied Geochemistry* 6:635–646.
- Nimmo, D. R., M. J. Willox, T. D. Lafrancois, P. L. Chapman, S. F. Brinkman, and J. C. Greene. 1998. Effects of metal mining and milling on boundary waters of Yellowstone National Park, USA. *Environmental Management* 22:913–926.
- NRC (National Research Council). 2005. *Superfund and Mining Megasites*. Washington, DC.
- Oswood, M. 1989. Community structure of benthic invertebrates in interior Alaskan (USA) streams and rivers. *Hydrobiologia* 172:97–110.
- Pascoe, G. A., R. J. Blanchet, G. Linder, D. Palawski, W. G. Brumbaugh, T. J. Canfield, N. E. Kemble, C. G. Ingersoll, A. Farag, and J. A. Dalsoglio. 1994. Characterization of ecological risks at the Milltown Reservoir Clark Fork River sediments Superfund site, Montana. *Environmental Toxicology and Chemistry* 13:2043–2058.
- Peck, P. 2007. Avoiding tailings dam failures: good practice in prevention. *Workshop on the Safety of Tailings Management Facilities, November 12, 2007*. Yerevan, Armenia. Communication on Progress to the United Nations Convention of the Transboundary Effects of Industrial Accidents.
- Peck, D. V., A. T. Herlihy, B. H. Hill, R. M. Hughes, P. R. Kaufmann, D. J. Klemm, J. M. Lazorchak, F. H. McCormick, S. A. Peterson, P. L. Ringold, T. Magee, and M. R. Cappaert. 2006. *Environmental Monitoring and Assessment Program – Surface Waters Western Pilot Study: Field Operations Manual for Wadeable Streams*. EPA 600/R-06/003. Washington, DC: U.S. Environmental Protection Agency, Office of Research and Development.
- PLP (Pebble Limited Partnership). 2011. *Pebble Project Environmental Baseline Document 2004 through 2008*. Anchorage, AK. Available: <http://www.arlis.org/docs/vol2/Pebble/2004-2008EBDIndex.pdf>.
- Quinn, J., R. Daviescolley, C. Hickey, M. Vickers, and P. Ryan. 1992. Effects of clay discharges on streams. 2. Benthic invertebrates. *Hydrobiologia* 248:235–247.
- Rico, M. G., G. Benito, and A. Diez-Herrero. 2008. Floods from tailings dam failures. *Journal of Hazardous Materials* 154(1-3):79–87.
- Rowe, M., D. Essig, and B. Jessup. 2003. *Guide to Selection of Sediment Targets for Use in Idaho TMDLs*. Boise, ID: Idaho Department of Environmental Quality.

- Ruggerone, G. T., B. A. Agler, S. E. Gilk, D. B. Molyneaux, D. J. Costello, D. E. Orabutt Jr., and D. B. Young. 2011. Habitat and growth of river-type sockeye salmon in the Kuskokwim watershed, Alaska. Pages 49–89 in S. E. Gilk, D. B. Molyneaux, and Z. W. Liller (eds.), *Kuskokwim River Sockeye Salmon Investigations, 2006 and 2007*. Fishery Manuscript Series No. 11-04. Anchorage, AK: Alaska Department of Fish and Game.
- Scheuerell, M., J. Moore, D. Schindler, and C. Harvey. 2007. Varying effects of anadromous sockeye salmon on the trophic ecology of two species of resident salmonids in southwest Alaska. *Freshwater Biology* 52:1944–1956.
- Schmetterling, D. A., C. G. Clancy, and T. M. Brandt. 2001. Effects of riprap bank reinforcement on stream salmonids in the western United States. *Fisheries* 26:6–23.
- Semko, R. S. 1954. The stocks of west Kamchatka and their commercial utilization. *Izvestiia Tikhookeanskovo Nauchno-Issledovatelskovo Instituta Rybnovo Khozyaistva i Okeanografii* 41:3–109. Translated in 1960, Fisheries Research Board of Canada Translation Series 288.
- Shirazi, M. A., W. K. Seim, and D. H. Lewis. 1981. Characterization of spawning gravel and stream system evaluation. *Proceedings of the Conference on Salmon-Spawning Gravel*. Pullman, WA: Washington Water Resources Research Center.
- Silva, F. T., T. W. Lambe, and W. A. Marr. 2008. Probability and risk of slope failure. *Journal of Geotechnical and Geoenvironmental Engineering* 134:1691–1699.
- Stantec Consulting. 2011. *Dam safety review, various former mine sites, former Gullbridge Copper Mine, NL*. Final Inspection Report. Prepared for Newfoundland Department of Natural Resources, File No. 121612646, St. John's, Newfoundland.
- Suter, G. W., II, and S. M. Cormier. 2011. Why and how to combine evidence in environmental assessments: weighing evidence and building cases. *Science of the Total Environment* 409:1406–1417.
- USACE (U.S. Army Corps of Engineers). 2003. *Slope Stability Engineer Manual*. EM 1110-2-1902. Available: http://140.194.76.129/publications/eng-manuals/EM_1110-2-1902_sec/toc.htm.
- USEPA (U.S. Environmental Protection Agency). 2001. *Final Coeur d'Alene Basin Ecological Risk Assessment*. Seattle, WA: Region 10.
- USEPA (U.S. Environmental Protection Agency). 2007. *Aquatic Life Ambient Freshwater Quality Criteria – Copper, 2007 Revision*. Washington, DC.
- USEPA (U.S. Environmental Protection Agency). 2012a. *Clark Fork River Operable Unit*. Available: <http://www2.epa.gov/region8/milltown-reservoir-sediments>. Accessed: May 2, 2012.

- USEPA (U.S. Environmental Protection Agency). 2012b. *Bunker Hill Mining and Metallurgical Superfund Site (Coeur d'Alene Basin)*. Available: <http://yosemite.epa.gov/r10/cleanup.nsf/sites/bh>. Accessed: May 2, 2012.
- USGS (U.S. Geological Survey). 2004. *Integrated Investigations of Environmental Effects of Historical Mining in the Basin and Boulder Mining Districts, Boulder River Watershed, Jefferson County, Montana*. Reston, VA: U.S. Geological Survey.
- USGS (U.S. Geological Survey). 2005. *Stream-Sediment Geochemistry in Mining-Impacted Streams: Sediment Mobilized by Floods in the Coeur d'Alene-Spokane River System, Idaho and Washington*. Washington, DC: U.S. Geological Survey.
- USGS (U.S. Geological Survey). 2007. *Integrated Investigations of Environmental Effects of Historical Mining in the Animas River Watershed, San Juan County, Colorado*. Reston, VA: U.S. Geological Survey.
- Wagner, S. M., and J. D. LaPerriere. 1985. Effects of placer mining on the invertebrate communities of interior Alaska streams. *Freshwater Invertebrate Biology* 4:208–214.
- Wenning, R. J., M. Sorensen, and V. S. Magar. 2006. Importance of implementation and residual risk analyses in sediment remediation. *Integrated Environmental Assessment and Management* 2:59–65.
- West, R. L., M. W. Smith, W. E. Barber, J. B. Reynolds, and H. Hop. 1992. Autumn migration and overwintering of Arctic grayling in coastal streams of the Arctic National Wildlife Refuge, Alaska. *Transactions of the American Fisheries Society* 121:709–715.
- Westley, P. A. H., D. E. Schindler, T. P. Quinn, G. T. Ruggerone, and R. Hilborn. 2010. Natural habitat change, commercial fishing, climate, and dispersal interact to restructure an Alaskan fish metacommunity. *Oecologia* 163:471-484.
- WISE (World Information on Service Energy). 2012. *Uranium Project website*. Last updated: June 12, 2012. Available: <http://www.wise-uranium.org/ctfs.html>.
- Wood, P., and P. Armitage. 1997. Biological effects of fine sediment in the lotic environment. *Environmental Management* 21:203–217.

Personal Communications

Rinella, D. J. University of Alaska, Anchorage. Unpublished data.

15.1.11 Chapter 10—Transportation Corridor

- ADEC (Alaska Department of Environmental Conservation). 2003. *Alaska Water Quality Criteria Manual for Toxic and Other Deleterious Organic and Inorganic Substances*. May.
- ADEC (Alaska Department of Environmental Conservation). 2011a. *Alaska Pollutant Discharge Elimination System General Permit for Discharges from Large and Small Construction Activities*. Permit Number AKR100000. Anchorage, AK.

- ADEC (Alaska Department of Environmental Conservation). 2011b. *Alaska Storm Water Guide*. December. Anchorage, AK: Division of Water.
- ADF&G (Alaska Department of Fish and Game). 2012. *Alaska Freshwater Fish Inventory Database*. Available: <http://www.adfg.alaska.gov/index.cfm?adfg=ffinventory.main>.
- ADF&G and ADOT (Alaska Department of Fish and Game, Alaska Department of Transportation and Public Facilities). 2001. *Memorandum of Agreement Between Alaska Department of Fish and Game and Alaska Department of Transportation and Public Facilities for the Design, Permitting, and Construction of Culverts for Fish Passage, Anchorage, AK*.
- ADNR (Alaska Department of Natural Resources). 2013. *Invasive Plants and Agricultural Pest Management, Weed Free Gravel*. Palmer, AK: Division of Agriculture, Plant Materials Center. Available: <http://dnr.alaska.gov/ag/akpmc/invasives/weed-free-gravel.htm>. Accessed: March 22, 2013
- ADOT (Alaska Department of Transportation and Public Facilities). 1995. *Alaska Highway Drainage Manual*. Revised June 2006. Available: http://www.dot.state.ak.us/stwddes/desbridge/pop_hwydrnman.shtml.
- ADOT (Alaska Department of Transportation and Public Facilities). 2001. *Iliamna-Nondalton Road Improvements. Revised Environmental Assessment and Finding of No Significant Impact*. Project No. STP-0214(3)/51951. Prepared for Federal Highway Administration.
- Angermeier, P. L., A. P. Wheeler, and A. E. Rosenberger. 2004. A conceptual framework for assessing impacts of roads on aquatic biota. *Fisheries* 29:19–29.
- Arsan, E. L., and J. L. Bartholomew. 2008. Potential for dissemination of the nonnative salmonid parasite *Myxobolus cerebralis* in Alaska. *Journal of Aquatic Animal Health* 20:136–149.
- Auerbach, N. A., M. D. Walker, and D. A. Walker. 1997. Effects of roadside disturbance on substrate and vegetation properties in Arctic tundra. *Ecological Applications* 7:218–235.
- Bader, C. D. 1997. Controlling Dust. *Erosion Control* 4: July/August.
- Behlke, C. E., D. L. Kane, R. F. McLean, and M. D. Travis. 1991. *Fundamentals of Culvert Design for Passage of Weak-Swimming Fish*. Final Report No. FHWA-AK-RD-90-10. Prepared for Alaska Department of Transportation and Public Facilities in cooperation with U.S. Department of Transportation, Federal Highway Administration.
- Bella, E. M. 2011. Invasion prediction on Alaska trails: distribution, habitat, and trail use. *Invasive Plant Science and Management* 4:296–305.
- Berejikian, B. A. 1992. Feeding ecology of rainbow trout with comparisons to Arctic char in Iliamna Lake, Alaska. M.S. thesis, University of Washington.

- Birge, W. J. 1978. Aquatic toxicology of trace elements of coal and fly ash. In J. H. Thorp and J. W. Gibbons (eds.), *Energy and Environmental Stress in Aquatic Ecosystems*. U.S. Department of Energy.
- Birge, W. J., J. A. Black, A. G. Westerman, and J. E. Hudson. 1979. Aquatic toxicity tests on inorganic elements occurring in oil shale. In C. Gale (ed.), *Oil Shale Symposium: Sampling, Analysis and Quality Assurance*. Cincinnati, OH: U.S. Environmental Protection Agency.
- Blossey, B., L. C. Skinner, and J. Taylor. 2001. Impact and management of purple loosestrife (*Lythrum salicaria*) in North America. *Biodiversity and Conservation* 10:1787–1807.
- Bolander, P., and A. Yamada. 1999. *Dust Palliative Selection and Application Guide*. U.S. Department of Agriculture, U.S. Forest Service. Available: http://www.dot.state.ak.us/stwddes/research/assets/pdf/dust_sag.pdf.
- Brown, T. G., and G. F. Hartman. 1988. Contribution of seasonally flooded lands and minor tributaries to the production of coho salmon in Carnation Creek, British Columbia. *Transactions of the American Fisheries Society* 117:546–551.
- Bryant, M. D., N. D. Zymonas, and B. E. Wright. 2004. Salmonids on the fringe: abundance, species composition, and habitat use of salmonids in high-gradient headwater streams, southeast Alaska. *Transactions of the American Fisheries Society* 133:1529–1538.
- Bue, B. G., S. M. Fried, S. Sharr, D. G. Sharp, J. A. Wilcock, and H. J. Geiger. 1988. Estimating salmon escapement using area-under-the-curve, aerial observer efficiency, and stream-life estimates: the Prince William Sound pink salmon example. *North Pacific Anadromous Fish Commission Bulletin* 1:240–250.
- Burnett, K. M., G. H. Reeves, D. J. Miller, S. Clarke, K. Vance-Borland, and K. Christiansen. 2007. Distribution of salmon-habitat potential relative to landscape characteristics and implications for conservation. *Ecological Applications* 17(1):66–80.
- Christen, D. C., and G. R. Matlack. 2009. The habitat and conduit functions of roads in the spread of three invasive plant species. *Biological Invasions* 11:453–465.
- Collen, P., and R. J. Gibson. 2001. The general ecology of beavers (*Castor* spp.), as related to their influence on stream ecosystems and riparian habitats, and the subsequent effects on fish—A review. *Reviews in Fish Biology and Fisheries* 10:439–461.
- Copp, G. H. 1989. The habitat diversity and fish reproductive function of floodplain ecosystems. *Environmental Biology of Fishes* 26:1–27.
- Cunjak, R. A. 1996. Winter habitat of selected stream fishes and potential impacts from land-use activity. *Canadian Journal of Fisheries and Aquatic Sciences* 53(Supplement 1):267–282.
- Darnell, R. M., W. E. Pequegnat, F. J. Benson, and R. A. Defenbaugh. 1976. *Impacts of Construction Activities in Wetlands of the United States*. Washington, DC: U.S. Environmental Protection Agency.

- Dekar, M. P., R. S. King, J. A. Back, D. F. Whigham, and C. M. Walker. 2012. Allochthonous inputs from grass-dominated wetlands support juvenile salmonids in headwater streams: evidence from stable isotopes of carbon, hydrogen, and nitrogen. *Freshwater Science* 31:121–132.
- Demory, R. L., R. L. Orrell, and D. R. Heinle. 1964. *Spawning Ground Catalog of the Kvichak River System, Bristol Bay, Alaska*. Issue 488 of Special Scientific Report—Fisheries. Washington, DC: U.S. Department of Interior, Bureau of Commercial Fisheries.
- Denton, K. P., H. B. Rich, Jr., and T. P. Quinn. 2009. Diet, movement, and growth of Dolly Varden in response to sockeye salmon subsidies. *Transactions of the American Fisheries Society* 138(6):1207–1219.
- Ehrenfeld, J. G., and J. P. Schneider. 1991. *Chamaecyparis thyoides* wetlands and suburbanization: effects on hydrology, water quality and plant community composition. *Journal of Applied Ecology* 28:467–490.
- Environment Canada. 2005. *Profile of Chloride-based Dust Suppressants Used in Canada*. Gatineau, Quebec: Government of Canada, Road Salts Working Group. Available: <http://www.ec.gc.ca/nopp/roadsalt/reports/en/profile.cfm>.
- ESRI (Environmental Systems Research Institute). 2013. *World Imagery*. ArcMap 10.0.
- FHWA (Federal Highway Administration). 2012. *Stream Stability at Highway Structures*. 4th edition. Publication No. FHWA-HIF-12-004 HEC-20. U.S. Department of Transportation.
- Forman, R. T. 2000. Estimate of the area affected ecologically by the road system in the United States. *Conservation Biology* 14:31–35.
- Forman, R. T. T., and L. E. Alexander. 1998. Roads and their major ecological effects. *Annual Review of Ecology and Systematics* 29:207–231.
- FSSSWG (Forest Service Stream-Simulation Working Group). 2008. *Stream Simulation: An Ecological Approach to Providing Passage for Aquatic Organisms at Road-Stream Crossings*. U.S. Department of Agriculture, U.S. Forest Service.
- Furniss, M. J., T. D. Roelofs, and C. S. Yee. 1991. Road construction and maintenance. Pages 29–323 in W. R. Meehan (ed.), *Influences of Forest and Rangeland Management on Salmonid Fishes and Their Habitats*. American Fisheries Society Special Publication 19.
- Gesch, D. 2007. Chapter 4—The National Elevation Dataset. Pages 99–118 in Maune, D. (ed.), *Digital Elevation Model Technologies and Applications: The DEM Users Manual*. 2nd edition. Bethesda, MD: American Society for Photogrammetry and Remote Sensing.
- Gesch, D., M. Oimoen, S. Greenlee, C. Nelson, M. Steuck, and D. Tyler. 2002. The National Elevation Dataset. *Photogrammetric Engineering and Remote Sensing* 68(1):5–11.

- Ghaffari, H., R. S. Morrison, M. A., deRuijeter, A. Živković, T. Hantelmann, D. Ramsey, and S. Cowie. 2011. *Preliminary Assessment of the Pebble Project, Southwest Alaska*. February 15. Document 1056140100-REP-R0001-00. Prepared for Northern Dynasty Minerals Ltd., by WARDROP (a Tetra Tech Company). Vancouver, BC.
- Gibson, R. J., R. L. Haedrich, and C. M. Wernerheirn. 2005. Loss of fish habitat as a consequence of inappropriately constructed stream crossings. *Fisheries* 30:10–17.
- Gomez-Uchida, D., J. E. Seeb, M. J. Smith, C. Habicht, T. P. Quinn, and L. W. Seeb. 2011. Single nucleotide polymorphisms unravel hierarchical divergence and signatures of selection among Alaskan sockeye salmon (*Oncorhynchus nerka*) populations. *BMC Evolutionary Biology* 11(1):48.
- Grout, J. A., C. D. Levings, and J. S. Richardson. 1997. Decomposition rates of purple loosestrife (*Lythrum salicaria*) and Lyngbyei's sedge (*Carex lyngbyei*) in the Fraser River estuary. *Estuaries* 20:96–102.
- Gucinski, H., M. J. Furniss, R. R. Ziemer, and M. H. Brookes. 2001. *Forest Roads: A Synthesis of Scientific Information*. General Technical Report, PNW-509. Portland, OR: U.S. Department of Agriculture.
- Hamilton, T. D. 2007. *Surficial Geologic Map of the Pebble Project*. Report C-1. Anchorage, AK: The Pebble Limited Partnership.
- Hancock, P. J. 2002. Human impacts on the stream–groundwater exchange zone. *Environmental Management* 29:763–781.
- Harwood, D. W., and E. R. Russell. 1990. *Present Practices of Highway Transportation of Hazardous Materials, August 86 – November 89*. Kansas City, MO: Midwest Research Institute; Washington, DC: Federal Highway Administration.
- Hastings, K. 2005. *Long-Term Persistence of Isolated Fish Populations in the Alexander Archipelago*. Missoula, MT: University of Montana.
- Hilderbrand, R. H., and J. L. Kershner. 2000. Conserving inland cutthroat trout in small streams: how much stream is enough? *North American Journal of Fisheries Management* 20:513–520.
- Hoover, J. 1981. *Emission-Oriented Dust Control and Surface Improvement Processes for Unpaved Roads*. Project 1308. Ames, IA: Iowa State University.
- Hoover, J. M., K. L. Bergeson, D. E. Fox, C. K. Denny, and R. L. Handy. 1973. *Surface Improvement and Dust Palliation of Unpaved Secondary Roads and Streets*. Final report. Iowa Highway Research Board Project HR-151.
- Johnson, J., and P. Blanche. 2012. *Catalog of Waters Important for Spawning, Rearing, or Migration of Anadromous Fishes—Southwestern Region, Effective June 1, 2012*. Special Publication No. 12-08. Anchorage, AK: Alaska Department of Fish and Game.
- Johnson, L. E., A. Ricciardi, and J. T. Carlton. 2001. Overland dispersal of aquatic invasive species: a risk assessment of transient recreational boating. *Ecological Applications* 11:1789–1799.

- Jones, E. L., III, S. Heinl, and K. Pahlke. 2007. Aerial counts. Pages 399–410 in D. H. Johnson, B. M. Shrier, J. S. O’Neal, J. A. Knutzen, X. Augerot, T. A. O’Neil, and T. N. Pearsons, (eds.), *Salmonid Field Protocols Handbook: Techniques for Assessing Status and Trends in Salmon and Trout Populations*. Bethesda, MD: American Fisheries Society.
- Kane, D. L., and P. M. Wellen. 1985. *Hydraulic Evaluation of Fish Passage through Roadway Culverts in Alaska*. Report No. FHWA-AK-RD-85-24 & 85-24A. Water Center/Institute of Northern Engineering, Fairbanks AK, in cooperation with U.S. Department of Transportation, Federal Highway Administration.
- King, R. S., C. M. Walker, D. F. Whigham, S. Baird, and J. A. Back. 2012. Catchment topography and wetland geomorphology drive macroinvertebrate community structure and juvenile salmonid distributions in southcentral Alaska headwater streams. *Freshwater Science* 31(2):341–364.
- Lake and Peninsula Borough. 2009. *Multi-Hazard Mitigation Plan*. February.
- Lang, D. W., G. H. Reeves, J. D. Hall, and M. S. Wipfli. 2006. The influence of fall-spawning coho salmon (*Oncorhynchus kisutch*) on growth and production of juvenile coho salmon rearing in beaver ponds on the Copper River Delta, Alaska. *Canadian Journal of Fisheries and Aquatic Sciences* 63:917–930.
- Langill, D. A., and P. J. Zamora. 2002. *An Audit of Small Culvert Installations in Nova Scotia: Habitat Loss and Habitat Fragmentation*. 2422. Dartmouth, Nova Scotia: Canadian Department of Fisheries and Oceans, Habitat Management Division.
- Lee, J. E., and S. L. Chown. 2009. Quantifying the propagule load associated with the construction of an Antarctic research station. *Antarctic Science* 21:471–475.
- Mason C. L., K. L. Casavant, B. R. Lippke, D. K. Nguyen, and E. Jessup. 2008. *The Washington Log Trucking Industry: Costs and Safety Analysis*. University of Washington Rural Technology Initiative and Washington State University Transportation Research Group. Report to the Washington State Legislature.
- Meka, J. M., E. E. Knudsen, D. C. Douglas, and R. B. Benter. 2003. Variable migratory patterns of different adult rainbow trout life history types in a southwest Alaska watershed. *Transactions of the American Fisheries Society* 132:717–732.
- Merz, J. E., J. R. Smith, M. L. Workman, J. D. Setka, and B. Mulchaey. 2008. Aquatic macrophyte encroachment in Chinook salmon spawning beds: lessons learned from gravel enhancement monitoring in the Lower Mokelumne River, California. *North American Journal of Fisheries Management* 28:1568–1577.
- Morgan, E. L., W. F. Porak, and J. A. Arway. 1983. Controlling acidic-toxic metal leachates from southern Appalachian construction slopes: mitigating stream damage. *Transportation Research Record* 948:10–16.

- Morstad, S. 2003. Kvichak River Sockeye Salmon Spawning Ground Surveys, 1955–2002. Regional Information Number 2A02-32. Anchorage, AK: Alaska Department of Fish and Game.
- Mount, D. R., D. D. Gully, J. R. Hockett, T. D. Garrison, and J. M. Evans. 1997. Statistical models to predict the toxicity of major ions to *Ceriodaphnia dubia*, *Daphnia magna* and *Pimephales promelas* (fathead minnow). *Environmental Toxicology and Chemistry* 16:2009–2019.
- Nehring, R. B., and P. G. Walker. 1996. Whirling disease in the wild: the new reality in the intermountain west. *Fisheries* 21:28–30.
- Newcombe, C. P., and D. D. MacDonald. 1991. Effects of suspended sediments on aquatic ecosystems. *North American Journal of Fisheries Management* 11:72–82.
- Nickelson, T. E., J. D. Rodgers, S. L. Johnson, and M. F. Solazzi. 1992. Seasonal changes in habitat use by juvenile coho salmon (*Oncorhynchus kisutch*) in Oregon coastal streams. *Canadian Journal of Fisheries and Aquatic Sciences* 49:783–789.
- NICNAS (National Industrial Chemicals Notification and Assessment Scheme). 2000. *Sodium ethyl xanthate, priority existing chemical secondary notification assessment*. Canberra, Australia: Australian Government Publishing Service.
- Opperman, J. J., R. Luster, B. A. McKenney, M. Roberts, and A. W. Meadows. 2010. Ecologically functional floodplains: connectivity, flow regime, and scale. *Journal of the American Water Resources Association* 46:211–226.
- PLP (Pebble Limited Partnership). 2011. *Pebble Project Environmental Baseline Document 2004 through 2008*. Anchorage, AK. Available: <http://www.arlis.org/docs/vol2/Pebble/2004-2008EBDIndex.pdf>.
- Price, D. M., T. Quinn, and R. J. Barnard. 2010. Fish passage effectiveness of recently constructed road crossing culverts in the Puget Sound region of Washington State. *North American Journal of Fisheries Management* 30:1110–1125.
- Quinn, T. P., H. B. J. Rich, D. Gosse, and N. Schtickzelle, and J. Grant. 2012. Population dynamics and asynchrony at fine spatial scales: a case history of sockeye salmon (*Oncorhynchus nerka*) population structure in Alaska, USA. *Canadian Journal of Fish and Aquatic Science* 69:297–306.
- Reid, L. M., and T. Dunne. 1984. Sediment production from forest road surfaces. *Water Resources Research* 20:1753–1761.
- Richardson, E. V., B. Simons, S. Karaki, M. Mahmood, and M. A. Stevens. 1975. *Highways in the River Environment: Hydraulic and Environmental Design Considerations Training and Design Manual*. Washington, DC: U.S. Department of Transportation.
- Ruff, C. P., D. E. Schindler, J. B. Armstrong, K. T. Bentley, G. T. Brooks, G. W. Holtgrieve, M. T. McGlaufflin, C. E. Torgersen, and J. E. Seeb. 2011. Temperature-associated population diversity in salmon confers benefits to mobile consumers. *Ecology* 92:2073–2084.

- Russell, R. 1977. *Rainbow Trout Life History Studies in Lower Talarik Creek - Kvichak Drainage*. Anchorage, AK: Alaska Department of Fish and Game.
- Schultz, R., and E. Dibble. 2012. Effects of invasive macrophytes on freshwater fish and macroinvertebrate communities: the role of invasive plant traits. *Hydrobiologia* 684:1–14.
- Shaftel, R., R. King, and J. Back. 2011. Breakdown rates, nutrient concentrations, and macroinvertebrate colonization of bluejoint grass litter in headwater streams of the Kenai Peninsula, Alaska. *Journal of the North American Benthological Society* 30:386–398.
- Slaughter, C. W. 1982. Occurrence and recurrence of aufeis in an upland taiga catchment. Pages 182–188 in *Proceedings of the 4th Canadian Permafrost Conference*. National Research Council of Canada, Ottawa, ON.
- Smokorowski, K. E., and T. C. Pratt. 2007. Effect of a change in physical structure and cover on fish and fish habitat in freshwater ecosystems: a review and meta-analysis. *Environmental Reviews* 15:15–41.
- Sommer, T. R., M. L. Nobriga, W. C. Harrell, W. Batham, and W. J. Kimmerer. 2001. Floodplain rearing of juvenile Chinook salmon: evidence of enhanced growth and survival. *Canadian Journal of Fisheries and Aquatic Sciences* 58:325–333.
- Spellman, B. T., and T. L. Wurtz. 2011. Invasive sweetclover (*Melilotus alba*) impacts native seedling recruitment along floodplains of interior Alaska. *Biological Invasions* 13:1779–1790.
- Stanford, J. A., and J. V. Ward. 1993. An ecosystem perspective of alluvial rivers - connectivity and the hyporheic corridor. *Journal of the North American Benthological Society* 12:48–60.
- Suttle, K., M. Power, J. Levine, and C. McNeely. 2004. How fine sediment in riverbeds impairs growth and survival of juvenile salmonids. *Ecological Applications* 14:969–974.
- Urgenson, L. S., S. H. Reichard, and C. B. Halpern. 2009. Community and ecosystem consequences of giant knotweed (*Polygonum sachalinense*) invasion into riparian forests of western Washington, USA. *Biological Conservation* 142:1536–1541.
- USEPA (U.S. Environmental Protection Agency). 1985. Ambient Water Quality Criteria for Cyanide - 1984. Washington, DC.
- USEPA (U.S. Environmental Protection Agency). 2003a. *Final Environmental Impact Statement, Pogo Gold Mine Project*. Seattle, WA: Region 10.
- USEPA (U.S. Environmental Protection Agency). 2003b. *EPA and Hardrock Mining: A Source Book for Industry in the Northwest and Alaska*. Appendix H. Erosion and Sedimentation. Seattle, WA: Region 10.
- USEPA (U.S. Environmental Protection Agency). 2006. *Industrial Stormwater Fact Sheet Series. Sector G: Metal Mining (Ore Mining and Dressing) Facilities*. EPA-833-F-06-022. Office of Water.

- USEPA (U.S. Environmental Protection Agency). 2013. *ECOTOX User Guide: ECOTOXicology Database System*. Version 4.0. Available: <http://www.epa.gov/ecotox>. Accessed: October 2013.
- USFWS (U.S. Fish and Wildlife Service). 2012. *National Wetlands Inventory*. Available: <http://www.fws.gov/wetlands/Wetlands-Mapper.html>. Accessed: December 11, 2012.
- USGS (U.S. Geological Survey). 2012. *National Hydrography Dataset*. High Resolution, Alaska. Available: <ftp://nhdftp.usgs.gov/DataSets/Staged/States/FileGDB/HighResolution>. Accessed: October 16, 2012.
- USGS (U.S. Geological Survey). 2013. National Elevation Dataset (2 arc second), ArcGrid. August 26. [n59w155.zip, n59w156.zip, n59w157.zip, n59w158.zip, n60w154.zip, n60w155.zip, n60w156.zip, n60w157.zip, n60w158.zip, n60w159.zip, n60w160.zip, n61w153.zip, n61w154.zip, n61w155.zip, n61w156.zip, n61w157.zip, n61w158.zip, n61w159.zip, n61w160.zip] Available: <http://viewer.nationalmap.gov/viewer/>.
- Van Bohemen, H. D., and W. H. J. Van de Laak. 2003. The influence of road infrastructure and traffic on soil, water, and air quality. *Environmental Management* 31:50–68.
- Van Hassel, J. H., J. J. Hey, and D. L. Garling. 1980. Heavy metals in a stream ecosystem at sites near highways. *Transactions of the American Fisheries Society* 109:636–643.
- Walker, D. A., and K. R. Everett. 1987. Road dust and its environmental impact on Alaskan taiga and tundra. *Arctic and Alpine Research* 19:479–489.
- Walker, C. M., R. S. King, D. F. Whigham, and S. J. Baird. 2012. Landscape and wetland influences on headwater stream chemistry in the Kenai Lowlands, Alaska. *Wetlands* 32(2):301–310.
- Ware, C., D. M. Bergstrom, E. Muller, and I. G. Alsos. 2012. Humans introduce viable seeds to the Arctic on footwear. *Biological Invasions* 14:567–577.
- Weaver, W.E., D.K. Hagans, and M.A. Madej. 1987. Managing forest roads to control cumulative erosion and sedimentation effects. Pages 119–124 in *Proceedings of the California Watershed Management Conference, 18–20 November, 1986, West Sacramento, California*. Report 11. Berkeley, CA: Wildland Resources Center, University of California.
- Weber-Scannell, P. K., and L. K. Duffy. 2007. Effects of total dissolved solids on aquatic organisms: a review of literature and recommendation for salmonid species. *American Journal of Environmental Sciences* 3:1–6.
- Whitton, B. A., N. T. W. Ellwood, and B. Kawecka. 2009. Biology of the freshwater diatom *Didymosphenia*: a review. *Hydrobiologia* 630:1–37.
- Wipfli, M. S., and C. V. Baxter. 2010. Linking ecosystems, food webs, and fish production: subsidies in salmonid watersheds. *Fisheries* 35(8):373–387.

- Wissmar, R. C., R. K. Timm, and M. D. Bryant. 2010. Radar-derived digital elevation models and field-surveyed variables to predict distribution of juvenile coho salmon and Dolly Varden in remote streams of Alaska. *Transactions of the American Fisheries Society* 139:288–302.
- Withycombe, E., and R. Dulla. 2006. *Alaska Rural Dust Control Alternatives*. Report No. SR2006-03-03. Prepared by Sierra Research, Inc. for Alaska Department of Environmental Conservation.
- Woody, C. A., and S. L. O'Neal. 2010. *Fish Surveys in Headwater Streams of the Nushagak and Kvichak River Drainages, Bristol Bay, Alaska, 2008–2010*. Anchorage, AK: Fisheries Research and Consulting.
- Wurtz, T. L., M. J. Macander, and B. Spellman, T. 2010. Spread of invasive plants from roads to river systems in Alaska: a network model. Pages 699–708 in J. M. Pye, H. M. Rauscher, Y. Sands, D. C. Lee, and J. S. Beatty (eds.), *Advances in Threat Assessment and Their Application to Forest and Rangeland Management*. PNW-GTR-802. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest and Southern Research Stations.
- Young, M. K., P. M. Geunther-Gloss, and A. D. Ficke. 2005. Predicting cutthroat trout (*Oncorhynchus clarki*) abundance in high-elevation streams: revisiting a model of translocation success. *Canadian Journal of Fisheries and Aquatic Sciences* 62:2399–2408.

Personal Communications

- Morstad, S. Fishery Biologist III, ADF&G. September 2011—email of unpublished data to Rebecca Shaftel.

15.1.12 Chapter 11—Pipeline Failures

- ADEC (Alaska Department of Environmental Conservation). 2011. Water Quality Standards. 18–AAC–70.
- ADEC (Alaska Department of Environmental Conservation). 2012. *Situation Report: Fairbanks Gold Mining, Inc. Cyanide Water Spill*. Anchorage, AK: Alaska Department of Environment and Conservation, Division of Spill Prevention and Response, Prevention and Emergency Response Program.
- Alexander, V., and K. VanCleve. 1983. The Alaska pipeline: a success story. *Annual Review of Ecology and Systematics* 14:443–463.
- API (American Petroleum Institute). 2003. *Robust Summary of Information on Distillate Fuels*. Report No. 201-14835B2. Washington, DC: American Petroleum Institute.
- Barrett, D. 2012. Notice of Probable Violation and Proposed Civil Penalty: Letter to Mr. Richard Adams, Vice President, U.S. Operations, Enbridge Energy, Limited Partnership. Kansas City, MO: U.S. Department of Transportation, Pipeline and Hazardous Materials Safety Administration.

- Bass, M. L., J. R. Voshell, and R. W. Young. 1987. Assessment of damage to aquatic communities resulting from a refined oil product spill. Pages 353–378 in J. H. Vandermeulen and S. E. Hrudey (eds.), *Oil in Freshwater: Chemistry, Biology, Countermeasure Technology*. New York: Pergamon Press.
- Briceno, F., and F. Bajak. 2012. Townsfolk sickened after Peru toxic spill. *Businessweek*. Available: <http://bigstory.ap.org/article/townsfolks-sickened-after-peru-toxic-spill>.
- Bury, R. B. 1972. The effects of diesel fuel on a stream fauna. *California Fish and Game* 58:291–295.
- Caleyo, F. 2007. *Statistical and tolerance uncertainties in pipeline failure rate estimates*. Villahermosa, Mexico: Noveno Congreso y Expo Internacional de Ductos.
- Caterpillar Global Mining. 2009. Minera Antamina: setting the standard, driving the future. *Viewpoint: Perspectives on Modern Mining* 2009:12–19.
- Clap, L. 2004. *Xstrata's "Best Practice" in Argentina*. MAC: Mines and Communities. Available: <http://www.minesandcommunities.org/article.php?a=5750&1=1>.
- Coghlan, S. M., Jr., and J. L. Lund. 2005. Rapid assessment of benthic faunal responses to a small petroleum spill in a headwaters stream. *Journal of Freshwater Ecology* 20:777–779.
- Das, P. K. M. K., and S. K. Konar. 1988. Acute toxicity of petroleum products, crude oil and oil refinery effluent on plankton, benthic invertebrates and fish. *Environment and Ecology* 6:885–891.
- DNV Consulting. 2006. *Frequency-Volume Study of Keystone Pipeline*. Report No. 70015849-2 rev 1. Prepared for TransCanada Pipelines, Ltd.
- Earthworks. 2012. *U.S. Copper Porphyry Mines Report: The Track Record of Water Quality Impacts Resulting from Pipeline Spills, Tailings Failures and Water Collection and Treatment Failure*. Washington, DC.
- ERCB (Energy Resources Conservation Board). 2013. *ST57-2012: Field Surveillance and Operations Branch – Field Operations Provincial Summary 2011*. Calgary, AB.
- EUB (Energy and Utilities Board). 1998. *Pipeline Performance in Alberta 1980–1997*. Calgary, AB: Alberta Energy and Utilities Board.
- Geosphere and CH2M Hill. 2006. *Hydrocarbon Characterization for Use in the Hydrocarbon Risk Calculator and Example Characterizations of Selected Alaska Fuels, Technical Background Document*. Draft report. Prepared for the Alaska Statement of Cooperation Working Group.
- Ghaffari, H., R. S. Morrison, M. A., deRuijeter, A. Živković, T. Hantelmann, D. Ramsey, and S. Cowie. 2011. *Preliminary Assessment of the Pebble Project, Southwest Alaska*. February 15. Document 1056140100-REP-R0001-00. Prepared for Northern Dynasty Minerals Ltd., by WARDROP (a Tetra Tech Company). Vancouver, BC.

- Giddings, J., B. Parkhurst, C. Gehrs, and R. Millemann. 1980. Toxicity of a coal liquefaction product to aquatic organisms. *Bulletin of Environmental Contamination and Toxicology* 25:1–6.
- Goldstein, J. N., D. F. Woodward, and A. M. Farag. 1999. Movements of adult Chinook salmon during spawning migration in a metals-contaminated system, Coeur d'Alene River, Idaho. *Transactions of the American Fisheries Society* 128:121–129.
- Guard, H. E., N. G. James, and R. B. Laughlin, Jr. 1983. *Characterization of Gasolines, Diesel Fuels and Their Water Soluble Fractions*. Oakland, CA: Naval Biosciences Laboratory, Naval Supply Center.
- Hayes, M. O., R. Hoff, J. Michel, D. Scholz, and G. Shigenaka. 1992. *Introduction to Coastal Habitats and Biological Resources for Oil Spill Response*. NMRAD-92-4. Seattle, WA: National Oceanic and Atmospheric Administration, Coastal Monitoring and Bioeffects Assessment Division.
- Hébert, G. W., and R. H. Kussat. 1972. *A Laboratory Evaluation of the Toxicity of Certain Oils and Chemical Oil Dispersants to Juvenile Coho Salmon and Staghorn Sculpins*. Technical Report 1972-6. Canada Department of the Environment, Fisheries Service, Pacific Region, Northern Operations Branch.
- HydroQual. 2007. *Biotic Ligand Model Windows Interface, Version 2.2.3, User's Guide and Reference Manual*. Mahwah, NJ: HydroQual, Inc.
- Ingersoll, C. G., P. S. Haverland, E. L. Brunson, T. J. Canfield, F. J. Dwyer, C. E. Henke, N. E. Kemble, D. R. Mount, and R. G. Fox. 1996. Calculation and evaluation of sediment effect concentrations for the amphipod *Hyaella azteca* and the midge *Chironomus riparius*. *Journal of Great Lakes Research* 22:602–623.
- Khan, N., M. A. Warith, and G. Luk. 2007. A comparison of acute toxicity of biodiesel, biodiesel blends, and diesel on aquatic organisms. *Journal of the Air and Waste Management Association* 57:286–296.
- Kubach, K. M., M. C. Scott, and J. S. Bulak. 2011. Recovery of a temperate riverine fish assemblage from a major diesel oil spill. *Freshwater Biology* 56:503–518.
- Lockhart, W. L., R. W. Danell, and D. A. Murray. 1987. Acute toxicity bioassays with petroleum products: influence of exposure conditions. Pages 335–344 in J. H. Vandermeulen and S. E. Hrudey (eds.), *Oil in Freshwater: Chemistry, Biology, Countermeasure Technology*. New York: Pergamon Press.
- Lytle, D. A., and B. L. Peckarsky. 2001. Spatial and temporal impacts of a diesel fuel spill on stream invertebrates. *Freshwater Biology* 46:693–704.
- MacDonald, D. D., C. G. Ingersoll, and T. A. Berger. 2000. Development and evaluation of consensus-based sediment quality guidelines for freshwater ecosystems. *Archives of Environmental Contamination and Toxicology* 39:20–31.
- Meyer, J. S., and W. J. Adams. 2010. Relationship between biotic ligand model-based water quality criteria and avoidance and olfactory responses to copper by fish. *Environmental Toxicology and Chemistry* 29:2096–2130.

- Minera Alumbreira. 2004. *Minera Alumbreira Sustainability Report for 2004*. Catamarca, Argentina: Minera Alumbreira Ltd. and Xstrata Copper.
- Minera Alumbreira. 2005. *Minera Alumbreira Sustainability Report 2005*. Catamarca, Argentina: Minera Alumbreira YMAD-UTE and Xstrata Copper. Available: http://www.alumbreira.com.ar/download/articulos/Sustainability_Rep%20_Def.pdf.
- Minera Alumbreira. 2006. *Minera Alumbreira Sustainability Report 2006*. Catamarca, Argentina: Minera Alumbreira and Xstrata Copper. Available: http://www.goldcorp.com/files/docs_sustainability/alumbreira_sustainability_report2006-en.pdf.
- Minera Alumbreira. 2007. *Minera Alumbreira Sustainability Report 2007*. Catamarca, Argentina: Minera Alumbreira and Xstrata Copper.
- Minera Alumbreira. 2008. *Minera Alumbreira Sustainability Report 2008*. Catamarca, Argentina: Minera Alumbreira YMAD-UTE and Xstrata Copper. Available: http://www.alumbreira.com.ar/download/articulos/Al_Sustainability_Report_2008.pdf.
- Minera Alumbreira. 2009. *Minera Alumbreira Sustainability Report 2009*. Catamarca, Argentina: Minera Alumbreira YMAD-UTE and Xstrata Copper.
- Minera Alumbreira. 2010. *Minera Alumbreira Sustainability Report 2010*. Catamarca, Argentina: Minera Alumbreira YMDA-UTE, and Xstrata Copper. Available: http://www.alumbreira.com.ar/download/articulos/sustainability_report_2010.pdf.
- Mining Watch Canada. 2005. *Wheaton River Profits from Destruction of Bajo La Alumbreira, Argentina*. August 12. Available: <http://www.miningwatch.ca/wheaton-river-profits-destruction-bajo-la-alumbreira-argentina>.
- Mos, L., G. A. Cooper, K. Serben, M. Cameron, and B. F. Koop. 2008. Effects of diesel on survival, growth, and gene expression in rainbow trout (*Oncorhynchus mykiss*) fry. *Environmental Science & Technology* 42:2656–2662.
- Nauman, J. W., and D. R. Kernodle. 1975. The effect of a fuel oil spill on benthic invertebrates and water quality on the Alaskan Arctic Slope, Happy Valley Creek near Sagwon, Alaska. *Journal of Research of the U.S. Geological Survey* 3:495–500.
- NICNAS (National Industrial Chemicals Notification and Assessment Scheme). 1995. *Sodium Ethyl Xanthate, Priority Existing Chemical No. 5*. Full Public Report. Canberra, Australia: Australian Government Publishing Service.
- NICNAS (National Industrial Chemicals Notification and Assessment Scheme). 2000. *Sodium Ethyl Xanthate, Priority Existing Chemical Secondary Notification Assessment*. Report No. 5S. Canberra, Australia: Australian Government Publishing Service.

- NOAA (National Oceanic and Atmospheric Administration). 2006. *Small diesel spills (50–5,000 gallons)*. Seattle, WA: NOAA Office of Response and Restoration.
- NOAA (National Oceanic and Atmospheric Administration) and API (American Petroleum Institute). 1994. *Options for Minimizing Environmental Impacts of Freshwater Spill Response*. NOAA Hazardous Materials Response and Assessment Division and API.
- O'Brien's Response Management. 2009. *TransCanada Emergency Response Plan: Worst Case Discharge Analysis and Scenarios*. Appendix B, Version 21.0.1. O'Brien's Response Management Inc.
- OGP (International Association of Oil & Gas Producers). 2010. *Risk Assessment Data Directory, Riser & pipeline release frequencies*. Report No. 434-4. March 17.
- Overstreet, R., and J. A. Galt. 1995. *Physical Processes Affecting the Movement and Spreading of Oils in Inland Environments*. HMRAD 95-7. Seattle, WA: National Oceanic and Atmospheric Administration, Hazardous Materials Response and Assessment Division.
- Pereira, S., V. Araújo, M. Reboucas, F. Vieira, M. de Almeida, F. Chinalia, and I. Nascimento. 2012. Toxicity of biodiesel, diesel, and biodiesel/diesel blends: comparative sub-lethal effects of water-soluble fractions to microalgae species. *Bulletin of Environmental Contamination and Toxicology* 88:234–238.
- PHMSA (Pipeline and Hazardous Materials Safety Administration). 2012. *Pipeline Basics*. Pipeline Safety Stakeholder Communications, U.S. Department of Transportation. Available: <http://primis.phmsa.dot.gov/comm/PipelineBasics.htm?nocache=7789>. Accessed: February 21, 2012.
- PLP (Pebble Limited Partnership). 2011. *Pebble Project Environmental Baseline Document 2004 through 2008*. Anchorage, AK. Available: <http://www.arlis.org/docs/vol2/Pebble/2004-2008EBDIndex.pdf>.
- Redman, A. D., T. F. Parkerton, J. A. McGrath, and D. M. Di Toro. 2012. PETROTOX: an aquatic toxicity model for petroleum substances. *Environmental Toxicology and Chemistry* 31:2498–2506.
- Rice, S., J. Short, M. Carls, A. Moles, and R. Spies. 2007. The Exxon Valdez oil spill. Pages 419–520 in R. Spies, editor. *Long-Term Ecological Change in the Northern Gulf of Alaska*. Amsterdam, Netherlands: Elsevier B.V.
- Schein, A., J. A. Scott, L. Mos, and P. V. Hodson. 2009. Oil dispersion increases the apparent bioavailability and toxicity of diesel to rainbow trout (*Oncorhynchus mykiss*). *Environmental Toxicology and Chemistry* 28:595–602.
- Smith, P., D. Snook, A. Muscatt, and A. Smith. 2010. Effects of a diesel spill on freshwater macroinvertebrates in two urban watercourses, Wiltshire, UK. *Water and Environment Journal* 24:249–260.

- Suter, G. W., II, and S. M. Cormier. 2011. Why and how to combine evidence in environmental assessments: weighing evidence and building cases. *Science of the Total Environment* 409:1406–1417.
- Taj, M., and T. Cespedes. 2012. *Peru's Antamina mine faces fallout from spill*. Reuters.com. Accessed: August 20, 2012.
- URS (URS Corporation). 2000. *Final Longhorn Pipeline Environmental Assessment, Volume 4 Responsiveness Summary, Appendix D, Leak Frequencies of Other Pipeline Operations*.
- Van Derveer, W. D., R. J. Nadeau, and G. L. Case. 1995. A screening-level evaluation of impacts to a Montana lotic macroinvertebrate community from a fuel oil spill. Pages 391–397 in *Proceedings of the 14th Bien, API et al. Oil Spill (Achieving and Maintaining Preparedness) Internal Conference*. Long Beach, CA. February 27–March 2, 1995.
- Wan, M. T., R. G. Watts, and D. J. Moul. 1990. Acute toxicity to juvenile Pacific salmonids and rainbow trout of butoxyethyl esters of 2,4-D, 2,4-DP and their formulated product: Weedone CB and its carrier. *Bulletin of Environmental Contamination and Toxicology* 45:604–611.

Personal Communications

- Adams, W. General Manager Legacy, Rio Tinto. January 17, 2013—email to Glenn Suter.

15.1.13 Chapter 12—Fish-Mediated Effects

- ARCO (Atlantic Richfield Company). 1998. *Milltown Reservoir Sediments NPL Site, Clark Fork River Operable Unit, Final Draft Remedial Investigation Report*. Anaconda, MT.
- Bersamin, A., B. Luick, E. Ruppert, J. Stern, and S. Zidenberg-Cherr. 2006. Diet quality among Yup'ik Eskimos living in rural communities is low: the center for Alaska native health research pilot study. *Journal of the American Dietetic Association* 106:1055–1063.
- Braund, S. R., and Associates. 2009. *Impacts of Oil and Gas Development to Barrow, Nuiqsut, Wainwright, and Atqasuk harvesters*. Report prepared for North Slope Borough, Department of Wildlife Management.
- Braund, S. R., and Associates. 2011. Chapter 23: Subsistence Uses and Traditional Knowledge, Bristol Bay Drainages. In Pebble Limited Partnership. 2011. *Pebble Project Environmental Baseline Document 2004 through 2008*. Available: <http://www.arlis.org/docs/vol2/Pebble/2004-2008EBDIndex.pdf>.
- Braund, S. R., and J. Kruse (eds). 2009. *Synthesis: Three Decades of Research on Socioeconomic Effects Related to Offshore Petroleum Development in Coastal Alaska*. MMS OCS Study 2009-006.
- Brna, P. J., and L. A. Verbrugge (eds.). 2013. *Wildlife Resources of the Nushagak and Kvichak River Watersheds, Alaska*. Final report. Anchorage, AK: Anchorage Fish and Wildlife Field Office, U.S. Fish and Wildlife Service.

- CEAA (Canadian Environmental Assessment Agency). 2010. *Report of the Federal Review Panel Established by the Minister of the Environment: Taseko Mines Limited's Prosperity Gold-Copper Mine Project*. Ottawa, ON. Available: <http://publications.gc.ca/site/eng/371768/publication.html>. Accessed: May 4, 2011.
- Chapman, P. M., W. J. Adams, M. L. Brooks, C. G. Delos, S. N. Luoma, W. A. Maher, H. M. Ohlendorf, T. S. Presser, and D. P. Shaw. 2010. *Ecological Assessment of Selenium in the Aquatic Environment*. Pensacola, FL: Society of Environmental Toxicology and Chemistry (SETAC).
- Eisler, R. 2000. *Handbook of Chemical Risk Assessment: Health Hazards to Humans, Plants, and Animals. Volume 1: Metals*. Boca Raton, FL: Lewis Publishers.
- Goldsmith, S. 2007. *The Remote Rural Economy of Alaska*. Institute of Social and Economic Research, University of Alaska Anchorage. April 12. Available: http://www.iser.uaa.alaska.edu/Publications/u_ak/uak_remoteruraleconomyak.pdf.
- Helfield, J. M., and R. J. Naiman. 2006. Keystone interactions: salmon and bear in riparian forests of Alaska. *Ecosystems* 9:167–180.
- Hilderbrand, G. V., T. A. Hanley, C. T. Robbins, and D. D. Schwartz. 1999. Role of brown bears (*Ursus arctos*) in the flow of marine nitrogen into a terrestrial ecosystem. *Oecologia* 121:546–550.
- Holen, D. 2009. The dynamic context of cultural and social sustainability of communities in southwest Alaska. *Journal of Enterprising Communities* 3:306–316.
- Joyce, A. 2008. Risk and opportunity in British Columbia shellfisheries: the role of limited property rights in aquaculture development. PhD thesis, University of British Columbia, Vancouver, BC. Available: <https://circle.ubc.ca/handle/2429/7569>.
- Kerkvliet, J., and W. Nebesky. 1997. Whaling and wages on Alaska's North Slope: a time allocation approach to natural resource use. *Economic Development and Cultural Change* 45(3):651–665.
- Kruse, J. A., M. Baring-Gould, W. Schneider, J. Gross, G. Knapp, and G. Sherrod. 1983. *A Description of the Socioeconomics of the North Slope Borough*. Technical Report No. 85. Prepared by the Institute of Social and Economic Research, University of Alaska for the Minerals Management Service, Alaska Outer Continental Shelf Region, Anchorage, AK.
- Kuhnlein, H., O. Receveur, and H. Chan. 2001. Traditional food systems research with Canadian indigenous peoples. *International Journal of Circumpolar Health* 60:112–112.
- Loring, P. A., L. K. Duffy, and M. S. Murray. 2010. A risk-benefit analysis of wild fish consumption for various species in Alaska reveals shortcomings in data and monitoring needs. *Science of the Total Environment* 408:4532–4541.

- NMFS (National Marine Fisheries Service). 2011. *Effects of Oil and Gas Activities in the Arctic Ocean, Draft Environmental Impact Statement*. United States Department of Commerce, National Oceanic and Atmospheric Administration, National Marine Fisheries Service, Office of Protected Resources. Available: http://www.nmfs.noaa.gov/pr/pdfs/permits/arctic_deis_volume3.pdf.
- NMFS (National Marine Fisheries Service). 2013. *Effects of Oil and Gas Activities in the Arctic Ocean, Draft Supplemental Environmental Impact Statement*. March. Office of Protected Resources. Available: <http://www.nmfs.noaa.gov/pr/permits/eis/arctic.htm>.
- NRC (National Research Council). 2003. *Cumulative Environmental Effects of Oil and Gas Activities on Alaska's North Slope*. Washington, DC: The National Academies Press.
- Palinkas, L. A., M. A. Downs, J. S. Petterson, and J. Russell. 1993. Social, cultural, and psychological impacts of the Exxon Valdez oil spill. *Human Organization* 52:1–12.
- PLP (Pebble Limited Partnership). 2011. *Pebble Project Environmental Baseline Document 2004 through 2008*. Anchorage, AK. Available: <http://www.arlis.org/docs/vol2/Pebble/2004-2008EBDIndex.pdf>.
- Poppel, B., J. Kruse, G. Duhaime, and L. Abryutina. 2007. *Survey of Living Conditions in the Arctic (SLiCA) Results*. Anchorage, AK: Institute of Social and Economic Research, University of Alaska Anchorage. Available: <http://www.arcticlivingconditions.org>. Accessed: May 4, 2011.
- Storey, K., and L. C. Hamilton. 2004. Planning for the impacts of megaprojects: two North American examples. Pages 28–302 in R. O. Rasmussen and N. E. Koroleva (eds.), *Social and Economic Impacts in the North*. Dordrecht, Netherlands: Kluwer Academic Publishers.
- USEPA (U.S. Environmental Protection Agency). 1985. *Ambient Water Quality Criteria for Copper – 1984*. EPA 440/5-84-031. Washington, DC.
- USEPA (U.S. Environmental Protection Agency). 2009. *Red Dog Mine Extension Aqqaluk Project, Final Environmental Impact Statement*. October.
- USEPA (U.S. Environmental Protection Agency). 2011. *A Field-Based Aquatic Life Benchmark for Conductivity in Central Appalachian Streams (Final Report)*. EPA/600/R-10/023F. Washington, DC: Office of Research and Development, National Center for Environmental Assessment.

15.1.14 Chapter 13—Cumulative Risks of Multiple Mines

- ADF&G (Alaska Department of Fish and Game). 2012. *Alaska Freshwater Fish Inventory Database*. Available: <http://www.adfg.alaska.gov/index.cfm?adfg=ffinventory.main>.
- ADNR (Alaska Department of Natural Resources). 2005. *Bristol Bay Area Plan (BBAP) for State Lands. Resource Assessment and Development Section, Division of Mining, Land, and Water*. Available: <http://dnr.alaska.gov/mlw/planning/areaplans/bristol/>. Accessed: December 27, 2012.

- ADNR (Alaska Department of Natural Resources). 2012a. *Temporary Water Use Permit F2012-275 for TNR Gold Corp (Shotgun Prospect)*. Available: http://dnr.alaska.gov/mlw/mapguide/water/twup_start_tok.cfm. Accessed: November 29, 2012.
- ADNR (Alaska Department of Natural Resources). 2012b. *Case Abstract, ADL 656311, James W. Caswell*. Available: http://dnr.alaska.gov/projects/las/Case_Abstract.cfm?FileType=ADL&FileNumber=656311. Accessed: December 10, 2012.
- ADNR (Alaska Department of Natural Resources). 2012c. *Case Abstracts ADL 701294 et al, Alaska Earth Resources, Inc., Kody and Koksetna claims*. Available: http://dnr.alaska.gov/projects/las/Case_Abstract.cfm?FileType=ADL&FileNumber=701294. Accessed: December 10, 2012.
- ADNR (Alaska Department of Natural Resources). 2012d. *Case Abstracts ADL 644576 et al, TNR Gold Corp., Winchester claims*. Available: http://dnr.alaska.gov/projects/las/Case_Abstract.cfm?FileType=ADL&FileNumber=644576. Accessed: December 10, 2012.
- ADNR (Alaska Department of Natural Resources). 2012e. *Case Abstracts, ADL 552871 et al., Full Metal Minerals (USA), Inc., South Pebble claims*. Available: http://dnr.alaska.gov/projects/las/Case_Abstract.cfm?FileType=ADL&FileNumber=552871. Accessed: December 10, 2012.
- ADNR (Alaska Department of Natural Resources). 2012f. *Case Abstracts, ADL 648509 et al, Alaska Earth Services, Inc., Groundhog and Nika claims*. Available: http://dnr.alaska.gov/projects/las/Case_Abstract.cfm?FileType=ADL&FileNumber=648509. Accessed: December 10, 2012.
- ADNR (Alaska Department of Natural Resources). 2012g. *Case Abstracts ADL 709821 et al, Millrock Alaska, LLC, AUDN claims*. Available: http://dnr.alaska.gov/projects/las/Case_Abstract.cfm?FileType=ADL&FileNumber=709821. Accessed: December 10, 2012.
- ADNR (Alaska Department of Natural Resources). 2012h. *State Mining Claims Dataset, Alaska State Geo-Spatial Data Clearinghouse*. Available: <http://www.asgdc.state.ak.us>. Accessed: November 19, 2012.
- ADOT (Alaska Department of Transportation and Public Facilities). 2001. *Revised Environmental Assessment and Finding of No Significant Impact, Iliamna-Nondalton Road Improvements Project*. Project No. STP-0214(3)/51951. Available: <http://www.iliamna-nondaltonroad.com/documents.shtml>. Accessed: December 18, 2012

- ADOT (Alaska Department of Transportation and Public Facilities). 2004. *Southwest Alaska Transportation Plan*. Anchorage, AK. Available: http://www.dowlhkm.com/projects/SWAKTP/new_website/documents.html#. Accessed: December 19, 2012.
- ADOT (Alaska Department of Transportation and Public Facilities). 2011a. *Ambler Mining District Access*. Available: <http://www.dot.alaska.gov/roadstoreources/projects.shtml>. Accessed: December 6, 2012.
- ADOT (Alaska Department of Transportation and Public Facilities). 2011b. *Aleknagik: Wood River Bridge*. Available: <http://www.brooks-alaska.com/aleknagik>. Accessed: December 6, 2012.
- AERI (Alaska Earth Resources, Inc.). 2008. *Affidavit of Annual Labor for Mining (Kamishak claims)*. 2008-000296-0. Available: <http://dnr.alaska.gov/ssd/recoff/sag/DocDisplay.cfm?SelectedDoc=20080002960&District=320>. Accessed: November 29, 2012.
- AHEA (Alaska Hardrock Exploration Application). 2011. Alaska Hardrock Exploration Application A113099 by Alaska Earth Sciences, Inc., for Groundhog prospect. January 31.
- AHEA (Alaska Hardrock Exploration Application). 2012. Alaska Hardrock Exploration Application A122793 by Big Chunk Corp., July 11, 2012.
- Alix Resources. 2008. *News Release*. Available: <http://www.mineweb.com/mineweb/content/en/mineweb-fast-news?oid=58213&sn=Detail>. Accessed: January 3, 2013
- Big Chunk Corp. 2012. *Affidavit of Annual Labor for Mining, Big Chunk Corporation/Liberty Star*. Doc. No. 2012-000351-0. Available: <http://dnr.alaska.gov/ssd/recoff/sag/DocDisplay.cfm?SelectedDoc=20120003510&District=320>. Accessed: November 29, 2012
- Booth, D. B., and C. R. Jackson. 1997. Urbanization of aquatic systems—Degradation thresholds, stormwater detention, and the limits of mitigation. *Journal of the American Water Resources Association* 33(5):1077–1090.
- Booth, D., D. Hartley, and R. Jackson. 2002. Forest cover, impervious-surface area, and the mitigation of stormwater impacts. *Journal of the American Water Resources Association* 38(3):835–845.
- Bristol Exploration Co., Inc. 2011. *Affidavit of Annual Labour for Mining (HSS Claims)*. Doc. No. 2011-000463-0. Available: <http://dnr.alaska.gov/ssd/recoff/sag/DocDisplay.cfm?SelectedDoc=20110004630&District=310>. Accessed: November 29, 2012.

- Brna, P. J., and L. A. Verbrugge (eds.). 2013. *Wildlife Resources of the Nushagak and Kvichak River Watersheds, Alaska*. Final Report. Anchorage, AK: U.S. Fish and Wildlife Service, Anchorage Fish and Wildlife Field Office.
- Charles, S., R. Bravo De La Parra, J. P. Mallet, H. Persat, and P. Auger. 2000. Annual spawning migration in modeling brown trout population dynamics inside an arborescent river network. *Ecological Modelling* 133:15–31.
- Detterman, R. L., and B. L. Reed. 1973. *Surficial Deposits of the Iliamna Quadrangle, Alaska*. Geological Survey Bulletin 1368-A. U.S. Geological Survey. Available: <http://www.dggs.alaska.gov/webpubs/usgs/b/text/b1368a.pdf>. Accessed: December 17, 2012.
- Fall, J. A., D. L. Holen, B. Davis, T. Krieg, and D. Koster. 2006. *Subsistence Harvests and Uses of Wild Resources in Iliamna, Newhalen, Nondalton, Pedro Bay, and Port Alsworth, Alaska 2004*. Technical Paper No. 302. Juneau, AK: Alaska Department of Fish and Game, Division of Subsistence.
- Fall, J. A., J. C. Schichnes, M. Chythlook, and R. J. Walker. 1986. *Patterns of Wild Resources Use in Dillingham: Hunting and Fishing in an Alaskan Regional Center*. Technical Paper No. 135. Alaska Department of Fish and Game, Division of Subsistence.
- Full Metal Minerals, Inc. 2008. *Affidavit of Annual Labor for Mining (South Pebble claims)*. Doc. No. 2008-000298-0. Available: <http://dnr.alaska.gov/ssd/recoff/sag/DocDisplay.cfm?SelectedDoc=20080002980&District=320>. Accessed: November 29, 2012.
- Full Metal Minerals. 2012. *Pebble South*. Available: <http://www.fullmetalminerals.com/properties/pebble-south/>. Accessed: November 29, 2012.
- Ghaffari, H., R. S. Morrison, M. A., deRuijeter, A. Živković, T. Hantelmann, D. Ramsey, and S. Cowie. 2011. *Preliminary Assessment of the Pebble Project, Southwest Alaska*. February 15. Document 1056140100-REP-R0001-00. Prepared for Northern Dynasty Minerals Ltd., by WARDROP (a Tetra Tech Company). Vancouver, BC.
- Golden Lynx, LLC. 2009. *Affidavit of Annual Labor for Mining (Kisa prospect)*. Doc. No. 2009-000419-0. Available: <http://dnr.alaska.gov/ssd/recoff/sag/DocDisplay.cfm?SelectedDoc=20090004190&District=307>. Accessed: November 29, 2009.
- Hilborn, R. 2006. Fisheries success and failure: the case of the Bristol Bay salmon fishery. *Bulletin of Marine Science* 78(3):487–498.
- Hilborn, R., T. Quinn, D. Schindler, and D. Rogers. 2003. Biocomplexity and fisheries sustainability. *Proceedings of the National Academy of Sciences of the United States of America* 100:6564–6568.

- Holen, D., J. Stariwat, T. M. Krieg, and T. Lemons. 2012. *Subsistence Harvest and Uses of Wild Resources in Aleknagik, Clark's Point, and Manokotak, Alaska, 2008*. Technical Paper No. 368. Anchorage, AK: Alaska Department of Fish and Game, Division of Subsistence.
- Johnson, J., and P. Blanche. 2012. *Catalog of Waters Important for Spawning, Rearing, or Migration of Anadromous Fishes – Southwestern Region, Effective June 1, 2012*. Special Publication No. 12-08. Anchorage, AK: Alaska Department of Fish and Game.
- Kennecott Exploration Co. 2011. *State of Alaska Affidavit of Annual Labor for Mining Groundhog and Nika Group of 484 Claims*. Doc. No. 2011-000223-0. Available: <http://dnr.alaska.gov/ssd/recoff/sag/DocDisplay.cfm?SelectedDoc=20110002230&District=320>. Accessed: November 29, 2012.
- Krieg, T. M., D. L. Holen, and D. Koster. 2009. *Subsistence Harvests and Uses of Wild Resources in Igiugig, Kokhanok, Koliganek, Levelock, and New Stuyahok, Alaska 2005*. Technical Paper No. 322. Dillingham, AK: Alaska Department of Fish and Game, Division of Subsistence.
- Levelock Village Council. 2005. *Levelock Watershed Community Planning Project, Final Summary Report*. Available: <http://www.commerce.state.ak.us/dca/plans/Levelock-LUP-2005.pdf>. Accessed: December 14, 2012.
- Liberty Star. 2012a. *Big Chunk Super Project*. Available: <http://www.libertystaruranium.com/projects/big-chunk-super-project/>. Accessed: November 29, 2012.
- Liberty Star. 2012b. *Gold Copper Explorer Liberty Star Signs New Agreement with Northern Dynasty Minerals Ltd, Southwest Alaska*. NR 144. Available: <http://www.libertystaruranium.com/2012/11/14/nr-144-gold-copper-explorer-liberty-star-signs-new-agreement-with-northern-dynasty-minerals-ltd-southwest-alaska/>. Accessed: December 3, 2012.
- Millrock Alaska. 2012a. *Affidavit of Annual Labor for State Mining Claims (AUDN), Millrock Alaska LLC*. Doc. No. 2012-000236-0. Available: <http://dnr.alaska.gov/ssd/recoff/sag/DocDisplay.cfm?SelectedDoc=20120002360&District=310>. Accessed: November 29, 2012.
- Millrock Alaska. 2012b. *Affidavit of Annual Labor for State Mining Claims (KM), Millrock Alaska LLC*. Doc. No. 2012-000470-0. Available: <http://dnr.alaska.gov/ssd/recoff/sag/DocDisplay.cfm?SelectedDoc=20120004700&District=307>. Accessed: November 29, 2012.
- Millrock Resources. 2011. *Millrock Provides Exploration Update*. Available: http://www.millrockresources.com/news/millrock_provides_exploration_update. Accessed: November 29, 2012.

- Nehlsen, W., J. Williams, and J. Lichatowich. 1991. Pacific salmon at the crossroads—stocks at risk from California, Oregon, Idaho, and Washington. *Fisheries* 16:4–21.
- Northern Bonanza Trust. 2011. Affidavit of Annual Labor for Mining. Doc. No. 2011-000248-0. Available: <http://dnr.alaska.gov/ssd/recoff/sag/DocDisplay.cfm?SelectedDoc=20110002480&District=320>. Accessed: November 30, 2012.
- NRC (National Research Council). 1996. *Upstream: Salmon and Society in the Pacific Northwest*. Washington, DC.
- PLP (Pebble Limited Partnership). 2011. *Affidavit of Annual Labor for Mining*. Doc. No. 2011-000252-0. Available: http://dnr.alaska.gov/projects/las/Case_Abstract.cfm?FileType=ADL&FileNumber=638795. Accessed: January 3, 2013.
- Portage Creek Village Council and Residents of Portage Creek. 2006. *Portage Creek Comprehensive Plan*. Available: <http://www.commerce.state.ak.us/dca/plans/PortageCreek-CP-2006.pdf>.
- Ruckelshaus, M. H., P. Levin, J. B. Johnson, and P. M. Kareiva. 2002. The Pacific salmon wars: what science brings to the challenge of recovering species. *Annual Review of Ecology Systematics* 33:655–706.
- Russell, R. B. 1974. *Rainbow Trout Life History Studies in Lower Talarik Creek-Kvichak Drainage*. Annual Performance Report, 1973-1974. Project F-9-6(Vol. 15), Job No. G-II-E. Juneau, AK: Alaska Department of Fish and Game.
- Russell, R. B. 1975. *Rainbow Trout Life History Studies in Lower Talarik Creek-Kvichak drainage*. Annual Performance Report, 1973-1974. Project F-9-7(Vol. 16), Job No. G-II-E. Juneau, AK: Alaska Department of Fish and Game.
- Schichnes, J., and M. Chythlook. 1991. *Contemporary Use of Fish and Wildlife in Ekwok, Koliganek, and New Stuyahok, Alaska*. Technical Paper No. 185. Alaska Department of Fish and Game, Division of Subsistence.
- Schindler, D. E., P. R. Leavitt, C. S. Brock, S. P. Johnson, and P. D. Quay. 2005. Marine-derived nutrients, commercial fisheries, and production of salmon and lake algae in Alaska. *Ecology* 86:3225–3231.
- Schindler, D. E., R. Hilborn, B. Chasco, C. P. Boatright, T. P. Quinn, L. A. Rogers, and M. S. Webster. 2010. Population diversity and the portfolio effect in an exploited species. *Nature* 465:609–612.
- Siedelman, D. L., P. B. Cunningham, and R. B. Russell. 1973. *Life History Studies of Rainbow Trout in the Kvichak Drainage of Bristol Bay*. Annual Performance Report, 1972-1972. Project F-9-5(Vol. 14), Job No. G-II-E. Juneau, AK: Alaska Department of Fish and Game.

- Stickman, K., A. Balluta, M. McBurney, and D. Young. 2003. *K'ezghlegh, Nondalton Traditional Ecological Knowledge of Freshwater Fish*. Fisheries Project 01-075. U.S. Fish and Wildlife Service, Fisheries Information Services. Available:
<http://www.kuskokwimcouncil.org/documents/TEK/TEK%20Nondalton%20indians%20on%20freshwater%20fish.pdf>. Accessed: December 11, 2012.
- Stuy Mines, LLC. 2010. *Affidavit of Annual Labor for Mining*. Doc. No. 2010-000602-0. Available:
<http://dnr.alaska.gov/ssd/recoff/sag/DocDisplay.cfm?SelectedDoc=20100006020&District=320>. Accessed: November 29, 2012.
- Szumigala, D. J., L. A. Harbo, and J. N. Adleman. 2011. *Alaska's Mineral Industry 2010*. Special Report 65. Fairbanks, AK: Alaska Department of Natural Resources, Division of Geological and Geophysical Surveys.
- Thor Gold Alaska, Inc. 2011. *Affidavit of Annual Labor for Mining (Sleitat Mountain prospect)*. Doc. No. 2011-000443-0. Available:
http://dnr.alaska.gov/projects/las/Case_Abstract.cfm?FileType=ADL&FileNumber=650085. Accessed: November 29, 2012.
- TNR Gold Corp. 2011. *Affidavit of Annual Labour for Mining (Shotgun prospect)*. Doc. No. 2011-000202-0. Available:
<http://dnr.alaska.gov/ssd/recoff/sag/DocDisplay.cfm?SelectedDoc=20110002020&District=403>. Accessed: November 29, 2012.
- TNR Gold Corp. 2012. *Shotgun, Alaska*. Available:
<http://www.tnrgoldcorp.com/index.php/projects/shotgun-alaska>. Accessed: November 29, 2012.
- U5 Resources, Inc. 2010. *Affidavit of Annual Labor for State Mining Claims (Big Chunk claims)*. Doc. No. 2010-000-591-0. Available:
<http://dnr.alaska.gov/ssd/recoff/sag/DocDisplay.cfm?SelectedDoc=20100005910&District=320>. Accessed: January 3, 2013.
- USCG (U.S. Coast Guard). 2012. *Public Notices of Bridge Projects—Public Notice 17-02-12*.
- USFWS (U.S. Fish and Wildlife Service). 2012. *National Wetlands Inventory*. Available:
<http://www.fws.gov/wetlands/Wetlands-Mapper.html>. Accessed: December 11, 2012.
- USGS (U. S. Geological Survey). 2008. *Alaska Resource Data File, Fog Lake Prospect*. Available:
<http://mrdata.usgs.gov/ardf/show.php?labno=IL030>. Accessed: January 3, 2013.
- USGS (U.S. Geological Survey). 2012. *National Hydrography Dataset*. High Resolution, Alaska. Available:
<ftp://nhdftp.usgs.gov/DataSets/Staged/States/FileGDB/HighResolution>. Accessed: October 16, 2012.

Woody, C. A., and D. Young. 2006. *Life History and Essential Habitats of Humpback Whitefish in Lake Clark National Park, Kvichak River Watershed, Alaska*. Annual Report FIS 05-403. Available: http://www.fish4thefuture.com/pdfs/05-403-Lake_Clark_Whitefish_Annual_2005Feb07.pdf. Accessed: December 11, 2012.

15.1.15 Chapter 14—Integrated Risk Characterization

Blight, G. E. 2010. *Geotechnical Engineering for Mine Waste Storage Facilities*. Boca Raton, FL: CRC Press.

Buck, G. B., C. E. Brazil, F. West, L. F. Fair, X. Zhang, and S. L. Maxwell. 2012. *Stock Assessment of Chinook, Sockeye, and Chum Salmon in the Nushagak River*. Fishery Manuscript Series No. 12-05. Anchorage, AK: Alaska Department of Fish and Game.

Caldwell, J. A., and L. Charlebois. 2010. Tailings impoundment failures, black swans, incident avoidance and checklists. Pages 3–39 in *Tailings and Mine Waste 2010: Proceedings of the 14th International Conference on Tailings and Mine Waste, Vail, CO. October 17–20, 2010*. Boca Raton, FL: CRC Press.

Dye, J. E., and C. J. Schwanke. 2009. *Report to the Alaska Board of Fisheries for the Recreational Fisheries of Bristol Bay, 2007, 2008, and 2009*. Alaska Department of Fish and Game, Division of Sport Fish, Research and Technical Services.

Earthworks. 2012. *U.S. Copper Porphyry Mines Report: The Track Record of Water Quality Impacts Resulting from Pipeline Spills, Tailings Failures and Water Collection and Treatment Failure*. Washington, DC.

Ghaffari, H., R. S. Morrison, M. A., deRuijeter, A. Živković, T. Hantelmann, D. Ramsey, and S. Cowie. 2011. *Preliminary Assessment of the Pebble Project, Southwest Alaska*. February 15. Document 1056140100-REP-R0001-00. Prepared for Northern Dynasty Minerals Ltd., by WARDROP (a Tetra Tech Company). Vancouver, BC.

Gibson, R. J., R. L. Haedrich, and C. M. Wernerheirn. 2005. Loss of fish habitat as a consequence of inappropriately constructed stream crossings. *Fisheries* 30:10–17.

Instanes, A., O. Anisimov, L. Brigham, D. Goering, L. N. Khrustalev, B. Ladanyi, and J. O. Larsen. 2005. Infrastructure: buildings, support systems, and industrial facilities. Pages 907–944 in *Arctic Climate Impact Assessment*. New York, NY: Cambridge University Press.

Langill, D. A., and P. J. Zamora. 2002. *An Audit of Small Culvert Installations in Nova Scotia: Habitat Loss and Habitat Fragmentation*. 2422, Dartmouth, Nova Scotia: Canadian Department of Fisheries and Oceans, Habitat Management Division.

Pearce, T. D., J. D. Ford, J. Prno, F. Duerden, J. Pittman, M. Beaumier, L. Berrany-Ford, and B. Smit. 2011. Climate change and mining in Canada. *Mitigation and Adaptation Strategies for Global Change* 16:347–368.

- Price, D. M., T. Quinn, and R. J. Barnard. 2010. Fish passage effectiveness of recently constructed road crossing culverts in the Puget Sound region of Washington State. *North American Journal of Fisheries Management* 30:1110–1125.
- Schindler, D. E., X. Augerot, E. Fleishman, N. J. Mantua, B. Riddell, M. Ruckelshaus, J. Seeb, and M. Webster. 2008. Climate change, ecosystem impacts, and management for Pacific salmon. *Fisheries* 33:502-506.
- Schindler, D. E., R. Hilborn, B. Chasco, C. P. Boatright, T. P. Quinn, L. A. Rogers, and M. S. Webster. 2010. Population diversity and the portfolio effect in an exploited species. *Nature* 465:609–612.
- Vick, S. G. 2002. *Degrees of Belief: Subjective Probability and Engineering Judgement*. Reston, VA: American Society of Civil Engineers.

15.2 GIS Base Map Citations

- Alaska Department of Natural Resources. 2006. Alaska Legislatively Designated Areas—State Parks. Anchorage, AK: Information Resource Management Section. Available: <http://www.asgdc.state.ak.us>. Accessed: February 7, 2013.
- Alaska Department of Natural Resources. 1998. Populated Alaska Places. Anchorage, AK: Information Resource Management Section. Available: <http://www.asgdc.state.ak.us>. Accessed: February 7, 2013.
- Alaska Department of Transportation. 2012. Department of Transportation Road System [DOT_RoadSystem_061212.zip].
- Alaska Department of Transportation. 2012. Public Airports in Alaska [Public_Airports_Oct2012.zip].
- Environmental Systems Research Institute. 2013. World Base—Light Gray Canvas. ArcMap 10.0.
- Environmental Systems Research Institute. 2013. World Shaded Relief. ArcMap 10.0.
- Environmental Systems Research Institute. 2007. U.S. States (Generalized). ESRI ArcMap 9.3 USA Census Data.
- Environmental Systems Research Institute. 2007. U.S. and Canada Water Polygons. ESRI ArcMap 10.0 Streetmap.
- National Atlas of the United States. 2005. Federal Lands of the United States. Reston, VA. Available: <http://nationalatlas.gov/atlasftp.html>. Accessed: February 7, 2013
- U.S. Geological Survey. *National Hydrography Dataset*. High Resolution, Alaska [NHDH_AK_931v210.zip]. Available: <ftp://nhdftp.usgs.gov/DataSets/Staged/States/FileGDB/HighResolution>. Accessed: October 16, 2012.